



**Volume A:
Definition of the CIDOC Conceptual
Reference Model**

Produced by the ICOM/CIDOC
Documentation Standards Group,
Continued by the
CRM Special Interest Group

Document Type: Current
Editorial Status: In Progress since [10/06/2019]

Version 6.2.7

October 2019

Current Main Editors: Patrick Le Boeuf, Martin Doerr, Christian Emil Ore, Stephen Stead

Contributors: Trond Aalberg, Detlev Balzer, Chryssoula Bekiari, Lina Boudouri, Nick Crofts, Gordon Dunsire, Øyvind Eide, Tony Gill, Günther Goerz, Monika Hagedorn-Saupe, Gerald Hiebel, Jon Holmen, Juha Inkari, Dolores Iorizzo, Juha Kotipelto, Siegfried Krause, Karl Heinz Lampe, Carlos Lamsfus, Jutta Lindenthal, Mika Nyman, Pat Riva, Lene Rold, Richard Smiraglia, Regine Stein, Matthew Stiff, Maja Žumer

Copyright © 2003 ICOM/CRM Special Interest Group

Table of Contents

Introduction	i
Objectives of the CIDOC CRM	i
Scope of the CIDOC CRM	i
Terminology	ii
Compatibility with the CIDOC CRM (the following text is taken from ISO21127:2014)	viii
Property Quantifiers	ix
Naming Conventions	x
About the logical expressions of the CIDOC CRM	x
Modelling principles	xi
Reality and Knowledge bases (identifiers versus things and appellations attached to identifiers)	xi
Monotonicity	xi
Extensions	xii
Coverage	xii
Conservative Extension of the Scope of the CIDOC CRM by Model Extensions	xii
Minimality	xiii
Shortcuts	xiii
Disjointness	xiii
Transitivity	xiv
Introduction to the basic concepts	xiv
Examples revised, into overview	xiv
Specific Modelling Constructs	xvii
About Types	xvii
Temporal Relation Primitives based on fuzzy boundaries	xviii
Applied Form	xx
Class & Property Hierarchies	xx
CIDOC CRM Class Hierarchy	xxi
CIDOC CRM Property Hierarchy:	xxiv
CIDOC CRM Class Declarations	1
E1 CRM Entity	2
E2 Temporal Entity	2
E3 Condition State	3
E4 Period	3
E5 Event	5
E6 Destruction	6
E7 Activity	6
E8 Acquisition	7
E9 Move	8
E10 Transfer of Custody	8
E11 Modification	9
E12 Production	9
E13 Attribute Assignment	10
E14 Condition Assessment	11
E15 Identifier Assignment	11
E16 Measurement	12
E17 Type Assignment	12
E18 Physical Thing	13
E19 Physical Object	14
E20 Biological Object	14
E21 Person	15
E22 Human-Made Object	15
E24 Physical Human-Made Thing	15
E25 Human-Made Feature	16
E26 Physical Feature	16
E27 Site	17
E28 Conceptual Object	17
E29 Design or Procedure	18

E30 Right.....	19
E31 Document.....	19
E32 Authority Document.....	19
E33 Linguistic Object.....	20
E34 Inscription.....	20
E35 Title.....	21
E36 Visual Item.....	21
E37 Mark.....	22
E38 Image.....	22
E39 Actor.....	22
E40 Legal Body.....	22
E41 Appellation.....	22
E42 Identifier.....	24
E44 Place Appellation.....	24
E45 Address.....	24
E46 Section Definition.....	24
E47 Spatial Coordinates.....	24
E48 Place Name.....	24
E49 Time Appellation.....	24
E50 Date.....	24
E51 Contact Point.....	24
E52 Time-Span.....	24
E53 Place.....	25
E54 Dimension.....	26
E55 Type.....	26
E56 Language.....	27
E57 Material.....	27
E58 Measurement Unit.....	28
E59 Primitive Value.....	28
E60 Number.....	29
E61 Time Primitive.....	29
E62 String.....	30
E63 Beginning of Existence.....	30
E64 End of Existence.....	30
E65 Creation.....	31
E66 Formation.....	31
E67 Birth.....	32
E68 Dissolution.....	32
E69 Death.....	32
E70 Thing.....	32
E71 Human-Made Thing.....	33
E72 Legal Object.....	33
E73 Information Object.....	34
E74 Group.....	34
E75 Conceptual Object Appellation.....	35
E77 Persistent Item.....	35
E78 Curated Holding.....	36
E79 Part Addition.....	36
E80 Part Removal.....	37
E81 Transformation.....	37
E82 Actor Appellation.....	38
E83 Type Creation.....	38
E84 Information Carrier.....	38
E85 Joining.....	38
E86 Leaving.....	39
E87 Curation Activity.....	39
E89 Propositional Object.....	39
E90 Symbolic Object.....	40
E92 Spacetime Volume.....	41
E93 Presence.....	41

E94 Space Primitive	42
E95 Spacetime Primitive	42
E96 Purchase	43
E97 Monetary Amount	44
E98 Currency	44
E99 Product Type	45
CIDOC CRM Property Declarations.....	46
P1 is identified by (identifies).....	47
P2 has type (is type of)	47
P3 has note.....	47
P4 has time-span (is time-span of).....	48
P5 consists of (forms part of).....	48
P7 took place at (witnessed)	49
P8 took place on or within (witnessed).....	49
P9 consists of (forms part of).....	50
P10 falls within (contains).....	50
P11 had participant (participated in).....	50
P12 occurred in the presence of (was present at).....	51
P13 destroyed (was destroyed by)	52
P14 carried out by (performed).....	52
P15 was influenced by (influenced).....	52
P16 used specific object (was used for)	53
P17 was motivated by (motivated)	53
P19 was intended use of (was made for):	54
P20 had specific purpose (was purpose of).....	54
P21 had general purpose (was purpose of)	54
P22 transferred title to (acquired title through).....	55
P23 transferred title from (surrendered title through)	55
P24 transferred title of (changed ownership through)	56
P25 moved (moved by).....	56
P26 moved to (was destination of)	56
P27 moved from (was origin of).....	57
P28 custody surrendered by (surrendered custody through).....	57
P29 custody received by (received custody through)	57
P30 transferred custody of (custody transferred through).....	58
P31 has modified (was modified by)	58
P32 used general technique (was technique of)	59
P33 used specific technique (was used by).....	59
P34 concerned (was assessed by)	59
P35 has identified (was identified by)	60
P37 assigned (was assigned by).....	60
P38 deassigned (was deassigned by)	60
P39 measured (was measured by).....	61
P40 observed dimension (was observed in).....	61
P41 classified (was classified by)	61
P42 assigned (was assigned by).....	62
P43 has dimension (is dimension of).....	62
P44 has condition (is condition of)	62
P45 consists of (is incorporated in).....	63
P46 is composed of (forms part of)	63
P48 has preferred identifier (is preferred identifier of)	64
P49 has former or current keeper (is former or current keeper of)	64
P50 has current keeper (is current keeper of)	65
P51 has former or current owner (is former or current owner of).....	65
P52 has current owner (is current owner of).....	65
P53 has former or current location (is former or current location of)	66
P54 has current permanent location (is current permanent location of)	66
P55 has current location (currently holds)	67
P56 bears feature (is found on).....	67
P57 has number of parts	67

P58 has section definition (defines section).....	68
P59 has section (is located on or within)	68
P62 depicts (is depicted by)	68
P65 shows visual item (is shown by).....	69
P67 refers to (is referred to by).....	69
P68 foresees use of (use foreseen by).....	70
P69 has association with (is associated with)	70
P70 documents (is documented in).....	71
P71 lists (is listed in).....	71
P72 has language (is language of)	71
P73 has translation (is translation of)	72
P74 has current or former residence (is current or former residence of)	72
P75 possesses (is possessed by).....	72
P76 has contact point (provides access to)	73
P78 is identified by (identifies).....	73
P79 beginning is qualified by	73
P80 end is qualified by	73
P81 ongoing throughout	74
P82 at some time within	74
P83 had at least duration (was minimum duration of).....	74
P84 had at most duration (was maximum duration of).....	74
P86 falls within (contains).....	75
P87 is identified by (identifies).....	75
P89 falls within (contains).....	75
P90 has value	75
P91 has unit (is unit of).....	76
P92 brought into existence (was brought into existence by).....	76
P93 took out of existence (was taken out of existence by)	76
P94 has created (was created by).....	77
P95 has formed (was formed by).....	77
P96 by mother (gave birth).....	77
P97 from father (was father for).....	78
P98 brought into life (was born).....	78
P99 dissolved (was dissolved by).....	79
P100 was death of (died in).....	79
P101 had as general use (was use of).....	79
P102 has title (is title of).....	80
P103 was intended for (was intention of)	80
P104 is subject to (applies to).....	80
P105 right held by (has right on)	81
P106 is composed of (forms part of).....	81
P107 has current or former member (is current or former member of)	81
P108 has produced (was produced by)	82
P109 has current or former curator (is current or former curator of)	82
P110 augmented (was augmented by)	83
P111 added (was added by).....	83
P112 diminished (was diminished by).....	83
P113 removed (was removed by)	84
P114 is equal in time to	84
P115 finishes (is finished by).....	84
P116 starts (is started by).....	85
P117 occurs during (includes)	85
P118 overlaps in time with (is overlapped in time by)	86
P119 meets in time with (is met in time by)	86
P120 occurs before (occurs after).....	87
P121 overlaps with	87
P122 borders with.....	88
P123 resulted in (resulted from)	88
P124 transformed (was transformed by).....	88
P125 used object of type (was type of object used in).....	89

P126 employed (was employed in).....	89
P127 has broader term (has narrower term).....	89
P128 carries (is carried by)	90
P129 is about (is subject of).....	90
P130 shows features of (features are also found on).....	90
P131 is identified by (identifies).....	91
P132 spatiotemporally overlaps with.....	91
P133 is spatiotemporally separated from	92
P134 continued (was continued by).....	92
P135 created type (was created by)	93
P136 was based on (supported type creation).....	93
P137 exemplifies (is exemplified by)	93
P138 represents (has representation)	94
P139 has alternative form	94
P140 assigned attribute to (was attributed by).....	95
P141 assigned (was assigned by).....	95
P142 used constituent (was used in)	96
P143 joined (was joined by)	96
P144 joined with (gained member by).....	96
P145 separated (left by)	97
P146 separated from (lost member by).....	97
P147 curated (was curated by).....	98
P148 has component (is component of).....	98
P149 is identified by (identifies).....	98
P150 defines typical parts of (defines typical wholes for)	99
P151 was formed from (participated in)	99
P152 has parent (is parent of)	99
P156 occupies (is occupied by)	100
P157 is at rest relative to (provides reference space for)	100
P160 has temporal projection (is temporal projection of).....	101
P161 has spatial projection (is spatial projection of)	101
P164 during (was time-span of).....	102
P165 incorporates (is incorporated in).....	102
P166 was a presence of (had presence).....	103
P167 at (was place of).....	103
P168 place is defined by (defines place).....	103
P169 defines spacetime volume (spacetime volume is defined by)	104
P170 defines time (time is defined by)	104
P171 at some place within	104
P172 contains.....	104
P173 starts before or with the end of (ends after or with the start of).....	105
P174 starts before the end of (ends after the start of)	106
P175 starts before or with the start of (starts after or with the start of)	106
P176 starts before the start of (starts after the start of)	107
P177 assigned property type	108
P178 ends after or with (ends before or at the end of)	108
P179 had sales price (was sales price of).....	108
P180 has currency (was currency of).....	109
P181 has amount.....	109
P182 ends before or with the start of (starts after or with the end of).....	109
P183 ends before the start of (starts after the end of)	110
P184 ends before or with the end of (ends with or after the end of).....	111
P185 ends before the end of (ends after the end of).....	111
P186 produced thing of product type (is produced by).....	112
P187 has production plan (is production plan for).....	112
P188 requires production tool (is production tool for).....	113
P189 approximates (is approximated by)	113
P190 has symbolic content	114
P191 had duration (was duration of).....	114
References:.....	115

Editorial notes	120
Amendments	121

Definition of the CIDOC Conceptual Reference Model

Introduction

This document is the formal definition of the **CIDOC Conceptual Reference Model (“CIDOC CRM”)**, a formal ontology intended to facilitate the integration, mediation and interchange of heterogeneous cultural heritage information. The CIDOC CRM is the culmination of more than a decade of standards development work by the International Committee for Documentation (CIDOC) of the International Council of Museums (ICOM). Work on the CIDOC CRM itself began in 1996 under the auspices of the ICOM-CIDOC Documentation Standards Working Group. Since 2000, development of the CIDOC CRM has been officially delegated by ICOM-CIDOC to the CIDOC CRM Special Interest Group, which collaborates with the ISO working group ISO/TC46/SC4/WG9 to bring the CIDOC CRM to the form and status of an International Standard.

Objectives of the CIDOC CRM

The primary role of the CIDOC CRM is to enable information exchange and integration between heterogeneous sources of cultural heritage information. It aims at providing the semantic definitions and clarifications needed to transform disparate, localised information sources into a coherent global resource, be it within a larger institution, in intranets or on the Internet. Its perspective is supra-institutional and abstracted from any specific local context. This goal determines the constructs and level of detail of the CIDOC CRM.

More specifically, it defines and is restricted to the **underlying semantics** of database schemata and document **structures** used in cultural heritage and museum documentation in terms of a formal ontology. It does **not** define any of the **terminology** appearing typically as data in the respective data structures; however it foresees the characteristic relationships for its use. It does **not** aim at proposing what cultural institutions **should** document. Rather it explains the logic of what they actually currently document, and thereby enables **semantic interoperability**.

It intends to provide a model of the intellectual structure of cultural documentation in logical terms. As such, it is not optimised for implementation-specific storage and processing aspects. Implementations may lead to solutions where elements and links between relevant elements of our conceptualizations are no longer explicit in a database or other structured storage system. For instance the birth event that connects elements such as father, mother, birth date, birth place may not appear in the database, in order to save storage space or response time of the system. The CIDOC CRM allows us to explain how such apparently disparate entities are intellectually interconnected, and how the ability of the database to answer certain intellectual questions is affected by the omission of such elements and links.

The CIDOC CRM aims to support the following specific functionalities:

- Inform developers of information systems as a guide to good practice in conceptual modelling, in order to effectively structure and relate information assets of cultural documentation.
- Serve as a common language for domain experts and IT developers to formulate requirements and to agree on system functionalities with respect to the correct handling of cultural contents.
- To serve as a formal language for the identification of common information contents in different data formats; in particular to support the implementation of automatic data transformation algorithms from local to global data structures without loss of meaning. The latter being useful for data exchange, data migration from legacy systems, data information integration and mediation of heterogeneous sources.
- To support associative queries against integrated resources by providing a global model of the basic classes and their associations to formulate such queries.
- It is further believed, that advanced natural language algorithms and case-specific heuristics can take significant advantage of the CIDOC CRM to resolve free text information into a formal logical form, if that is regarded beneficial. The CIDOC CRM is however not thought to be a means to replace scholarly text, rich in meaning, by logical forms, but only a means to identify related data.

Users of the CIDOC CRM should be aware that the definition of data entry systems requires support of community-specific terminology, guidance to what should be documented and in which sequence, and application-specific consistency controls. The CIDOC CRM does not provide such notions.

By its very structure and formalism, the CIDOC CRM is extensible and users are encouraged to create extensions for the needs of more specialized communities and applications.

Scope of the CIDOC CRM

The overall scope of the CIDOC CRM can be summarised in simple terms as the curated knowledge of museums.

However, a more detailed and useful definition can be articulated by defining both the Intended Scope, a broad and maximally-inclusive definition of general application principles, and the Practical Scope, which is expressed by the overall scope of a reference set of specific identifiable museum documentation standards and practices that the CIDOC CRM aims to encompass, however restricted in its details to the limitations of the Intended Scope.

The Intended Scope of the CIDOC CRM may be defined as all information required for the exchange and integration of heterogeneous scientific documentation of museum collections. This definition requires further elaboration:

- The term “scientific documentation” is intended to convey the requirement that the depth and quality of descriptive information that can be handled by the CIDOC CRM should be sufficient for serious academic research. This does not mean that information intended for presentation to members of the general public is excluded, but rather that the CIDOC CRM is intended to provide the level of detail and precision expected and required by museum professionals and researchers in the field.
- The term “museum collections” is intended to cover all types of material collected and displayed by museums and related institutions, as defined by ICOM¹. This includes collections, sites and monuments relating to fields such as social history, ethnography, archaeology, fine and applied arts, natural history, history of sciences and technology.
- The documentation of collections includes the detailed description of individual items within collections, groups of items and collections as a whole. The CIDOC CRM is specifically intended to cover contextual information: the historical, geographical and theoretical background that gives museum collections much of their cultural significance and value.
- The exchange of relevant information with libraries and archives, and the harmonisation of the CIDOC CRM with their models, falls within the Intended Scope of the CIDOC CRM.
- Information required solely for the administration and management of cultural institutions, such as information relating to personnel, accounting, and visitor statistics, falls outside the Intended Scope of the CIDOC CRM.

The Practical Scope² of the CIDOC CRM is expressed in terms of the current reference standards for museum documentation that have been used to guide and validate the CIDOC CRM’s development. The CIDOC CRM covers the same domain of discourse as the union of these reference standards; this means that data correctly encoded according to these museum documentation standards there can be a CIDOC CRM-compatible expression that conveys the same meaning.

Terminology

The following definitions of key terminology used in this document are provided both as an aid to readers unfamiliar with object-oriented modelling terminology, and to specify the precise usage of terms that are sometimes applied inconsistently across the object oriented modelling community for the purpose of this document. Where applicable, the editors have tried to consistently use terminology that is compatible with that of the Resource Description Framework (RDF)³, a recommendation of the World Wide Web Consortium. The editors have tried to find a language which is comprehensible to the non-computer expert and precise enough for the computer expert so that both understand the intended meaning.

Class A class is a category of items that share one or more common traits serving as criteria to identify the items belonging to the class. These **properties** need not be explicitly formulated in logical terms, but may be described in a text (here called a **scope note**) that refers to a common conceptualisation of domain experts. The sum of these traits is called the **intension** of the class. A class may be the **domain** or **range** of none, one or more properties formally defined in a model. The formally defined properties need not be part of the intension of their domains or ranges: such properties are optional. An item that belongs to a class is called an **instance** of this class. A class is associated with an open set of real life instances, known as the **extension** of the class. Here “open” is used in the sense that it is generally beyond our capabilities to know all instances of a class in the world and indeed that the future may bring new instances about at any time (**Open World**). Therefore a class cannot be defined by enumerating its instances. A class plays a role analogous to a grammatical noun, and can be completely defined without reference to any other construct (unlike properties, which must have an unambiguously defined domain and range). In some contexts, the terms individual class, entity or node are used synonymously with class.

For example:

Person is a class. To be a Person may actually be determined by DNA characteristics, but we all know what a Person is. A Person may have the property of being a member of a Group, but it is not necessary to be member of a Group in order to be a Person. We shall never know all Persons of the past. There will be more Persons in the future.

¹ The ICOM Statutes provide a definition of the term “museum” at <http://icom.museum/statutes.html#2>

² The Practical Scope of the CIDOC CRM, including a list of the relevant museum documentation standards, is discussed in more detail on the CIDOC CRM website at <http://cidoc.ics.forth.gr/scope.html>

³ Information about the Resource Description Framework (RDF) can be found at <http://www.w3.org/RDF/>

subclass	<p>A subclass is a class that is a specialization of another class (its superclass). Specialization or the IsA relationship means that:</p> <ol style="list-style-type: none"> 1. all instances of the subclass are also instances of its superclass, 2. the intension of the subclass extends the intension of its superclass, i.e. its traits are more restrictive than that of its superclass and 3. the subclass inherits the definition of all of the properties declared for its superclass without exceptions (strict inheritance), in addition to having none, one or more properties of its own. <p>A subclass can have more than one immediate superclass and consequently inherits the properties of all of its superclasses (multiple inheritance). The IsA relationship or specialization between two or more classes gives rise to a structure known as a class hierarchy. The IsA relationship is transitive and may not be cyclic. In some contexts (e.g. the programming language C++) the term derived class is used synonymously with subclass.</p> <p>For example: Every Person IsA Biological Object, or Person is a subclass of Biological Object. Also, every Person IsA Actor. A Person may die. However other kinds of Actors, such as companies, don't die (c.f. 2). Every Biological Object IsA Physical Object. A Physical Object can be moved. Hence a Person can be moved also (c.f. 3).</p>
superclass	<p>A superclass is a class that is a generalization of one or more other classes (its subclasses), which means that it subsumes all instances of its subclasses, and that it can also have additional instances that do not belong to any of its subclasses. The intension of the superclass is less restrictive than any of its subclasses. This subsumption relationship or generalization is the inverse of the IsA relationship or specialization.</p> <p>In some contexts (e.g. the programming language C++) the term parent class is used synonymously with superclass.</p> <p>For example: “Biological Object subsumes Person” is synonymous with “Biological Object is a superclass of Person”. It needs fewer traits to identify an item as a Biological Object than to identify it as a Person.</p>
intension	<p>The intension of a class or property is its intended meaning. It consists of one or more common traits shared by all instances of the class or property. These traits need not be explicitly formulated in logical terms, but may just be described in a text (here called a scope note) that refers to a conceptualisation common to domain experts. In particular the so-called primitive concepts, which make up most of the CIDOC CRM, cannot be further reduced to other concepts by logical terms.</p>
extension	<p>The extension of a class is the set of all real life instances belonging to the class that fulfil the criteria of its intension. This set is “open” in the sense that it is generally beyond our capabilities to know all instances of a class in the world and indeed that the future may bring new instances about at any time (Open World). An information system may at any point in time refer to some instances of a class, which form a subset of its extension.</p>
scope note	<p>A scope note is a textual description of the intension of a class or property. Scope notes are not formal modelling constructs, but are provided to help explain the intended meaning and application of the CIDOC CRM's classes and properties. Basically, they refer to a conceptualisation common to domain experts and disambiguate between different possible interpretations. Illustrative example instances of classes and properties are also regularly provided in the scope notes for explanatory purposes.</p>
instance	<p>An instance of a class is a real world item that fulfils the criteria of the intension of the class. Note, that the number of instances declared for a class in an information system is typically less than the total in the real world. For example, you are an instance of Person, but you are not mentioned in all information systems describing Persons.</p> <p>For example: The painting known as the “The Mona Lisa” is an instance of the class Man Made Object.</p>

An instance of a **property** is a factual relation between an instance of the **domain** and an instance of the **range** of the property that matches the criteria of the **intension** of the property.

For example:

“The Louvre *is current owner of* The Mona Lisa” is an instance of the property “*is current owner of*”.

property

A property serves to define a relationship of a specific kind between two **classes**. The property is characterized by an **intension**, which is conveyed by a **scope note**. A property plays a role analogous to a grammatical verb, in that it must be defined with reference to both its **domain** and **range**, which are analogous to the subject and object in grammar (unlike classes, which can be defined independently). It is arbitrary, which class is selected as the domain, just as the choice between active and passive voice in grammar is arbitrary. In other words, a property can be interpreted in both directions, with two distinct, but related interpretations. Properties may themselves have properties that relate to other classes (This feature is used in this model only in order to describe dynamic subtyping of properties). Properties can also be specialized in the same manner as classes, resulting in IsA relationships between **subproperties** and their **superproperties**.

In some contexts, the terms attribute, reference, link, role or slot are used synonymously with property.

For example:

“Physical Human-Made Thing *depicts* CRM Entity” is equivalent to “CRM Entity *is depicted by* Physical Human-Made Thing”.

inverse of

The inverse of a property is the reinterpretation of a **property** from **range** to **domain** without more general or more specific meaning, similar to the choice between active and passive voice in some languages. In contrast to some knowledge representation languages, such as RDF and OWL, we regard that the inverse of a property is not a property in its own right that needs an explicit declaration of being inverse of another, but an interpretation implicitly existing for any property. The inverse of the inverse of a property is identical to the property itself, i.e. its primary sense of direction.

For example:

“CRM Entity *is depicted by* Physical Human-Made Thing” is the inverse of “Physical Human-Made Thing *depicts* CRM Entity”

subproperty

A subproperty is a **property** that is a specialization of another property (its **superproperty**). Specialization or IsA relationship means that:

1. all **instances** of the subproperty are also instances of its superproperty,
2. the **intension** of the subproperty extends the intension of the superproperty, i.e. its traits are more restrictive than that of its superproperty,
3. the **domain** of the subproperty is the same as the domain of its superproperty or a **subclass** of that domain,
4. the **range** of the subproperty is the same as the range of its superproperty or a subclass of that range,
5. the subproperty inherits the definition of all of the properties declared for its superproperty without exceptions (**strict inheritance**), in addition to having none, one or more properties of its own.

A subproperty can have more than one immediate superproperty and consequently inherits the properties of all of its superproperties (**multiple inheritance**). The IsA relationship or specialization between two or more properties gives rise to the structure we call a property hierarchy. The IsA relationship is transitive and may not be cyclic.

Some object-oriented programming languages, such as C++, do not contain constructs that allow for the expression of the specialization of properties as sub-properties.

Alternatively, a property may be subproperty of the **inverse of** another property, i.e. reading the property from range to domain. In that case,

1. all instances of the subproperty are also instances of the inverse of the other property,
2. the intension of the subproperty extends the intension of the inverse of the other property, i.e. its traits are more restrictive than that of the inverse of the other property,

3. the domain of the subproperty is the same as the range of the other property or a subclass of that range,
4. the range of the subproperty is the same as the domain of the other property or a subclass of that domain,
5. the subproperty inherits the definition of all of the properties declared for the other property without exceptions (strict inheritance), in addition to having none, one or more properties of its own. The definitions of inherited properties have to be interpreted in the inverse sense of direction of the subproperty, i.e., from range to domain.

superproperty A superproperty is a **property** that is a generalization of one or more other properties (its **subproperties**), which means that it subsumes all **instances** of its subproperties, and that it can also have additional instances that do not belong to any of its subproperties. The **intension** of the superproperty is less restrictive than any of its subproperties. The subsumption relationship or generalization is the inverse of the IsA relationship or specialization. A superproperty may be a generalization of the **inverse of** another property

domain The domain is the **class** for which a **property** is formally defined. This means that **instances** of the property are applicable to instances of its domain class. A property must have exactly one domain, although the domain class may always contain instances for which the property is not instantiated. The domain class is analogous to the grammatical subject of the phrase for which the property is analogous to the verb. It is arbitrary, which class is selected as the domain and which as the **range**, just as the choice between active and passive voice in grammar is arbitrary. Property names in the CIDOC CRM are designed to be semantically meaningful and grammatically correct when read from domain to range. In addition, the inverse property name, normally given in parentheses, is also designed to be semantically meaningful and grammatically correct when read from range to domain.

range The range is the **class** that comprises all potential values of a **property**. That means that **instances** of the property can link only to instances of its range class. A property must have exactly one range, although the range class may always contain instances that are not the value of the property. The range class is analogous to the grammatical object of a phrase for which the property is analogous to the verb. It is arbitrary, which class is selected as **domain** and which as range, just as the choice between active and passive voice in grammar is arbitrary. Property names in the CIDOC CRM are designed to be semantically meaningful and grammatically correct when read from domain to range. In addition the inverse property name, normally given in parentheses, is also designed to be semantically meaningful and grammatically correct when read from range to domain.

inheritance Inheritance of **properties** from **superclasses** to **subclasses** means that if an item x is an **instance** of a **class** A, then

1. all properties that must hold for the instances of any of the superclasses of A must also hold for item x, and

all optional properties that may hold for the instances of any of the superclasses of A may also hold for item x.

strict inheritance Strict **inheritance** means that there are no exceptions to the inheritance of **properties** from **superclasses** to **subclasses**. For instance, some systems may declare that elephants are grey, and regard a white elephant as an exception. Under strict inheritance it would hold that: if all elephants were grey, then a white elephant could not be an elephant. Obviously not all elephants are grey. To be grey is not part of the **intension** of the concept elephant but an optional property. The CIDOC CRM applies strict inheritance as a normalization principle.

multiple inheritance Multiple **inheritance** means that a **class** A may have more than one immediate **superclass**. The **extension** of a class with multiple immediate superclasses is a subset of the intersection of all extensions of its superclasses. The **intension** of a class with multiple immediate superclasses extends the intensions of all its superclasses, i.e. its traits are more restrictive than any of its superclasses. If multiple inheritance is used, the resulting “class hierarchy” is a directed graph and not a tree structure. If it is represented as an indented list, there are necessarily repetitions of the same class at different positions in the list. For example, Person is both, an Actor and a Biological Object.

Multiple Instantiation is the term that describes the case that an instance of class A is also

Instantiation	regarded as an instance of one or more other classes B1...n at the same time. When multiple instantiation is used, it has the effect that the properties of all these classes become available to describe this instance. For instance, some particular cases of destruction may also be activities (e.g., Herostratos' deed), but not all destructions are activities (e.g., destruction of Herculaneum). In comparison, multiple inheritance describes the case that all instances of a class A are implicitly instances of all superclasses of A, by virtue of the definition of the class A, whereas the combination of classes used for multiple instantiation is a characteristic of particular instances only. It is important to note that multiple instantiation is not allowed using combinations of disjoint classes.
endurant, perdurant	“The difference between enduring and perduring entities (which we shall also call <i>endurants</i> and <i>perdurants</i>) is related to their behaviour in time. Endurants are wholly present (i.e., all their proper parts are present) at any time they are present. Perdurants, on the other hand, just extend in time by accumulating different temporal parts, so that, at any time they are present, they are only partially present, in the sense that some of their proper temporal parts (e.g., their previous or future phases) may be not present. E.g., the piece of paper you are reading now is wholly present, while some temporal parts of your reading are not present any more. Philosophers say that endurants are entities that are in time, while lacking however temporal parts (so to speak, all their parts flow with them in time). Perdurants, on the other hand, are entities that happen in time, and can have temporal parts (all their parts are fixed in time).” (Gangemi et al. 2002, pp. 166-181).
shortcut	A shortcut is a formally defined single property that represents a deduction or join of a data path in the CIDOC CRM. The scope notes of all properties characterized as shortcuts describe in words the equivalent deduction. Shortcuts are introduced for the cases where common documentation practice refers only to the deduction rather than to the fully developed path. For example, museums often only record the dimension of an object without documenting the Measurement that observed it. The CIDOC CRM declares shortcuts explicitly as single properties in order to allow the user to describe cases in which he has less detailed knowledge than the full data path would need to be described. For each shortcut, the CIDOC CRM contains in its schema the properties of the full data path explaining the shortcut.
monotonic reasoning	Monotonic reasoning is a term from knowledge representation. A reasoning form is monotonic if an addition to the set of propositions making up the knowledge base never determines a decrement in the set of conclusions that may be derived from the knowledge base via inference rules. In practical terms, if experts enter subsequently correct statements to an information system, the system should not regard any results from those statements as invalid, when a new one is entered. The CIDOC CRM is designed for monotonic reasoning and so enables conflict-free merging of huge stores of knowledge.
disjoint	Classes are disjoint if the intersection of their extensions is an empty set. In other words, they have no common instances in any possible world.
primitive	The term primitive as used in knowledge representation characterizes a concept that is declared and its meaning is agreed upon, but that is not defined by a logical deduction from other concepts. For example, mother may be described as a female human with child. Then mother is not a primitive concept. Event however is a primitive concept. Most of the CIDOC CRM is made up of primitive concepts.
Open World	The “Open World Assumption” is a term from knowledge base systems. It characterizes knowledge base systems that assume the information stored is incomplete relative to the universe of discourse they intend to describe. This incompleteness may be due to the inability of the maintainer to provide sufficient information or due to more fundamental problems of cognition in the system’s domain. Such problems are characteristic of cultural information systems. Our records about the past are necessarily incomplete. In addition, there may be items that cannot be clearly assigned to a given class . In particular, absence of a certain property for an item described in the system does not mean that this item does not have this property. For example, if one item is described as Biological Object and another as Physical Object, this does not imply that the latter may not be a Biological Object as well. Therefore complements of a class with respect to a superclass cannot be concluded in general from an information system using the Open World Assumption. For example, one cannot list “all Physical Objects known to the system that are not Biological Objects in the real world”, but one may of course list “all items known to the system as Physical Objects but that are not known to the system as Biological Objects”.

complement	<p>The complement of a class A with respect to one of its superclasses B is the set of all instances of B that are not instances of A. Formally, it is the set-theoretic difference of the extension of B minus the extension of A. Compatible extensions of the CIDOC CRM should not declare any class with the intension of them being the complement of one or more other classes. To do so will normally violate the desire to describe an Open World. For example, for all possible cases of human gender, male should not be declared as the complement of female or vice versa. What if someone is both or even of another kind?</p>
query containment	<p>Query containment is a problem from database theory: A query X contains another query Y, if for each possible population of a database the answer set to query X contains also the answer set to query Y. If query X and Y were classes, then X would be superclass of Y.</p>
interoperability	<p>Interoperability means the capability of different information systems to communicate some of their contents. In particular, it may mean that</p> <ol style="list-style-type: none"> 1. two systems can exchange information, and/or 2. multiple systems can be accessed with a single method. <p>Generally, syntactic interoperability is distinguished from semantic interoperability. Syntactic interoperability means that the information encoding of the involved systems and the access protocols are compatible, so that information can be processed as described above without error. However, this does not mean that each system processes the data in a manner consistent with the intended meaning. For example, one system may use a table called "Actor" and another one called "Agent". With syntactic interoperability, data from both tables may only be retrieved as distinct, even though they may have exactly the same meaning. To overcome this situation, semantic interoperability has to be added. The CIDOC CRM relies on existing syntactic interoperability and is concerned only with adding <i>semantic interoperability</i>.</p>
semantic interoperability	<p>Semantic interoperability means the capability of different information systems to communicate information consistent with the intended meaning. In more detail, the intended meaning encompasses</p> <ol style="list-style-type: none"> 1. the data structure elements involved, 2. the terminology appearing as data and 3. the identifiers used in the data for factual items such as places, people, objects etc. <p>Obviously communication about data structure must be resolved first. In this case consistent communication means that data can be transferred between data structure elements with the same intended meaning or that data from elements with the same intended meaning can be merged. In practice, the different levels of generalization in different systems do not allow the achievement of this ideal. Therefore semantic interoperability is regarded as achieved if elements can be found that provide a reasonably close generalization for the transfer or merge. This problem is being studied theoretically as the query containment problem. The CIDOC CRM is only concerned with semantic interoperability on the level of data structure elements.</p>
property quantifiers	<p>We use the term "property quantifiers" for the declaration of the allowed number of instances of a certain property that can refer to a particular instance of the range class or the domain class of that property. These declarations are ontological, i.e. they refer to the nature of the real world described and not to our current knowledge. For example, each person has exactly one father, but collected knowledge may refer to none, one or many.</p>
universal	<p>The fundamental ontological distinction between universals and particulars can be informally understood by considering their relationship with instantiation: particulars are entities that have no instances in any possible world; universals are entities that do have instances. Classes and properties (corresponding to predicates in a logical language) are usually considered to be universals. (after Gangemi et al. 2002, pp. 166-181).</p>
Knowledge Creation Process	<p>All knowledge contained in an information system must have been introduced into that system by some human agent, either directly or indirectly. Despite this fact, many, if not most, statements within such a system will lack specific attribution of authority. That being said, in the domain of cultural heritage, it is common practice that, for the processes of collection documentation and management, there are clearly and explicitly elaborated systems of responsibility outlining by whom and how knowledge can be added and or modified in the system. Ideally these systems are specified in institutional policy and</p>

protocol documents. Thus, it is reasonable to hold that all such statements that lack explicit authority attribution within the information system can, in fact, be read as the official view of the administrating institution of that system.

Such a position does not mean to imply that an information system represents at any particular moment a completed phase of knowledge that the institution promotes. Rather, it means to underline that, in a CH context, a managed set of data, at any state of elaboration, will in fact embody an adherence to some explicit code of standards which guarantees the validity of that data within the scope of said standards and all practical limitations. So long as the information is under active management it remains continuously open to revision and improvement as further research reveals further understanding surrounding the objects of concern.

A distinct exception to this rule is represented by information in the data set that carries with it an explicit statement of responsibility.

In CIDOC CRM such statements of responsibility are expressed through knowledge creation events such as E13 Attribute Assignment and its relevant subclasses. Any information in a CIDOC CRM model that is based on an explicit creation event for that piece of information, where the creator's identity has been given, is attributed to the authority and assigned to the responsibility of the actor identified as causal in that event. For any information in the system connected to knowledge creation events that do not explicitly reference their creator, as well as any information not connected to creation events, the responsibility falls back to the institution responsible for the database/knowledge graph. That means that for information only expressed through shortcuts such as 'P2 has type', where no knowledge creation event has been explicitly specified, the originating creation event cannot be deduced and the responsibility for the information can never be any other body than the institution responsible for the whole information system.

In the case of an institution taking over stewardship of a database transferred into their custody, two relations of responsibility for the knowledge therein can be envisioned. If the institution accepts the dataset and undertakes to maintain and update it, then they take on responsibility for that information and become the default authority behind its statements as described above. If, on the other hand, the institution accepts the data set and stores it without change as a closed resource, then it can be considered that the default authority remains the original steward.

Transitivity

Transitivity is defined in the standard way found in mathematics or logic: A property P is transitive if the domain and range is the same class and for all instances x, y, z of this class the following is the case: If x is related by P to y and y is related by P to z, then x is related by P to z. The intention of a property as described in the scope note will decide whether a property is transitive. For example overlaps in time or in space are not transitive, while "occurs before" is transitive. Transitivity is especially useful when CIDOC CRM is implemented in a system with deduction.

Compatibility with the CIDOC CRM (the following text is taken from ISO21127:2014)

Users intending to take advantage of the semantic interoperability offered by the CIDOC CRM should ensure conformance with the relevant data structures. Conformance pertains either to data to be made accessible in an integrated environment or intended for transport to other environments. Any encoding of data in a formal language that preserves the relations of the classes, properties, and inheritance rules defined by this International Standard, is regarded as conformant.

Conformance with the CIDOC CRM does not require complete matching of all local documentation structures, nor that all concepts and structures present in this International Standard be implemented. This International Standard is intended to allow room both for extensions, needed to capture the full richness of cultural documentation, and for simplification, in the interests of economy. A system will be deemed partially conformant if it supports a subset of subclasses and sub properties defined by this International Standard. Designers of the system should publish details of the constructs that are supported.

The focus of the CIDOC CRM is the exchange and mediation of structured information. It does not require the interpretation of unstructured (free text) information into a structured, logical form. Unstructured information is supported, but falls outside the scope of conformance considerations.

Any documentation system will be deemed conformant with this International Standard, regardless of the internal data structures it uses; if a deterministic logical algorithm can be constructed, that transforms data contained in the system into a directly compatible form without loss of meaning.

No assumptions are made as to the nature of this algorithm. "Without loss of meaning" signifies that designers and users of the system are satisfied that the data representation corresponds to the semantic definitions provided by this International Standard.

Property Quantifiers

Quantifiers for properties are provided for the purpose of semantic clarification only, and should **not** be treated as implementation recommendations. The CIDOC CRM has been designed to accommodate alternative opinions and incomplete information, and therefore **all** properties should be implemented as optional and repeatable for their domain and range ("many to many (0,n:0,n)"). Therefore the term "cardinality constraints" is avoided here, as it typically pertains to implementations.

The following table lists all possible property quantifiers occurring in this document by their notation, together with an explanation in plain words. In order to provide optimal clarity, two widely accepted notations are used redundantly in this document, a verbal and a numeric one. The verbal notation uses phrases such as "one to many", and the numeric one, expressions such as "(0,n:0,1)". While the terms "one", "many" and "necessary" are quite intuitive, the term "dependent" denotes a situation where a range instance cannot exist without an instance of the respective property. In other words, the property is "necessary" for its range. (see also Meghini, C. and Doerr, M. (2015) **A First-Order Logic Expression of the CIDOC Conceptual Reference Model**. Available online at: <http://new.cidoc-crm.org/sites/default/files/20150805-document.pdf>)

many to many (0,n:0,n)	Unconstrained: An individual domain instance and range instance of this property can have zero, one or more instances of this property. In other words, this property is optional and repeatable for its domain and range.
one to many (0,n:0,1)	An individual domain instance of this property can have zero, one or more instances of this property, but an individual range instance cannot be referenced by more than one instance of this property. In other words, this property is optional for its domain and range, but repeatable for its domain only. In some contexts this situation is called a "fan-out".
many to one (0,1:0,n)	An individual domain instance of this property can have zero or one instance of this property, but an individual range instance can be referenced by zero, one or more instances of this property. In other words, this property is optional for its domain and range, but repeatable for its range only. In some contexts this situation is called a "fan-in".
many to many, necessary (1,n:0,n)	An individual domain instance of this property can have one or more instances of this property, but an individual range instance can have zero, one or more instances of this property. In other words, this property is necessary and repeatable for its domain, and optional and repeatable for its range.
one to many, necessary (1,n:0,1)	An individual domain instance of this property can have one or more instances of this property, but an individual range instance cannot be referenced by more than one instance of this property. In other words, this property is necessary and repeatable for its domain, and optional but not repeatable for its range. In some contexts this situation is called a "fan-out".
many to one, necessary (1,1:0,n)	An individual domain instance of this property must have exactly one instance of this property, but an individual range instance can be referenced by zero, one or more instances of this property. In other words, this property is necessary and not repeatable for its domain, and optional and repeatable for its range. In some contexts this situation is called a "fan-in".
one to many, dependent (0,n:1,1)	An individual domain instance of this property can have zero, one or more instances of this property, but an individual range instance must be referenced by exactly one instance of this property. In other words, this property is optional and repeatable for its domain, but necessary and not repeatable for its range. In some contexts this situation is called a "fan-out".
one to many, necessary, dependent (1,n:1,1)	An individual domain instance of this property can have one or more instances of this property, but an individual range instance must be referenced by exactly one instance of this property. In other words, this property is necessary and repeatable for its domain, and necessary but not repeatable for its range. In some contexts this situation is called a "fan-out".
many to one, necessary, dependent (1,1:1,n)	An individual domain instance of this property must have exactly one instance of this property, but an individual range instance can be referenced by one or more instances of this property. In other words, this property is necessary and not repeatable for its domain, and necessary and repeatable for its range. In some contexts this situation is called a "fan-in".

one to one
(1,1:1,1) An individual domain instance and range instance of this property must have exactly one instance of this property. In other words, this property is necessary and not repeatable for its domain and for its range.

The CIDOC CRM defines some dependencies between properties and the classes that are their domains or ranges. These can be one or both of the following:

A) the property is necessary for the domain

B) the property is necessary for the range, or, in other words, the range is dependent on the property.

The possible kinds of dependencies are defined in the table above. Note that if a dependent property is not specified for an instance of the respective domain or range, it means that the property exists, but the value on one side of the property is unknown. In the case of optional properties, the methodology proposed by the CIDOC CRM does not distinguish between a value being unknown or the property not being applicable at all. For example, one may know that an object has an owner, but the owner is unknown. In a CIDOC CRM instance this case cannot be distinguished from the fact that the object has no owner at all. Of course, such details can always be specified by a textual note.

Naming Conventions

The following naming conventions have been applied throughout the CIDOC CRM:

- Classes are identified by numbers preceded by the letter “E” (historically classes were sometimes referred to as “Entities”), and are named using noun phrases (nominal groups) using title case (initial capitals). For example, E63 Beginning of Existence.
- Properties are identified by numbers preceded by the letter “P,” and are named in both directions using verbal phrases in lower case. Properties with the character of states are named in the present tense, such as “has type”, whereas properties related to events are named in past tense, such as “carried out.” For example, P126 *employed (was employed in)*.
- Property names should be read in their non-parenthetical form for the domain-to-range direction, and in parenthetical form for the range-to-domain direction. Reading a property in range-to-domain direction is equivalent to the inverse of that property. Following a current notational practice in OWL knowledge representation language, we represent inverse properties in this text by adding a letter “i” following the identification number and the parenthetical form of the full property name, such as P59*i is located on or within*, which is the inverse of P59 *has section (is located on or within)*.
- Properties with a range that is a subclass of E59 Primitive Value (such as E1 CRM Entity. P3 *has note: E62 String*, for example) have no parenthetical name form, because reading the property name in the range-to-domain direction is not regarded as meaningful.
- Properties that have identical domain and range are either symmetric or transitive. Instantiating a symmetric property implies that the same relation holds for both the domain-to-range and the range-to-domain directions. An example of this is E53 *Place. P122 borders with: E53 Place*. The names of symmetric properties have no parenthetical form, because reading in the range-to-domain direction is the same as the domain-to-range reading. Transitive asymmetric properties, such as E4 *Period. P9 consist of (forms part of): E4 Period*, have a parenthetical form that relates to the meaning of the inverse direction.
- The choice of the domain of properties, and hence the order of their names, are established in accordance with the following priority list:
 - Temporal Entity and its subclasses
 - Thing and its subclasses
 - Actor and its subclasses
 - Other

About the logical expressions of the CIDOC CRM

The present CIDOC CRM specifications are annotated with logical axioms, providing an alternative formal expressions of the CIDOC CRM ontology. This section briefly introduces the assumptions that are at the basis of the logical expression of the CIDOC CRM (for a fully detailed account of the logical expression of semantic data modelling, see [1]⁴).

The CIDOC CRM is expressed in terms of the primitives of semantic data modelling. As such, it consists of:

- *classes*, which represent general notions in the domain of discourse, such as the CIDOC CRM class E21 *Person* which represents the notion of person;
- *properties*, which represent the binary relations that link the individuals in the domain of discourse, such as the CIDOC CRM property P152 *has parent* linking a person to one of the person’s parent.

Classes and properties are used to express ontological knowledge by means of various kinds of constraints, such as sub-class/sub-property links, e.g., E21 *Person* is a sub-class of E20 *Biological Object*, or domain/range constraints, e.g., the domain of P152 *has*

⁴ [1] R. Reiter (1984). Towards a logical reconstruction of relational database theory. In Brodie, M. L., Mylopoulos, J., and Schmidt, J. W., editors, *On Conceptual Modelling*, pages 191–233. Springer Verlag, New York, NY

parent is class *E21 Person*.

In contrast, first-order logic-based knowledge representation relies on a language for formally encoding an ontology. This language can be directly put in correspondence with semantic data modelling in a straightforward way:

- classes are named by *unary predicate symbols*; conventionally, we use *E21* as the unary predicate symbol corresponding to class *E21 Person*;
- properties are named by *binary predicate symbols*; conventionally, we use *P152* as the binary predicate symbol corresponding to property *P152 has parent*.

Ontology is expressed in logic by means of *logical axioms*, which correspond to the constraints of semantic modelling. These axioms use the well-known non-logical symbols (and for conjunction, or for disjunction, implies for implication, not for negation, forall for universal quantification and exists for existential quantification) and the predicate symbols representing the involved classes and properties. For instance, the above sub-class link between *E21 Person* and *E20 Biological Object* can be formulated in logic as the axiom:

$$(\text{forall } x) [E21(x) \text{ implies } E20(x)]$$

(reading: for all individuals *x*, if *x* is a *E21* then *x* is an *E20*). In the specifications, universal quantifiers are omitted for simplicity, so the above axiom is simply written:

$$E21(x) \text{ implies } E20(x)$$

Likewise, the above domain constraint on property *P152 has parent* can be formulated in logic as the axiom:

$$P152(x,y) \text{ implies } E21(x)$$

(reading: for all individuals *x* and *y*, if *x* is a *P152* of *y*, then *x* is an *E21*).

These basic considerations should be used by the reader to understand the logical axioms that are inserted into the present specifications. If the reader wishes to know the complete first-order language that has been used for the logical expression of the CIDOC CRM, he is referred to [2]⁵.

Modelling principles

The following modelling principles have guided and informed the development of the CIDOC CRM.

Reality and Knowledge bases (identifiers versus things ad appellation attached o identifiers)

Monotonicity

Because the CIDOC CRM's primary role is the meaningful integration of information in an Open World, it aims to be monotonic in the sense of Domain Theory. That is, the existing CIDOC CRM constructs and the deductions made from them must always remain valid and well-formed, even as new constructs are added by extensions to the CIDOC CRM.

For example:

One may add a subclass of *E7 Activity* to describe the practice of an instance of group to use a certain name for a place over a certain time-span. By this extension, no existing *IsA Relationships* or property inheritances are compromised.

In addition, the CIDOC CRM aims to enable the formal preservation of monotonicity when augmenting a particular CIDOC CRM compatible system. That is, existing CIDOC CRM instances, their properties and deductions made from them, should always remain valid and well-formed, even as new instances, regarded as consistent by the domain expert, are added to the system.

For example:

If someone describes correctly that an item is an instance of *E19 Physical Object*, and later it is correctly characterized as an instance of *E20 Biological Object*, the system should not stop treating it as an instance of *E19 Physical Object*.

In order to formally preserve monotonicity for the frequent cases of alternative opinions, all formally defined properties should be

⁵ [2] C. Meghini and M. Doerr (2016). A first-order logic expression of the CIDOC Conceptual Reference Model. Submitted for publication.

implemented as unconstrained (**many: many**) so that conflicting instances of properties are merely accumulated. Thus knowledge integrated following the CIDOC CRM serves as a research base, accumulating relevant alternative opinions around well-defined entities, whereas conclusions about the truth are the task of open-ended scientific or scholarly hypothesis building.

For example:

El Greco and even King Arthur should always remain an instance of E21 Person and be dealt with as existing within the sense of our discourse, once they are entered into our knowledge base. Alternative opinions about properties, such as their birthplaces and their living places, should be accumulated without validity decisions being made during data compilation.

Properties, such as having a part, an owner or a location, may change many times for a single item during its existence. Stating instances of such properties for an item in terms of the CIDOC CRM only means that these properties existed during some particular time-span. Therefore, one item may have multiple instances of the same property reflecting an aggregation of these instances over the time-span of its existence. If more temporal details are required, the CIDOC CRM recommends explicitly describing the events of acquiring or losing such property instances, such as by E9 Move etc. By virtue of this principle, the CIDOC CRM achieves monotonicity with respect to an increase of knowledge about the states of an item at different times, regardless of their temporal order.

However, for some of these properties many collection databases describe the “current” state, such as “current location” or “current owner”. Using such a “current” state means, that the database manager is able to verify the respective reality at the latest date of validity of the database. Obviously, this information is non-monotonic, i.e., it requires deletion when the state changes. In order to preserve a reduced monotonicity, these properties have time-neutral superproperties by which respective instances can be reclassified if the validity becomes unknown or no longer holds. Therefore the use of such properties in the CIDOC CRM is only recommended if they can be maintained consistently. Otherwise, they should be reclassified by their time-neutral superproperties. This holds in particular if data is exported to another repository.

Extensions

Since the intended scope of the CIDOC CRM is a subset of the “real” world and is therefore potentially infinite, the model has been designed to be extensible through the linkage of compatible external type hierarchies.

Compatibility of extensions with the CIDOC CRM means that data structured according to an extension must also remain valid as a CIDOC CRM instance. In practical terms, this implies *query containment*: any queries based on CIDOC CRM concepts should retrieve a result set that is correct according to the CIDOC CRM’s semantics, regardless of whether the knowledge base is structured according to the CIDOC CRM’s semantics alone, or according to the CIDOC CRM plus compatible extensions. For example, a query such as “list all events” should recall 100% of the instances deemed to be events by the CIDOC CRM, regardless of how they are classified by the extension.

A sufficient condition for the compatibility of an extension with the CIDOC CRM is that CIDOC CRM classes subsume all classes of the extension, and all properties of the extension are either subsumed by CIDOC CRM properties, or are part of a path for which a CIDOC CRM property is a shortcut. Obviously, such a condition can only be tested intellectually.

Coverage

Of necessity, some concepts covered by the CIDOC CRM are less thoroughly elaborated than others: E39 Actor and E30 Right, for example. This is a natural consequence of staying within the CIDOC CRM’s clearly articulated practical scope in an intrinsically unlimited domain of discourse. These ‘underdeveloped’ concepts can be considered as hooks for compatible extensions.

The CIDOC CRM provides a number of mechanisms to ensure that coverage of the intended scope is complete:

1. Existing high level classes can be extended, either structurally as subclasses or dynamically using the type hierarchy.
2. Existing high level properties can be extended, either structurally as subproperties, or in some cases, dynamically, using properties of properties which allow subtyping.
3. Additional information that falls outside the semantics formally defined by the CIDOC CRM can be recorded as unstructured data using *E1 CRM Entity. P3 has note: E62 String*.

In mechanisms 1 and 2 the CIDOC CRM concepts subsume and thereby cover the extensions.

In mechanism 3, the information is accessible at the appropriate point in the respective knowledge base. This approach is preferable when detailed, targeted queries are not expected; in general, only those concepts used for formal querying need to be explicitly modelled.

Conservative Extension of the Scope of the CIDOC CRM by Model Extensions

CIDOC CRMbase (or an extension of it) may be extended by declaring subclasses of existing classes as well as superclasses. In the former case, all properties of the CIDOC CRM class will hold for the subclasses. In the latter case, the scope of the CIDOC CRMbase will be extended and a property of the CIDOC CRM base class may hold for the new superclass but not necessarily. In

the case a property p of a class A also holds for a new superclass B it should be a conservative extension. That is, when restricted to the original class the extended property, p' , is identical to the original property p . In general a superproperty is said to be a conservative extension of a subproperty when it is identical to the sub property when restricted to its domain and range.

Taken on its own, CIDOC CRMbase is not affected by such a conservative extension of scope, since it is not concerned with A . This is similar to what in logic is called a conservative extension of a theory. This construct is necessary for an effective modular management of ontologies, but is not possible with the current way RDF/OWL treats it.

In first order logic the conservative extension of a property can be expressed as follows. Assume that A and C are subclasses of B and D respectively and that p, p' are properties between A, C and B, D respectively:

$$\begin{aligned} A(x) &\supset B(x) \\ C(x) &\supset D(x) \\ P(x,y) &\supset A(x) \\ P(x,y) &\supset C(y) \\ P'(x,y) &\supset B(x) \\ P'(x,y) &\supset D(y) \end{aligned}$$

If p' is a conservative extension of p then

$$A(x) \wedge C(y) \wedge P'(x,y) \equiv P(x,y)$$

Minimality

Although the scope of the CIDOC CRM is very broad, the model itself is constructed as economically as possible.

- CIDOC CRM classes and properties are either primitive, or they are key concepts in the practical scope.
- Complements of CIDOC CRM classes are not declared, because, considering the Open World Assumption, there are no properties for complements of a class (see Terminology).

A CIDOC CRM class is declared when:

- It is required as the domain or range of a property not appropriate to its superclass.
- It serves as a merging point of two CIDOC CRM class branches via multiple IsA (e.g. E25 Human-Made Feature). When the branch superclasses are used for multiple instantiation of an item, this item is in the intersection of the scopes. The class resulting from multiple IsA should be narrower in scope than the intersection of the scopes of the branch superclasses.
- It is useful as a leaf class (i.e. at the end of a CIDOC CRM branch) to domain communities building CIDOC CRM extensions or matching key domain classes from other models to the CIDOC CRM (e.g. E34 Inscription).

Shortcuts

Some properties are declared as shortcuts of longer, more comprehensively articulated paths that connect the same domain and range classes as the shortcut property via one or more intermediate classes. For example, the property *E18 Physical Thing. P52 has current owner (is current owner of): E39 Actor*, is a shortcut for a fully articulated path from E18 Physical Thing through E8 Acquisition to E39 Actor. An instance of the fully-articulated path always implies an instance of the shortcut property. However, the inverse may not be true; an instance of the fully-articulated path cannot always be inferred from an instance of the shortcut property.

The class E13 Attribute Assignment allows for the documentation of how the assignment of any property came about, and whose opinion it was, even in cases of properties not explicitly characterized as “shortcuts”.

Disjointness

Classes are disjoint if they share no common instances in any possible world. That implies that it is not possible to instantiate an item using a combination of classes that are mutually disjoint or with subclasses of them (see “multiple instantiation” in section “Terminology”). There are many examples of disjoint classes in the CIDOC CRM.

A comprehensive declaration of all possible disjoint class combinations afforded by the CIDOC CRM has not been provided here; it would be of questionable practical utility, and may easily become inconsistent with the goal of providing a concise definition. However, there are two key examples of disjoint class pairs that are fundamental to effective comprehension of the CIDOC CRM:

- **E2 Temporal Entity is disjoint from E77 Persistent Item.** Instances of the class E2 Temporal Entity are perdurants, whereas instances of the class E77 Persistent Item are endurants. Even though instances of E77 Persistent Item have a limited existence in time, they are fundamentally different in nature from instances of E2 Temporal Entity, because they preserve their identity between events. Declaring endurants and perdurants as disjoint classes is consistent with the distinctions made

in data structures that fall within the CIDOC CRM's practical scope.

- **E18 Physical Thing is disjoint from E28 Conceptual Object.** The distinction is between material and immaterial items, the latter being exclusively human-made. Instances of E18 Physical Thing and E28 Conceptual Object differ in many fundamental ways; for example, the production of instances of E18 Physical Thing implies the incorporation of physical material, whereas the production of instances of E28 Conceptual Object does not. Similarly, instances of E18 Physical Thing cease to exist when destroyed, whereas an instance of E28 Conceptual Object perishes when it is forgotten or its last physical carrier is destroyed.

Transitivity

CIDOC CRM is formulated as a class system with inheritance. A property P with domain A and range B will also be a property between possible subclasses of A and B. In many cases there will be a common subclass C of A and B. In these cases when the property is restricted to C, that is, with C as domain and range, the restricted property could be transitive. For instance, an E73 Information Object can be incorporated in a E90 Symbolic Object and thus an information object can be incorporated in another information object.

In the definition of CIDOC CRM the transitive properties are explicitly marked as such in the scope notes. All unmarked properties should be considered as not transitive.

Introduction to the basic concepts

The following paragraphs explain core CRM concepts. The CIDOC CRM relies on the top level concepts of E77 Persistent Item, equivalent to the philosophical notion of endurant; E2 Temporal Entity, equivalent to the philosophical notion of perdurant and further introduces the concept of E92 Spacetime Volume.

The CRM describes entities which remain relatively stable with the passing of time (E77 Persistent Item) and have identity based on the continuity of their significant properties. These include, among others, monuments (e.g. E22 Human-Made Object) and mental ideas (e.g. E28 Conceptual Object). These entities are prone to change through human activity, biological, geological or environmental processes, but are regarded to exist as long as such changes do not alter their identity (essence). For example, the Great Sphinx of Giza may have lost part of its nose, but there is no question that we are still referring to the same monument as that before the damage occurred, since it continues to represent significant characteristics of an overall shaping in the past, which is of archaeological relevance.

The CRM also includes entities (E2 Temporal Entity), which are themselves time-limited processes or evolutions within the passing of time. They necessarily involve an affected material, social or mental environment, in the form of E77 Persistent Items or continuous substance, such as the atmosphere. They include, among others, making things by humans (E12 Production) and geological events (E5 Event). Once these entities occur, they can only be experienced through observation or recordings. Evidence of such entities (E2 Temporal Entity) may be preserved on material objects being permanently affected or recorded through oral history.

Therefore, a basic distinction of records modelled through the CRM is between instances of E77 Persistent Item (endurants) and instances of E2 Temporal Entity (perdurants). In most cases, this distinction is adequate to describe database records. In exceptional cases, where we need to consider complex combinations of changes of spatial extent over time, the concept of spacetime (E92 Spacetime Volume) also needs to be considered. E92 Spacetime Volume describes the entities whose substance has or is an identifiable, confined geometrical extent that may vary over time, fuzzy boundaries notwithstanding. For example, the built settlement structure of the city of Athens is confined both from the point of view of time-span (from its founding until now) and from its changing geographical extent over the centuries, which may become more or less evident from current observation, documents and excavations. Even though E92 Spacetime Volume is an important theoretical part of the model, it can be ignored for most practical documentation and modeling tasks.

We explain these concepts with the help of graphical representations in the next sections.

Examples revised, into overview

An instance of **E45 Address** can be considered both as an **E44 Place Appellation**—a way of referring to an E53 Place—and as an **E51 Contact Point** for an E39 Actor. An E39 Actor may have any number of instances of **E51 Contact Point**. E18 Physical Thing is found on locations as a consequence of being created there or being moved there. Therefore the properties *P53 has former or current location (is former or current location of)* (and *P55 has current location (currently holds)*) are regarded as shortcuts of the fully articulated paths through the respective events. *P55 has current location (currently holds)* is a subproperty of *P53 has former or current location (is former or current location of)*. The latter is a container for location information in the absence of knowledge about time of validity and related events.

An interesting aspect of the model is the *P58 has section definition (defines section)* property between **E46 Section Definition** and E18 Physical Thing (and the corresponding shortcut from E53 Place to E19 Physical Object). This allows an instance of E53 Place to be defined as a section of an instance of E19 Physical Object. For example, we may know that Nelson fell at a particular spot on the deck of H.M.S. Victory, without knowing the exact position of the vessel in geospatial terms at the time of the fatal shooting of Nelson. Similarly, a signature or inscription can be located “in the lower right corner of” a painting, regardless of where the painting is hanging.




fig. 3 reasoning about temporal information

This second example shows how the CIDOC CRM handles reasoning about temporal information. Four of the main hierarchy branches are included in this view: E2 Temporal Entity, E52 Time-Span, E77 Persistent Item and E53 Place.

The E2 Temporal Entity class is an abstract class (i.e. it has no direct instances) that serves to group together all classes with a temporal component, such as instances of E4 Period, E5 Event and E3 Condition State.

An instance of E52 Time-Span is simply a temporal interval that does not make any reference to cultural or geographical contexts (unlike instances of E4 Period, which *took place at* a particular instance of E53 Place). Instances of E52 Time-Span are sometimes identified by instances of **E49 Time Appellation**, often in the form of E50 Date.

Both E52 Time-Span and E4 Period have transitive properties. E52 Time-Span has the transitive property *P86 falls within (contains)*, denoting a purely incidental inclusion; whereas E4 Period has the transitive property *P9 consists of (forms part of)* that supports the decomposition of instances of E4 Period into their constituent parts. For example, the E52 Time-Span during which a building is constructed might *falls within* the E52 Time-Span of a particular government, although there is no causal or contextual connection between the two instances of E52 Time-Span; conversely, the E4 Period of the Chinese Song Dynasty *consists of* the Northern Song Period and the Southern Song Period.

Instances of E52 Time-Span are related to their outer bounds (i.e. their indeterminacy interval) by the property *P82 at some time within*, and to their inner bounds via the property *P81 ongoing throughout*. The range of these properties is the E61 Time Primitive class, instances of which are treated by the CIDOC CRM as application or system specific date intervals that are not further analysed.

Specific Modelling Constructs

About Types

Virtually all structured descriptions of museum objects begin with a unique object identifier and information about the "type" of the object, often in a set of fields with names like "Classification", "Category", "Object Type", "Object Name", etc. All these fields are used for terms that declare that the object belongs to a particular category of items. In the CIDOC CRM the class E55 Type comprises such terms from thesauri and controlled vocabularies used to characterize and classify instances of CIDOC CRM classes. Instances of E55 Type represent concepts (universals) in contrast to instances of E41 Appellation, which are used to name instances of CIDOC CRM classes.

For this purpose the CIDOC CRM provides two basic properties that describe classification with terminology, corresponding to what is the current practice in the majority of information systems. The class E1 CRM Entity is the domain of the property P2 has type (is type of), which has the range E55 Type. Consequently, every class in the CIDOC CRM, with the exception of E59 Primitive Value, inherits the property P2 has type (is type of). This provides a general alternative mechanism to specialize the classification of CIDOC CRM instances to any level of detail, by linking to external vocabulary sources, thesauri, classification schemas or ontologies.

Analogous to the function of the P2 has type (is type of) property, some properties in the CIDOC CRM are associated with an additional property. These are numbered in the CIDOC CRM documentation with a '.1' extension. The range of these properties of properties always falls under E55 Type. The purpose of a property of a property is to provide an alternative mechanism to specialize its domain property through the use of property subtypes declared as instances of E55 Type. They do not appear in the property hierarchy list but are included as part of the property declarations and referred to in the class declarations. For example, P62.1 mode of depiction: E55 Type is associated with E24 Physical Man-made Thing. P62 depicts (is depicted by): E1 CRM Entity.

The class E55 Type also serves as the range of properties that relate to categorical knowledge commonly found in cultural documentation. For example, the property P125 used object of type (was type of object used in) enables the CIDOC CRM to express statements such as "this casting was produced using a mould", meaning that there has been an unknown or unmentioned object, a mould, that was actually used. This enables the specific instance of the casting to be associated with the entire type of manufacturing devices known as moulds. Further, the objects of type "mould" would be related via P2 has type (is type of) to this term. This indirect relationship may actually help in detecting the unknown object in an integrated environment. On the other side, some casting may refer directly to a known mould via P16 used specific object (was used for). So a statistical question to how many objects in a certain collection are made with moulds could be answered correctly (following both paths through P16 used specific object (was used for) - P2 has type (is type of) and P125 used object of type (was type of object used in)). This consistent treatment of categorical knowledge enhances the CIDOC CRM's ability to integrate cultural knowledge.

Types, that is, instances of E55 Type and its subclasses, can be used to characterize the instances of a CIDOC CRM class and hence refine the meaning of the class. A type 'artist' can be used to characterize persons through P2 has type (is type of). On the other hand, in an art history application of the CIDOC CRM it can be adequate to extend the CIDOC CRM class E21 Person with a subclass E21.xx Artist. What is the difference of the type 'artist' and the class Artist? From an everyday conceptual point of view there is no difference. Both denote the concept 'artist' and identify the same set of persons. Thus in this setting a type could be seen as a class and the class of types may be seen as a metaclass. Since current systems do not provide an adequate control of user defined metaclasses, the CIDOC CRM prefers to model instances of E55 Type as if they were particulars, with the relationships described in the previous paragraphs.

Users may decide to implement a concept either as a subclass extending the CIDOC CRM class system or as an instance of E55 Type. A new subclass should only be created in case the concept is sufficiently stable and associated with additional explicitly modelled properties specific to it. Otherwise, an instance of E55 Type provides more flexibility of use. Users that may want to describe a discourse not only using a concept extending the CIDOC CRM but also describing the history of this concept itself, may choose to model the same concept both as subclass and as an instance of E55 Type with the same name. Similarly it should be regarded as good practice to foresee for each term hierarchy refining a CIDOC CRM class a term equivalent of this class as top term. For instance, a term hierarchy for instances of E21 Person may begin with "Person".

One role of E55 Type is to be the CIDOC CRM's interface to domain specific ontologies and thesauri or less formal terminological systems. Such sets of concepts can be represented in the CIDOC CRM as subclasses of E55 Type, forming hierarchies of terms, i.e. instances of E55 Type linked via P127 has broader term (has narrower term). Such hierarchies may be extended with additional properties. Other standard models, in particular richer ones, used to describe terminological systems can also be interfaced with the CIDOC CRM by declaring their respective concept class as being equivalent to E55 Type, and their respective broader/narrower relation as being identical with P127 has broader term (has narrower term), as long as they are semantically compatible.

In addition to being an interface to external thesauri and classification systems, E55 Type is an ordinary class in the CIDOC CRM

and a subclass of E28 Conceptual Object. E55 Type and its subclasses inherit all properties from this superclass. Thus together with the CIDOC CRM class E83 Type Creation the rigorous scholarly or scientific process that ensures a type is exhaustively described and appropriately named can be modelled inside the CIDOC CRM. In some cases, particularly in archaeology and the life sciences, E83 Type Creation requires the identification of an exemplary specimen and the publication of the type definition in an appropriate scholarly forum. This is very central to research in the life sciences, where a type would be referred to as a “taxon,” the type description as a “protologue,” and the exemplary specimens as “original element” or “holotype”. Finally, instances of E55 Type or suitable subclasses can describe universals from type systems not organized in thesauri or ontologies, such as industrial product names and types, defined and published by the producers themselves for each new product or product variant.

Temporal Relation Primitives based on fuzzy boundaries

It is characteristic for sciences dealing with the past, such as history, archaeology or geology, to derive temporal topological relations from stratigraphic and other observations and from considerations of causality between events. For this reason the CIDOC CRM introduced in version 3.3 the whole set of temporal relationships of Allen’s temporal logic (properties P114 to P120). It was regarded at that time as a well-justified, exhaustive and sufficient theory to deal with temporal topological relationships of spatiotemporal phenomena relevant to cultural historical discourse. Allen’s temporal logic is based on the assumption of known, exact endpoints of time intervals (time-spans), described by an exhaustive set of mutually exclusive relationships.

Since many temporal relations can be inferred from facts causal to them, e.g., a birth necessarily occurring before any intentional interaction of a person with other individuals, or from observations of material evidence without knowing the absolute time, the temporal relationships pertain in the CIDOC CRM to E2 Temporal Entities, and not their Time-Spans, which require knowledge of absolute time. If absolute times are known, deduction of Allen’s relation is a simple question of automated calculus and not the kind of primary scientific insight the CIDOC CRM, as a core model, is interested in. However, their application turned out to be problematic in practice for two reasons:

Firstly, facts causal to temporal relationships result in expressions that often require a disjunction (logical OR condition) of Allen’s relationships. For instance, a child may be stillborn. Ignoring states at pregnancy as it is usual in older historical sources, birth may be *equal to* death, *meet* with death or be *before* death. The knowledge representation formalism chosen for the CIDOC CRM however does **not allow** for specifying **disjunctions**, except within queries. Consequently, simple properties of the CIDOC CRM that imply a temporal order, such as *P134 continued*, cannot be declared as subproperties of the temporal relationship they do imply, which would be, in this case: “before, meets, overlaps, starts, started-by, contains, finishes, finished-by, equals, during or overlapped by” (see *P174 starts before the end of*).

Secondly, nature does not allow us to observe equality of points in time. There are three possible interpretations of this impossibility to observe these equality of points. Common to all three interpretations is that they can be described in terms of fuzzy boundaries. The model proposed here is consistent with **all** three of these interpretations.

1. Any observable phenomenon that can be dated has a **natural temporal extent** with **fuzzy boundaries** of **gradual transition** from not existing to definitely existing and then to no longer existing.
2. These fuzzy boundaries can also be interpreted as the time intervals about which experts, even with a complete knowledge of the described phenomenon, may not agree as to whether this phenomenon is already ongoing or not, or still ongoing or not.
3. Under a third interpretation, the fact that an instance of E2 Temporal Entity is ongoing is **not observable** within the fuzzy boundaries.

Consider, for instance, a birth. Extending over a limited and non-negligible duration in the scale of hours it begins and ends gradually (1), but can be given alternative scientific definitions of start and end points (2), and neither of these can be determined with a precision much smaller than on a scale of minutes (3). The fuzzy boundaries **do not** describe the relation of incomplete or imprecise knowledge to reality. Assuming a lowest granularity in time is an approach which does not help, because the relevant extent of fuzziness varies at a huge scale even in cultural reasoning, depending on the type of phenomena considered. The only exact match is between arbitrarily declared time intervals, such as the end of a year being equal to the beginning of the next year, or that “Early Minoan” ends exactly when “Middle Minoan” starts, whenever that might have been.

Consequently, we introduce here a new set of “temporal relation primitives” with the following characteristics:

- It is a minimal set of properties that allows for specifying all possible relations between two time intervals given by their start and end points, either directly, or by conjunction (logical AND condition) of the latter.
- Start and end points are interpreted as “thick” fuzzy boundaries as described above.
- Conditions of equality of end points are relaxed to the condition that the fuzzy boundaries **overlap**. Therefore knowledge of the shape of the fuzzy function is **not** needed.
- All of Allen’s relationships can be expressed either directly or by conjunctions of these properties.
- In case of time intervals without or with negligibly short fuzzy boundaries, all of Allen’s relationships can exactly be described by adequate conjunctions of these properties.
- No relationship is equal to the inverse of another. Inverses are specified by exchanging the roles of domain and range.

Notation


We use the following notation:

Comparing two instances of E2 Temporal Entity, we denote one with capital letter A, its (fuzzy) starting time with A^{start} and its (fuzzy) ending time with A^{end} , such that $A = [A^{start}, A^{end}]$; we denote the other with capital letter B, its (fuzzy) starting time with B^{start} and its (fuzzy) ending time with B^{end} , such that $B = [B^{start}, B^{end}]$.

We identify a temporal relation with a predicate name (label) and define it by one or more (in)equality expressions between its end points, such as:

A starts before the end of B if and only if (\equiv) $A^{start} < B^{end}$

We visualize a temporal relation symbolizing the temporal extents of two instances A and B of E2 Temporal Entity as horizontal bars, considered to be on an horizontal time-line proceeding from left to right. The fuzzy boundary areas are symbolized by an increasing/decreasing color gradient. The different choices of relative arrangement the relationship allows for are symbolized by two extreme allowed positions of instance A with respect to instance B connected by arrows. The reader may imagine it as the relative positions of a train A approaching a station B. If the relative length of A compared to B matters, two diagrams are provided.



Overview of Temporal Relation Primitives

The final set of temporal relation primitives can be separated into two groups:

- 1) Those based on improper inequalities, such as $A^{start} \leq B^{end}$ (odd number items in the list below- table 1)
- 2) Those based on proper inequalities, such as $A^{start} < B^{end}$ (even number items in the list below- table 1).

Improper inequalities with fuzzy boundaries are understood as extending into situations in which the fuzzy boundaries of the respective endpoints may overlap. In other words, they include situations in which it cannot be decided when one interval has ended and when the other started, but there is no knowledge of a definite gap between these endpoints. In a proper inequality with fuzzy boundaries, the fuzzy boundaries of the respective endpoints must not overlap, i.e., there is knowledge of a definite gap between these endpoints, for instance, a discontinuity between settlement phases based on the observation of archaeological layers.

1. **P173 starts before or with the end of**
 - $A^{start} \leq B^{end}$
2. **P174 starts before the end of**
 - $A^{start} < B^{end}$
3. **P175 starts before or with the start of**
 - $A^{start} \leq B^{start}$
4. **P176 starts before the start of**
 - $A^{start} < B^{start}$
5. **P182 ends before or with the start of**
 - $A^{end} \leq B^{start}$
6. **P183 ends before the start of**
 - $A^{end} < B^{start}$
7. **P184 ends before or with the end of**
 - $A^{end} \leq B^{end}$
8. **P185 ends before the end of**

- $A^{\text{end}} < B^{\text{end}}$

Table 1, temporal relation primitives without inverse labels

Applied Form

The CIDOC CRM is an ontology in the sense used in computer science. It has been expressed as an object-oriented semantic model, in the hope that this formulation will be comprehensible to both documentation experts and information scientists alike, while at the same time being readily converted to machine-readable formats such as RDF Schema, KIF, DAML+OIL, OWL, , etc. It can be implemented in any Relational or object-oriented schema. CIDOC CRM instances can also be encoded in RDF, XML, DAML+OIL, OWL and others.

Although the definition of the CIDOC CRM provided here is complete, it is an intentionally compact and concise presentation of the CIDOC CRM's 89 classes and 151 unique properties. It does not attempt to articulate the inheritance of properties by subclasses throughout the class hierarchy (this would require the declaration of several thousand properties, as opposed to 137). However, this definition does contain all of the information necessary to infer and automatically generate a full declaration of all properties, including inherited properties.

Class & Property Hierarchies

Although they do not provide comprehensive definitions, compact monohierarchical presentations of the class and property IsA hierarchies have been found to significantly aid comprehension and navigation of the CIDOC CRM, and are therefore provided below.

The class hierarchy presented below has the following format:

- Each line begins with a unique class identifier, consisting of a number preceded by the letter “E” (originally denoting “entity,” although now replaced by convention with the term “class”).
- A series of hyphens (“-”) follows the unique class identifier, indicating the hierarchical position of the class in the IsA hierarchy.
- The English name of the class appears to the right of the hyphens.
- The index is ordered by hierarchical level, in a “depth first” manner, from the smaller to the larger subhierarchies.
- Classes that appear in more than one position in the class hierarchy as a result of multiple inheritance are shown in an italic typeface.

The property hierarchy presented below has the following format:

- Each line begins with a unique property identifier, consisting of a number preceded by the letter “P” (for “property”).
- A series of hyphens (“-”) follows the unique property identifier, indicating the hierarchical position of the property in the IsA hierarchy.
- The English name of the property appears to the right of the hyphens, followed by its inverse name in parentheses for reading in the range to domain direction.
- The domain class for which the property is declared.
- The range class that the property references.
- The index is ordered by hierarchical level, in a “depth first” manner, from the smaller to the larger subhierarchies, and by property number between equal siblings.
- Properties that appear in more than one position in the property hierarchy as a result of multiple inheritance are shown in an italic typeface.

CIDOC CRM Class Hierarchy

E1	CRM Entity
E2	Temporal Entity
E3	Condition State
E4	Period
E5	Event
E7	Activity
E8	Acquisition Event
E9	Move
E10	Transfer of Custody
E11	Modification
E12	Production
E79	Part Addition
E80	Part Removal
E13	Attribute Assignment
E14	Condition Assessment
E15	Identifier Assignment
E16	Measurement
E17	Type Assignment
E65	Creation
E83	Type Creation
E66	Formation
E85	Joining
E86	Leaving
E87	Curation Activity
E63	Beginning of Existence
E67	Birth
E81	Transformation
E12	<i>Production</i>
E65	<i>Creation</i>
E83	<i>Type Creation</i>
E66	<i>Formation</i>
E64	End of Existence
E6	Destruction
E68	Dissolution
E69	Death
E81	<i>Transformation</i>
E77	Persistent Item
E70	Thing
E72	Legal Object
E18	Physical Thing
E19	Physical Object
E20	Biological Object
E21	Person
E22	Human-Made Object
E24	Physical Human-Made Thing
E22	<i>Human-Made Object</i>
E25	Human-Made Feature
E78	Curated Holding
E26	Physical Feature
E27	Site
E25	<i>Human-Made Feature</i>
E90	Symbolic Object
E73	Information Object
E29	Design or Procedure
E31	Document
E32	Authority Document
E33	Linguistic Object
E34	Inscription
E35	Title

E36	-	-	-	-	-	-	Visual Item
E37	-	-	-	-	-	-	Mark
E34	-	-	-	-	-	-	<i>Inscription</i>
E41	-	-	-	-	-	-	Appellation
E42	-	-	-	-	-	-	Identifier
E35	-	-	-	-	-	-	<i>Title</i>
E71	-	-	-	-	-	-	Human-Made Thing
E24	-	-	-	-	-	-	<i>Physical Human-Made Thing</i>
E22	-	-	-	-	-	-	<i>Human-Made Object</i>
E25	-	-	-	-	-	-	<i>Human-Made Feature</i>
E78	-	-	-	-	-	-	<i>Curated Holding</i>
E28	-	-	-	-	-	-	Conceptual Object
E90	-	-	-	-	-	-	<i>Symbolic Object</i>
E73	-	-	-	-	-	-	<i>Information Object</i>
E29	-	-	-	-	-	-	<i>Design or Procedure</i>
E31	-	-	-	-	-	-	<i>Document</i>
E32	-	-	-	-	-	-	<i>Authority Document</i>
E33	-	-	-	-	-	-	<i>Linguistic Object</i>
E34	-	-	-	-	-	-	<i>Inscription</i>
E35	-	-	-	-	-	-	<i>Title</i>
E36	-	-	-	-	-	-	<i>Visual Item</i>
E37	-	-	-	-	-	-	<i>Mark</i>
E34	-	-	-	-	-	-	<i>Inscription</i>
E41	-	-	-	-	-	-	Appellation
E42	-	-	-	-	-	-	Identifier
E35	-	-	-	-	-	-	<i>Title</i>
E89	-	-	-	-	-	-	Propositional Object
E73	-	-	-	-	-	-	<i>Information Object</i>
E29	-	-	-	-	-	-	<i>Design or Procedure</i>
E31	-	-	-	-	-	-	<i>Document</i>
E32	-	-	-	-	-	-	<i>Authority Document</i>
E33	-	-	-	-	-	-	<i>Linguistic Object</i>
E34	-	-	-	-	-	-	<i>Inscription</i>
E35	-	-	-	-	-	-	<i>Title</i>
E36	-	-	-	-	-	-	<i>Visual Item</i>
E37	-	-	-	-	-	-	<i>Mark</i>
E34	-	-	-	-	-	-	<i>Inscription</i>
E30	-	-	-	-	-	-	Right
E55	-	-	-	-	-	-	Type
E56	-	-	-	-	-	-	Language
E57	-	-	-	-	-	-	Material
E58	-	-	-	-	-	-	Measurement Unit
E98	-	-	-	-	-	-	Currency
E98	-	-	-	-	-	-	<i>Currency</i>
E99	-	-	-	-	-	-	Product Type
E39	-	-	-	-	-	-	Actor
E74	-	-	-	-	-	-	Group
E21	-	-	-	-	-	-	<i>Person</i>
E52	-	-	-	-	-	-	Time-Span
E53	-	-	-	-	-	-	Place
E54	-	-	-	-	-	-	Dimension
E97	-	-	-	-	-	-	Monetary Amount
E92	-	-	-	-	-	-	Spacetime Volume
E4	-	-	-	-	-	-	<i>Period</i>
E5	-	-	-	-	-	-	<i>Event</i>
E7	-	-	-	-	-	-	Activity
E8	-	-	-	-	-	-	<i>Acquisition Event</i>
E9	-	-	-	-	-	-	<i>Move</i>
E10	-	-	-	-	-	-	<i>Transfer of Custody</i>
E11	-	-	-	-	-	-	<i>Modification</i>

E12	-	-	-	-	-	-	<i>Production</i>
E79	-	-	-	-	-	-	<i>Part Addition</i>
E80	-	-	-	-	-	-	<i>Part Removal</i>
E13	-	-	-	-	-	-	<i>Attribute Assignment</i>
E14	-	-	-	-	-	-	<i>Condition Assessment</i>
E15	-	-	-	-	-	-	<i>Identifier Assignment</i>
E16	-	-	-	-	-	-	<i>Measurement</i>
E17	-	-	-	-	-	-	<i>Type Assignment</i>
E65	-	-	-	-	-	-	<i>Creation</i>
E83	-	-	-	-	-	-	<i>Type Creation</i>
E66	-	-	-	-	-	-	<i>Formation</i>
E85	-	-	-	-	-	-	<i>Joining</i>
E86	-	-	-	-	-	-	<i>Leaving</i>
E87	-	-	-	-	-	-	<i>Curation Activity</i>
E63	-	-	-	-	-	-	<i>Beginning of Existence</i>
E67	-	-	-	-	-	-	<i>Birth</i>
E81	-	-	-	-	-	-	<i>Transformation</i>
E12	-	-	-	-	-	-	<i>Production</i>
E65	-	-	-	-	-	-	<i>Creation</i>
E83	-	-	-	-	-	-	<i>Type Creation</i>
E66	-	-	-	-	-	-	<i>Formation</i>
E64	-	-	-	-	-	-	<i>End of Existence</i>
E6	-	-	-	-	-	-	<i>Destruction</i>
E68	-	-	-	-	-	-	<i>Dissolution</i>
E69	-	-	-	-	-	-	<i>Death</i>
E81	-	-	-	-	-	-	<i>Transformation</i>
E18	-	-	-	-	-	-	<i>Physical Thing</i>
E19	-	-	-	-	-	-	<i>Physical Object</i>
E20	-	-	-	-	-	-	<i>Biological Object</i>
E21	-	-	-	-	-	-	<i>Person</i>
E22	-	-	-	-	-	-	<i>Human-Made Object</i>
E24	-	-	-	-	-	-	<i>Physical Human-Made Thing</i>
E22	-	-	-	-	-	-	<i>Human-Made Object</i>
E25	-	-	-	-	-	-	<i>Human-Made Feature</i>
E78	-	-	-	-	-	-	<i>Curated Holding</i>
E26	-	-	-	-	-	-	<i>Physical Feature</i>
E27	-	-	-	-	-	-	<i>Site</i>
E25	-	-	-	-	-	-	<i>Human-Made Feature</i>
E93	-	-	-	-	-	-	<i>Presence</i>
E59	-	-	-	-	-	-	<i>Primitive Value</i>
E60	-	-	-	-	-	-	<i>Number</i>
E61	-	-	-	-	-	-	<i>Time Primitive</i>
E62	-	-	-	-	-	-	<i>String</i>
E94	-	-	-	-	-	-	<i>Space Primitive</i>
E95	-	-	-	-	-	-	<i>Spacetime Primitive</i>

CIDOC CRM Property Hierarchy:

Property id	Property Name	Entity – Domain	Entity - Range
P1	is identified by (identifies)	E1 CRM Entity	E41 Appellation
P48	- has preferred identifier (is preferred identifier of)	E1 CRM Entity	E42 Identifier
P78	- is identified by (identifies)	E52 Time-Span	E41 Appellation
P87	- is identified by (identifies)	E53 Place	E41 Appellation
P102	- has title (is title of)	E71 Human-Made Thing	E35 Title
P131	- is identified by (identifies)	E39 Actor	E41 Appellation
P2	has type (is type of)	E1 CRM Entity	E55 Type
P137	- exemplifies (is exemplified by)	E1 CRM Entity	E55 Type
P3	has note	E1 CRM Entity	E62 String
P79	- beginning is qualified by	E52 Time-Span	E62 String
P80	- end is qualified by	E52 Time-Span	E62 String
P190	- has symbolic content	E90 Symbolic Object	E62 String
P4	has time-span (is time-span of)	E2 Temporal Entity	E52 Time-Span
P5	consists of (forms part of)	E3 Condition State	E3 Condition State
P7	took place at (witnessed)	E4 Period	E53 Place
P8	took place on or within (witnessed)	E4 Period	E18 Physical Thing
P12	occurred in the presence of (was present at)	E5 Event	E77 Persistent Item
P111	- added (was added by)	E79 Part Addition	E18 Physical Thing
P113	- removed (was removed by)	E80 Part Removal	E18 Physical Thing
P11	- had participant (participated in)	E5 Event	E39 Actor
P14	- - carried out by (performed)	E7 Activity	E39 Actor
P22	- - - transferred title to (acquired title through)	E8 Acquisition	E39 Actor
P23	- - - transferred title from (surrendered title through)	E8 Acquisition	E39 Actor
P28	- - - custody surrendered by (surrendered custody through)	E10 Transfer of Custody	E39 Actor
P29	- - - custody received by (received custody through)	E10 Transfer of Custody	E39 Actor
P96	- - by mother (gave birth)	E67 Birth	E21 Person
P99	- - dissolved (was dissolved by)	E68 Dissolution	E74 Group
P143	- - joined (was joined by)	E85 Joining	E39 Actor
P144	- - joined with (gained member by)	E85 Joining	E74 Group
P145	- - separated (left by)	E86 Leaving	E39 Actor
P146	- - separated from (lost member by)	E86 Leaving	E74 Group
P151	- - was formed from (participated in)	E66 Formation	E74 Group
P16	- used specific object (was used for)	E7 Activity	E70 Thing
P33	- - used specific technique (was used by)	E7 Activity	E29 Design or Procedure
P111	- - added (was added by)	E79 Part Addition	E18 Physical Thing
P142	- - used constituent (was used in)	E15 Identifier Assignment	E90 Symbolic Object
P25	- moved (moved by)	E9 Move	E19 Physical Object
P31	- has modified (was modified by)	E11 Modification	E18 Physical Thing
P108	- - has produced (was produced by)	E12 Production	E24 Physical Human-Made Thing
P110	- - augmented (was augmented by)	E79 Part Addition	E24 Physical Human-Made Thing
P112	- - diminished (was diminished by)	E80 Part Removal	E24 Physical Human-Made Thing
P92	- brought into existence (was brought into existence by)	E63 Beginning of Existence	E77 Persistent Item
P94	- - has created (was created by)	E65 Creation	E28 Conceptual Object
P135	- - - created type (was created by)	E83 Type Creation	E55 Type
P95	- has formed (was formed by)	E66 Formation	E74 Group
P98	- - brought into life (was born)	E67 Birth	E21 Person
P108	- - <i>has produced (was produced by)</i>	E12 Production	E24 Physical Human-Made Thing
P123	- - resulted in (resulted from)	E81 Transformation	E77 Persistent Item
P93	- took out of existence (was taken out of existence by)	E64 End of Existence	E77 Persistent Item
P13	- - destroyed (was destroyed by)	E6 Destruction	E18 Physical Thing
P99	- - <i>dissolved (was dissolved by)</i>	E68 Dissolution	E74 Group
P100	- - was death of (died in)	E69 Death	E21 Person
P124	- - transformed (was transformed by)	E81 Transformation	E77 Persistent Item
P15	was influenced by (influenced)	E7 Activity	E1 CRM Entity
P16	- <i>used specific object (was used for)</i>	E7 Activity	E70 Thing
P33	- - <i>used specific technique (was used by)</i>	E11 Modification	E29 Design or Procedure
P111	- - added (was added by)	E79 Part Addition	E18 Physical Thing
P142	- - used constituent (was used in)	E15 Identifier Assignment	E90 Symbolic Object
P17	- was motivated by (motivated)	E7 Activity	E1 CRM Entity
P134	- continued (was continued by)	E7 Activity	E7 Activity
P136	- was based on (supported type creation)	E83 Type Creation	E1 CRM Entity
P19	was intended use of (was made for)	E7 Activity	E71 Human-Made Thing
P20	had specific purpose (was purpose of)	E7 Activity	E5 Event
P21	had general purpose (was purpose of)	E7 Activity	E55 Type
P24	transferred title of (changed ownership through)	E8 Acquisition	E18 Physical Thing
P26	moved to (was destination of)	E9 Move	E53 Place
P27	moved from (was origin of)	E9 Move	E53 Place
P30	transferred custody of (custody transferred through)	E10 Transfer of Custody	E18 Physical Thing
P43	has dimension (is dimension of)	E70 Thing	E54 Dimension
P44	has condition (is condition of)	E18 Physical Thing	E3 Condition State
P45	consists of (is incorporated in)	E18 Physical Thing	E57 Material
P49	has former or current keeper (is former or current keeper of)	E18 Physical Thing	E39 Actor
P50	- has current keeper (is current keeper of)	E18 Physical Thing	E39 Actor
P109	- has current or former curator (is current or former curator of)	E78 Curated Holding	E39 Actor
P51	has former or current owner (is former or current owner of)	E18 Physical Thing	E39 Actor

Property id	Property Name	Entity – Domain	Entity - Range
P52	- has current owner (is current owner of)	E18 Physical Thing	E39 Actor
P53	has former or current location (is former or current location of)	E18 Physical Thing	E53 Place
P55	- has current location (currently holds)	E19 Physical Object	E53 Place
P54	has current permanent location (is current permanent location of)	E19 Physical Object	E53 Place
P57	has number of parts	E19 Physical Object	E60 Number
P59	has section (is located on or within)	E18 Physical Thing	E53 Place
P62	depicts (is depicted by)	E24 Physical Human-Made Thing	E1 CRM Entity
P67	refers to (is referred to by)	E89 Propositional Object	E1 CRM Entity
P68	- foresees use of (use foreseen by)	E29 Design or Procedure	E57 Material
P70	- documents (is documented in)	E31 Document	E1 CRM Entity
P71	- lists (is listed in)	E32 Authority Document	E1 CRM Entity
P129	- is about (is subject of)	E89 Propositional Object	E1 CRM Entity
P138	- represents (has representation)	E36 Visual Item	E1 CRM Entity
P69	has association with (is associated with)	E29 Design or Procedure	E29 Design or Procedure
P72	has language (is language of)	E33 Linguistic Object	E56 Language
P74	has current or former residence (is current or former residence of)	E39 Actor	E53 Place
P75	possesses (is possessed by)	E39 Actor	E30 Right
P76	has contact point (provides access to)	E39 Actor	E41 Appellation
P81	ongoing throughout	E52 Time-Span	E61 Time Primitive
P82	at some time within	E52 Time-Span	E61 Time Primitive
P83	had at least duration (was minimum duration of)	E52 Time-Span	E54 Dimension
P84	had at most duration (was maximum duration of)	E52 Time-Span	E54 Dimension
P86	falls within (contains)	E52 Time-Span	E52 Time-Span
P89	falls within (contains)	E53 Place	E53 Place
P90	has value	E54 Dimension	E60 Number
P181	- has amount	E97 Monetary Amount	E60 Number
P91	has unit (is unit of)	E54 Dimension	E58 Measurement Unit
P180	- has currency	E97 Monetary Amount	E98 Currency
P97	from father (was father for)	E67 Birth	E21 Person
P101	had as general use (was use of)	E70 Thing	E55 Type
P103	was intended for (was intention of)	E71 Human-Made Thing	E55 Type
P104	is subject to (applies to)	E72 Legal Object	E30 Right
P105	right held by (has right on)	E72 Legal Object	E39 Actor
P52	- has current owner (is current owner of)	E18 Physical Thing	E39 Actor
P106	is composed of (forms part of)	E90 Symbolic Object	E90 Symbolic Object
P165	- incorporates (is incorporated in)	E73 Information Object	E90 Symbolic Object
P107	has current or former member (is current or former member of)	E74 Group	E39 Actor
P119i	is met in time by	E2 Temporal Entity	E2 Temporal Entity
P121	overlaps with	E53 Place	E53 Place
P122	borders with	E53 Place	E53 Place
P125	used object of type (was type of object used in)	E7 Activity	E55 Type
P32	- used general technique (was technique of)	E7 Activity	E55 Type
P126	employed (was employed in)	E11 Modification	E57 Material
P127	has broader term (has narrower term)	E55 Type	E55 Type
P130	shows features of (features are also found on)	E70 Thing	E70 Thing
P73i	- is translation of	E33 Linguistic Object	E33 Linguistic Object
P128	- carries (is carried by)	E18 Physical Thing	E90 Symbolic Object
P65	- - shows visual item (is shown by)	E24 Physical Human-Made Thing	E36 Visual Item
P132	overlaps with	E92 Spacetime Volume	E92 Spacetime Volume
P9	...-...consists of (forms part of)	E4 Period	E4 Period
P10	...-...falls within (contains)	E92 Spacetime Volume	E92 Spacetime Volume
P166	- - was a presence of (had presence)	E93 Presence	E92 Spacetime Volume
P46	- is composed of (forms part of)	E18 Physical Thing	E18 Physical Thing
P56	- - bears feature (is found on)	E19 Physical Object	E26 Physical Feature
P133	is separated from	E92 Spacetime Volume	E92 Spacetime Volume
P139	has alternative form	E41 Appellation	E41 Appellation
P140	assigned attribute to (was attributed by)	E13 Attribute Assignment	E1 CRM Entity
P34	- concerned (was assessed by)	E14 Condition Assessment	E18 Physical Thing
P39	- measured (was measured by)	E16 Measurement	E1 CRM Entity
P41	- classified (was classified by)	E17 Type Assignment	E1 CRM Entity
P141	assigned (was assigned by)	E13 Attribute Assignment	E1 CRM Entity
P35	- has identified (identified by)	E14 Condition Assessment	E3 Condition State
P37	- assigned (was assigned by)	E15 Identifier Assignment	E42 Identifier
P38	- deassigned (was deassigned by)	E15 Identifier Assignment	E42 Identifier
P40	- observed dimension (was observed in)	E16 Measurement	E54 Dimension
P42	- assigned (was assigned by)	E17 Type Assignment	E55 Type
P147	curated (was curated by)	E87 Curation Activity	E78 Curated Holding
P148	has component (is component of)	E89 Propositional Object	E89 Propositional Object
P150	defines typical parts of (defines typical wholes for)	E55 Type	E55 Type
P152	has parent (is parent of)	E21 Person	E21 Person
P157	is at rest relative to (provides reference space for)	E53 Place	E18 Physical Thing
P59i	- is located on or within	E53 Place	E18 Physical Thing
P160	has temporal projection	E92 Spacetime Volume	E52 Time-Span
P164	- during (was time-span of)	E93 Presence	E52 Time Span
P161	has spatial projection	E92 Spacetime Volume	E53 Place

Property id	Property Name	Entity – Domain	Entity - Range
P156	- occupies		E53 Place
P167	was at(was place of)	E18 Physical Thing	E53 Place
P168	Place is defined by (defines place)	E93 Presence	E94 Space primitive
P169	defines spacetime volume (spacetime volume is defined by)	E53 Place	E92 Spacetime Volume
P170	defines time (time is defined by)	E95 Spacetime Primitive	
P171	at some place within	E61Time Primitive	E52 Time Span
P172	contains	E53 Place	E94 Space Primitive
P173	starts before or with the end of (ends after or with the start of)	E53 Place	E94 Space Primitive
P119i	- is met in time by	E2 Temporal Entity	E2 Temporal Entity
P174	- starts before the end of (ends after the start of)	E2 Temporal Entity	E2 Temporal Entity
P118i	- - is overlapped in time by	E2 Temporal Entity	E2 Temporal Entity
P134	- - <i>continued</i> (was <i>continued</i> by)	E7 Activity	E7 Activity
P175	- - starts before or with the start of (starts after or with the start of)	E2 Temporal Entity	E2 Temporal Entity
P176	- - - starts before the start of (starts after the start of)	E2 Temporal Entity	E2 Temporal Entity
P115i	- - - - is finished by	E2 Temporal Entity	E2 Temporal Entity
P117i	- - - - includes	E2 Temporal Entity	E2 Temporal Entity
P118	- - - - overlaps in time with (is overlapped in time by)	E2 Temporal Entity	E2 Temporal Entity
P182	- - - - ends before or at the start of (starts after or with the end of)	E2 Temporal Entity	E2 Temporal Entity
P119	- - - - meets in time with (is met in time by)	E2 Temporal Entity	E2 Temporal Entity
P183	- - - - - ends before the start of (starts after the end of)	E2 Temporal Entity	E2 Temporal Entity
P120	- - - - - occurs before (occurs after)	E2 Temporal Entity	E2 Temporal Entity
P116	- - - starts (is started by)	E2 Temporal Entity	E2 Temporal Entity
P116i	- - - is started by	E2 Temporal Entity	E2 Temporal Entity
P114	- - - is equal in time to	E2 Temporal Entity	E2 Temporal Entity
P184	- - ends before or with the end of (ends with or after the end of)	E2 Temporal Entity	E2 Temporal Entity
P114	- - - <i>is equal in time to</i>	E2 Temporal Entity	E2 Temporal Entity
P115	- - - finishes (is finished by)	E2 Temporal Entity	E2 Temporal Entity
P115i	- - - <i>is finished by</i>	E2 Temporal Entity	E2 Temporal Entity
P185	- - - ends before the end of (ends after the end of)	E2 Temporal Entity	E2 Temporal Entity
P116	- - - - <i>starts</i> (is <i>started</i> by)	E2 Temporal Entity	E2 Temporal Entity
P117	- - - - <i>occurs during</i> (includes)	E2 Temporal Entity	E2 Temporal Entity
P182	- - - - ends before or at the start of (starts after or with the end of)	E2 Temporal Entity	E2 Temporal Entity
P118	- - - - overlaps in time with (is overlapped in time by)	E2 Temporal Entity	E2 Temporal Entity
P179	had sales price (was sales price of)	E96 Purchase	E97 Monetary Amount
P186	produced thing of product type (is produced by)	E12 Production	E99 Product Type
P187	has production plan (is production plan for)	E99 Product Type	E29 Design or Procedure
P188	requires production tool (is production tool for)	E99 Product Type	E19 Physical Object
P189	approximates	E53 Place	E53 Place

CIDOC CRM Class Declarations

The classes of the CIDOC CRM are comprehensively declared in this section using the following format:

- Class names are presented as headings in bold face, preceded by the class' unique identifier;
- The line "Subclass of:" declares the superclass of the class from which it inherits properties;
- The line "Superclass of:" is a cross-reference to the subclasses of this class;
- The line "Scope note:" contains the textual definition of the concept the class represents;
- The line "Examples:" contains a bulleted list of examples of instances of this class. If the example is also instance of a subclass of this class, the unique identifier of the subclass is added in parenthesis. If the example instantiates two classes, the unique identifiers of both classes is added in parenthesis. Non-fictitious examples may be followed by an explanation in brackets.
- The line "Properties:" declares the list of the class' properties;
- Each property is represented by its unique identifier, its forward and reverse names, and the range class that it links to, separated by colons;
- Inherited properties are not represented;
- Properties of properties are provided indented and in parentheses beneath their respective domain property.

E1 CRM Entity

Superclass of: [E2](#) Temporal Entity
[E52](#) Time-Span
[E53](#) Place
[E54](#) Dimension
[E77](#) Persistent Item
[E92](#) Spacetime Volume

Scope note: This class comprises all things in the universe of discourse of the CIDOC Conceptual Reference Model.

It is an abstract concept providing for three general properties:

1. Identification by name or appellation, and in particular by a preferred identifier
2. Classification by type, allowing further refinement of the specific subclass an instance belongs to
3. Attachment of free text for the expression of anything not captured by formal properties

With the exception of E59 Primitive Value, all other classes within the CIDOC CRM are directly or indirectly specialisations of E1 CRM Entity.

Examples:

- the earthquake in Lisbon 1755 (E5) (Chester, 2001)

In First Order Logic:
 $E1(x)$

Properties:
[P1](#) is identified by (identifies): [E41](#) Appellation
[P2](#) has type (is type of): [E55](#) Type
[P3](#) has note: [E62](#) String
(P3.1 has type: [E55](#) Type)
[P48](#) has preferred identifier (is preferred identifier of): [E42](#) Identifier
[P137](#) exemplifies (is exemplified by): [E55](#) Type
(P137.1 in the taxonomic role: [E55](#) Type)

E2 Temporal Entity

Subclass of: [E1](#) CRM Entity
Superclass of: [E3](#) Condition State
[E4](#) Period

Scope note: This class comprises all phenomena, such as the instances of E4 Periods, E5 Events and states, which happen over a limited extent in time. This extent in time must be contiguous, i.e., without gaps. In case the defining kinds of phenomena for an instance of E2 Temporal Entity cease to happen, and occur later again at another time, we regard that the former instance of E2 Temporal Entity has ended and a new instance has come into existence. In more intuitive terms, the same event cannot happen twice.

In some contexts, these are also called perdurants. This class is disjoint from E77 Persistent Item. This is an abstract class and has no direct instances. E2 Temporal Entity is specialized into E4 Period, which applies to a particular geographic area (defined with a greater or lesser degree of precision), and E3 Condition State, which applies to instances of E18 Physical Thing.

Examples:

- **Bronze Age (E4) (Childe, 1963)**
- the earthquake in Lisbon 1755 (E5) (Chester, 2001)
- the Peterhof Palace near Saint Petersburg being in ruins from 1944 – 1946 (E3) (Maddox, 2015)

In First Order Logic:
 $E2(x) \supset E1(x)$

Properties:
[P4](#) has time-span (is time-span of): [E52](#) Time-Span
[P114](#) is equal in time to: [E2](#) Temporal Entity
[P115](#) finishes (is finished by): [E2](#) Temporal Entity

[P116](#) starts (is started by): [E2](#) Temporal Entity
[P117](#) occurs during (includes): [E2](#) Temporal Entity
[P118](#) overlaps in time with (is overlapped in time by): [E2](#) Temporal Entity
[P119](#) meets in time with (is met in time by): [E2](#) Temporal Entity
[P120](#) occurs before (occurs after): [E2](#) Temporal Entity
[P173](#) starts before or at the end of (ends with or after the start of): [E2](#) Temporal Entity
[P174](#) starts before (starts after the start of): [E2](#) Temporal Entity
[P175](#) starts before or with the start of (starts with or after the start of) : [E2](#) Temporal Entity
[P176](#) starts before the start of (starts after the start of): [E2](#) Temporal Entity
[P182](#) ends before or at the start of (starts with or after the end of) : [E2](#) Temporal Entity
[P183](#) ends before the start of (starts after the end of) : [E2](#) Temporal Entity
[P184](#) ends before or with the end of (ends with or after the end of) : [E2](#) Temporal Entity
[P185](#) ends before the end of (ends after the end of): [E2](#) Temporal Entity

E3 Condition State

Subclass of: [E2](#) Temporal Entity

Scope note: This class comprises the states of objects characterised by a certain condition over a time-span.

An instance of this class describes the prevailing physical condition of any material object or feature during a specific instance of E52 Time Span. In general, the time-span for which a certain condition can be asserted may be shorter than the real time-span, for which this condition held.

The nature of that condition can be described using *P2 has type*. For example, the instance of E3 Condition State “condition of the SS Great Britain between 22 September 1846 and 27 August 1847” can be characterized as an instance “wrecked” of E55 Type.

Examples:

- the "reconstructed" state of the “Amber Room” in Tsarskoje Selo from summer 2003 until now (Owen, 2009)
- the "ruined" state of Peterhof Palace near Saint Petersburg from 1944 to 1946 (Maddox, 2015)
- the state of my turkey in the oven at 14:30 on 25 December, 2002 (*P2 has type: E55 Type* “still not cooked”)
- the topography of the leaves of Sinai Printed Book 3234.2361 on the 10th of July 2007 (described as: of type "cockled")

In First Order Logic:

$E3(x) \supset E2(x)$

Properties:

[P5](#) consists of (forms part of): [E3](#) Condition State

E4 Period

Subclass of: [E2](#) Temporal Entity

Subclass of: [E92](#) Spacetime volume

Superclass of: [E5](#) Event

Scope note: This class comprises sets of coherent phenomena or cultural manifestations occurring in time and space.

It is the social or physical coherence of these phenomena that identify an E4 Period and not the associated spatiotemporal extent. This extent is only the “ground” or space in an abstract physical sense that the actual process of growth, spread and retreat has covered. Consequently, different periods can overlap and coexist in time and space, such as when a nomadic culture exists in the same area and time as a sedentary culture. This also means that overlapping land use rights, common among first nations, amounts to overlapping periods.

Often, this class is used to describe prehistoric or historic periods such as the “Neolithic Period”, the “Ming Dynasty” or the “McCarthy Era”, but also geopolitical units and activities of settlements are regarded as special cases of E4 Period. However, there are no assumptions about the scale of the associated phenomena. In particular all events are seen as synthetic processes consisting of coherent phenomena. Therefore E4 Period is a superclass of E5 Event. For example, a modern clinical birth, an

instance of E67 Birth, can be seen as both as a single event, i.e., an instance of E5 Event and as an extended period, i.e., instance of E4 Period that consists of multiple physical processes and complementary activities performed by multiple instances of E39 Actor.

As the actual extent of an instance of E4 Period in spacetime we regard the trajectories of the participating physical things during their participation in an instance of E4 Period. This includes the open spaces via which these things have interacted and the spaces by which they had the potential to interact during that period or event in the way defined by the type of the respective period or event. Examples include the air in a meeting room transferring the voices of the participants. Since these phenomena are fuzzy, we assume the spatiotemporal extent to be contiguous, except for cases of phenomena spreading out over islands or other separated areas, including geopolitical units distributed over disconnected areas such as islands or colonies.

Whether the trajectories necessary for participants to travel between these areas are regarded as part of the spatiotemporal extent or not has to be decided in each case based on a concrete analysis, taking use of the sea for other purposes than travel, such as fishing, into consideration. One may also argue that the activities to govern disconnected areas imply travelling through spaces connecting them and that these areas hence are spatially connected in a way, but it appears counterintuitive to consider for instance travel routes in international waters as extensions of geopolitical units.

Consequently, an instance of E4 Period may occupy a number of disjoint spacetime volumes, however there must not be a discontinuity in the timespan covered by these spacetime volumes. This means that an instance of E4 Period must be contiguous in time. If it has ended in all areas, it has ended as a whole. However it may end in one area before another, such as in the Polynesian migration, and it continues as long as it is ongoing in at least one area.

We model E4 Period as a subclass of E2 Temporal Entity and of E92 Spacetime Volume. The latter is intended as a phenomenal spacetime volume as defined in CIDOC CRMgeo (Doerr and Hiebel, 2013). By virtue of this multiple inheritance we can discuss the physical extent of an instance of E4 Period without representing each instance of it together with an instance of its associated spacetime volume. This model combines two quite different kinds of substance: an instance of E4 Period is a phenomena while an instance of E92 Spacetime Volume is an aggregation of points in spacetime. However, the real spatiotemporal extent of an instance of E4 Period is regarded to be unique to it due to all its details and fuzziness; its identity and existence depends uniquely on the identity of the instance of E4 Period. Therefore this multiple inheritance is unambiguous and effective and furthermore corresponds to the intuitions of natural language.

There are two different conceptualisations of ‘artistic style’, defined either by physical features or by historical context. For example, “Impressionism” can be viewed as a period lasting from approximately 1870 to 1905 during which paintings with particular characteristics were produced by a group of artists that included (among others) Monet, Renoir, Pissarro, Sisley and Degas. Alternatively, it can be regarded as a style applicable to all paintings sharing the characteristics of the works produced by the Impressionist painters, regardless of historical context. The first interpretation is an instance of E4 Period, and the second defines morphological object types that fall under E55 Type.

A geopolitical unit as a specific case of an instance of E4 Period is the set of activities and phenomena related to the claim of power, the consequences of belonging to a jurisdictional area and an administrative system that establishes a geopolitical unit. Examples from the modern period are countries or administrative areas of countries such as districts whose actions and structures define activities and phenomena in the area that they intend to govern. The borders of geopolitical units are often defined in contracts or treaties although they may deviate from the actual practice. The spatiotemporal properties of Geopolitical units can be modelled through the properties inherited from E92 Spacetime Volume.

Another specific case of an E4 Period is the actual extent of the set of activities and phenomena as evidenced by their physical traces that define a settlement, such as the populated period of Nineveh.

Examples:

- Jurassic (Hallam, 1975)
- Populated Period of Nineveh
- Imperial Rome under Marcus Aurelius
- European Bronze Age (Harrison, c2004)

- Italian Renaissance (Macdonald, 1992)
- Thirty Years War (Lee, 1991)
- Sturm und Drang (Berkoff, 2013)
- Cubism (Cox, 2000)

In First Order Logic:

$E4(x) \supset E2(x)$
 $E4(x) \supset E92(x)$

Properties:

[P7](#) took place at (witnessed): [E53](#) Place
[P8](#) took place on or within (witnessed): [E18](#) Physical Thing
[P9](#) consists of (forms part of): [E4](#) Period

E5 Event

Subclass of: [E4](#) Period
 Superclass of: [E7](#) Activity
[E63](#) Beginning of Existence
[E64](#) End of Existence

Scope note: This class comprises distinct, delimited and coherent processes and interactions of a material nature, in cultural, social or physical systems, involving and affecting instances of [E77](#) Persistent Item in a way characteristic of the kind of process. Typical examples are meetings, births, deaths, actions of decision taking, making or inventing things, but also more complex and extended ones such as conferences, elections, building of a castle, or battles.

While the continuous growth of a tree lacks the limits characteristic of an event, its germination from a seed does qualify as an event. Similarly the blowing of the wind lacks the distinctness and limits of an event, but a hurricane, flood or earthquake would qualify as an event. Mental processes are considered as events, in cases where they are connected with the material externalization of their results; for example the creation of a poem, a performance or a change of intention that becomes obvious from subsequent actions or declarations.

The effects of an instance of [E5](#) Event may not lead to relevant permanent changes of properties or relations of the items involved in it, for example an unrecorded performances. Of course, in order to be documented, some kind of evidence for an event must exist, be it witnesses, traces or products of the event.

While instances of [E4](#) Period always require some form of coherence between its constituent phenomena, in addition, the essential constituents of instances of [E5](#) Event should contribute to an overall effect; for example the statements made during a meeting and the listening of the audience.

Viewed at a coarse level of detail, an instance of [E5](#) Event may appear as if it had an 'instantaneous' overall effect, but any process or interaction of material nature in reality have an extent in time and space. At a fine level, instances of [E5](#) Event may be analyzed into component phenomena and phases within a space and timeframe, and as such can be seen as a period, regardless of the size of the phenomena. The reverse is not necessarily the case: not all instances of [E4](#) Period give rise to a noteworthy overall effect and are thus not instances of [E5](#) Event.

Examples:

- the birth of Cleopatra ([E67](#)) (Pomeroy, 1984)
- the destruction of Herculaneum by volcanic eruption in 79 AD ([E6](#)) (Camardo, 2013)
- World War II ([E7](#)) (Barber, 1994)
- the Battle of Stalingrad ([E7](#)) (Hoyt, 1993)

- the Yalta Conference (E7) (Harbutt, 2010)
- my birthday celebration 28-6-1995 (E7)
- the falling of a tile from my roof last Sunday
- the CIDOC Conference 2003 (E7)

In First Order Logic:

$E5(x) \supset E4(x)$

Properties:

[P11](#) had participant (participated in): [E39](#) Actor
[P12](#) occurred in the presence of (was present at): [E77](#) Persistent Item

E6 Destruction

Subclass of: [E64](#) End of Existence

Scope note: This class comprises events that destroy one or more instances of [E18](#) Physical Thing such that they lose their identity as the subjects of documentation.

Some destruction events are intentional, while others are independent of human activity. Intentional destruction may be documented by classifying the event as both an instance of [E6](#) Destruction and of [E7](#) Activity.

The decision to document an object as destroyed, transformed or modified is context sensitive:

1. If the matter remaining from the destruction is not documented, the event is modelled solely as an instance of [E6](#) Destruction.
2. An event should also be documented as an instance of [E81](#) Transformation if it results in the destruction of one or more objects and the simultaneous production of others using parts or material from the original. In this case, the new items have separate identities. Matter is preserved, but identity is not.
3. When the initial identity of the changed instance of [E18](#) Physical Thing is preserved, the event should be documented as an instance of [E11](#) Modification.

Examples:

- the destruction of Herculaneum by volcanic eruption in 79 AD (Camardo, 2013)
- the destruction of Nineveh (E6, E7) (George, 2000)
- the breaking of a champagne glass yesterday by my dog

In First Order Logic:

$E6(x) \supset E64(x)$

Properties:

[P13](#) destroyed (was destroyed by): [E18](#) Physical Thing

E7 Activity

Subclass of: [E5](#) Event

Superclass of: [E8](#) Acquisition

[E9](#) Move

[E10](#) Transfer of Custody

[E11](#) Modification

[E13](#) Attribute Assignment

[E65](#) Creation

[E66](#) Formation

[E85](#) Joining

[E86](#) Leaving

[E87](#) Curation Activity

Scope note: This class comprises actions intentionally carried out by instances of [E39](#) Actor that result in changes of state in the cultural, social, or physical systems documented.

This notion includes complex, composite and long-lasting actions such as the building of a settlement or a war, as well as simple, short-lived actions such as the opening of a door.

Examples:

- the Battle of Stalingrad (Hoyt, 1993)
- the Yalta Conference (Harbutt, 2010)
- my birthday celebration 28-6-1995
- the writing of “Faust” by Goethe (E65) (Williams, 1987)
- the formation of the Bauhaus 1919 (E66) (Droste, 2006)
- calling the place identified by TGN ‘7017998’ ‘Quyunjig’ by the people of Iraq
- Kira Weber working in glass art from 1984 to 1993
- Kira Weber working in oil and pastel painting from 1993

In First Order Logic:

$E7(x) \supset E5(x)$

Properties:

- [P14](#) carried out by (performed): [E39](#) Actor
(P14.1 in the role of: [E55](#) Type)
- [P15](#) was influenced by (influenced): [E1](#) CRM Entity
- [P16](#) used specific object (was used for): [E70](#) Thing
(P16.1 mode of use: [E55](#) Type)
- [P17](#) was motivated by (motivated): [E1](#) CRM Entity
- [P19](#) was intended use of (was made for): [E71](#) Human-Made Thing
(P19.1 mode of use: [E55](#) Type)
- [P20](#) had specific purpose (was purpose of): [E5](#) Event
- [P21](#) had general purpose (was purpose of): [E55](#) Type
- [P32](#) used general technique (was technique of): [E55](#) Type
- [P33](#) used specific technique (was used by): [E29](#) Design or Procedure
- [P125](#) used object of type (was type of object used in): [E55](#) Type
- [P134](#) continued (was continued by): [E7](#) Activity

E8 Acquisition

Subclass of: [E7](#) Activity

Scope note: This class comprises transfers of legal ownership from one or more instances of E39 Actor to one or more other instances of E39 Actor.

The class also applies to the establishment or loss of ownership of instances of E18 Physical Thing. It does not, however, imply changes of any other kinds of right. The recording of the donor and/or recipient is optional. It is possible that in an instance of E8 Acquisition there is either no donor or no recipient. Depending on the circumstances, it may describe:

1. the beginning of ownership
2. the end of ownership
3. the transfer of ownership
4. the acquisition from an unknown source
5. the loss of title due to destruction of the item

It may also describe events where a collector appropriates legal title, for example by annexation or field collection. The interpretation of the museum notion of "accession" differs between institutions. The CIDOC CRM therefore models legal ownership (E8 Acquisition) and physical custody (E10 Transfer of Custody) separately. Institutions will then model their specific notions of accession and deaccession as combinations of these.

Examples

- the collection of a hammer-head shark of the genus *Sphyrna* (Carchariniiformes) XXXtbc by John Steinbeck and Edward Ricketts at Puerto Escondido in the Gulf of Mexico on March 25th, 1940. (Steinbeck, 2000)
- the acquisition of El Greco’s painting entitled ‘The Apostles Peter and Paul’ by the State Hermitage in Saint Petersburg
- the loss of my stuffed chaffinch ‘*Fringilla coelebs* Linnaeus, 1758’ due to insect damage last year

In First Order Logic:

$E8(x) \supset E7(x)$

Properties:

[P22](#) transferred title to (acquired title through): [E39](#) Actor

[P23](#) transferred title from (surrendered title through): [E39](#) Actor

[P24](#) transferred title of (changed ownership through): [E18](#) Physical Thing

E9 Move

Subclass of: [E7](#) Activity

Scope note: This class comprises changes of the physical location of the instances of [E19](#) Physical Object.

Note, that the class [E9](#) Move inherits the property *P7 took place at (witnessed): E53 Place*. This property should be used to describe the trajectory or a larger area within which a move takes place, whereas the properties *P26 moved to (was destination of)*, *P27 moved from (was origin of)* describe the start and end points only. Moves may also be documented to consist of other moves (via *P9 consists of (forms part of)*), in order to describe intermediate stages on a trajectory. In that case, start and end points of the partial moves should match appropriately between each other and with the overall event.

Examples:

- the relocation of London Bridge from the UK to the USA. (Clarke, 1992)
- the movement of the exhibition “Treasures of Tut-Ankh-Amun” 1976-1979 (Treasures of *Tutankhamun*, exhibition catalogue, 1972) .

In First Order Logic:

$E9(x) \supset E7(x)$

Properties:

[P25](#) moved (moved by): [E19](#) Physical Object

[P26](#) moved to (was destination of): [E53](#) Place

[P27](#) moved from (was origin of): [E53](#) Place

E10 Transfer of Custody

Subclass of: [E7](#) Activity

Scope note: This class comprises transfers of physical custody of objects between instances of [E39](#) Actor.

The recording of the donor and/or recipient is optional. It is possible that in an instance of [E10](#) Transfer of Custody there is either no donor or no recipient. Depending on the circumstances it may describe:

1. the beginning of custody
2. the end of custody
3. the transfer of custody
4. the receipt of custody from an unknown source
5. the declared loss of an object

The distinction between the legal responsibility for custody and the actual physical possession of the object should be expressed using the property *P2 has type (is type of)*. A specific case of transfer of custody is theft. The sense of physical possession requires that the object of custody is in the hands of the keeper at least with a part representative for the whole. The way, in which a representative part is defined, should ensure that it is unambiguous who keeps a part and who the whole and should be consistent with the identity criteria of the kept instance of [E18](#) Physical Thing. For instance, in the case of a set of cutlery we may require the majority of pieces having been in the hands of the actor regardless which individual pieces are kept over time.

The interpretation of the museum notion of "accession" differs between institutions. The CIDOC CRM therefore models legal ownership and physical custody separately. Institutions will then model their specific notions of accession and deaccession as combinations of these.

Examples:

- the delivery of the paintings by Secure Deliveries Inc. to the National Gallery
- the return of Picasso's "Guernica" to Madrid's Prado in 1981 (Chipp, 1988)

In First Order Logic:

$E10(x) \supset E7(x)$

Properties:

[P28](#) custody surrendered by (surrendered custody through): [E39](#) Actor

[P29](#) custody received by (received custody through): [E39](#) Actor

[P30](#) transferred custody of (custody transferred through): [E18](#) Physical Thing

E11 Modification

Subclass of: [E7](#) Activity

Superclass of: [E12](#) Production

[E79](#) Part Addition

[E80](#) Part Removal

Scope note: This class comprises all instances of [E7](#) Activity that create, alter or change instances of [E24](#) Physical Human-Made Thing.

This class includes the production of an item from raw materials, and other so far undocumented objects, and the preventive treatment or restoration of an object for conservation.

Since the distinction between modification and production is not always clear, modification is regarded as the more generally applicable concept. This implies that some items may be consumed or destroyed in an instance of [E11](#) Modification, and that others may be produced as a result of it. An event should also be documented using an instance of [E81](#) Transformation if it results in the destruction of one or more objects and the simultaneous production of others using parts or material from the originals. In this case, the new items have separate identities.

If the instance of [E29](#) Design or Procedure utilized for the modification prescribes the use of specific materials, they should be documented using property *P68 foresees use of (use foreseen by)*: [E57](#) Material of [E29](#) Design or Procedure, rather than via *P126 employed (was employed in)*: [E57](#) Material.

Examples:

- the construction of the SS Great Britain ([E12](#))(Gregor, 1971)
- the impregnation of the Vasa warship in Stockholm for preservation after 1956(Håfors, c2010)
- the transformation of the Enola Gay into a museum exhibit by the National Air and Space Museum in Washington DC between 1993 and 1995 ([E12](#), [E81](#)) (Yakel, 2000)
- the last renewal of the gold coating of the Toshogu shrine in Nikko, Japan(Cali and Dougil, 2012)

In First Order Logic:

$E11(x) \supset E7(x)$

Properties:

[P31](#) has modified (was modified by): [E18](#) Physical Thing

[P126](#) employed (was employed in): [E57](#) Material

E12 Production

Subclass of: [E11](#) Modification

[E63](#) Beginning of Existence

Scope note: This class comprises activities that are designed to, and succeed in, creating one or more new items.

It specializes the notion of modification into production. The decision as to whether or not an object is regarded as new is context sensitive. Normally, items are considered "new" if there is no obvious overall similarity between them and the consumed items and material used in their production. In other cases, an item is considered "new" because it becomes relevant to documentation by a modification. For example, the scribbling of a name on a potsherd may make it a voting token. The original potsherd may not be worth documenting, in contrast to the inscribed one.

This entity can be collective: the printing of a thousand books, for example, would normally be considered a single event.

An event should also be documented using an instance of E81 Transformation if it results in the destruction of one or more objects and the simultaneous production of others using parts or material from the originals. In this case, the new items have separate identities and matter is preserved, but identity is not.

Examples:

- the construction of the SS Great Britain (Gregor, 1971)
- the first casting of the Little Mermaid from the harbour of Copenhagen (Dewey, 2003)
- Rembrandt's creating of the seventh state of his etching "Woman sitting half dressed beside a stove", 1658, identified by Bartsch Number 197 (E12,E65,E81) (Hind, 1923)

In First Order Logic:

$E12(x) \supset E11(x)$

$E12(x) \supset E63(x)$

Properties:

[P108](#) has produced (was produced by): [E24](#) Physical Human-Made Thing

[P186](#) produced thing of product type (is produced by): [E99](#) Product Type

E13 Attribute Assignment

Subclass of: [E7](#) Activity

Superclass of: [E14](#) Condition Assessment

[E15](#) Identifier Assignment

[E16](#) Measurement

[E17](#) Type Assignment

Scope note: This class comprises the actions of making assertions about one property of an object or any single relation between two items or concepts. The type of the property asserted to hold between two items or concepts can be described by the property *P177 assigned property type*: [E55](#) Type.

For example, the class describes the actions of people making propositions and statements during certain scientific/scholarly procedures, e.g. the person and date when a condition statement was made, an identifier was assigned, the museum object was measured, etc. Which kinds of such assignments and statements need to be documented explicitly in structures of a schema rather than free text, depends on whether this information should be accessible by structured queries.

This class allows for the documentation of how the respective assignment came about, and whose opinion it was. Note that all instances of properties described in a knowledge base are the opinion of someone. Per default, they are the opinion of the team maintaining the knowledge base. This fact must not individually be registered for all instances of properties provided by the maintaining team, because it would result in an endless recursion of whose opinion was the description of an opinion. Therefore, the use of instances of E13 Attribute Assignment marks the fact, that the maintaining team is in general neutral to the validity of the respective assertion, but registers someone else's opinion and how it came about.

All properties assigned in such an action can also be seen as directly relating the respective pair of items or concepts. Multiple use of instances of E13 Attribute Assignment may possibly lead to a collection of contradictory values.

All cases of properties in this model that are also described indirectly through a subclass of E13 Attribute Assignment are characterised as "short cuts" of a path via this subclass. This redundant modelling of two alternative views is preferred because many implementations may have good reasons to model either the action of assertion or the short cut, and the relation between both alternatives can be captured by simple rules.

Examples:

- the assessment of the current ownership of Martin Doerr's silver cup in February 1997

In First Order Logic:

$E13(x) \supset E7(x)$

Properties:

[P140](#) assigned attribute to (was attributed by): [E1](#) CRM Entity

[P141](#) assigned (was assigned by): [E1](#) CRM Entity

[P177](#) assigned property type [E55](#) Type

E14 Condition Assessment

Subclass of: [E13](#) Attribute Assignment

Scope note: This class describes the act of assessing the state of preservation of an object during a particular period.

The condition assessment may be carried out by inspection, measurement or through historical research. This class is used to document circumstances of the respective assessment that may be relevant to interpret its quality at a later stage, or to continue research on related documents.

Examples:

- last year's inspection of humidity damage to the frescos in the St. George chapel in our village

In First Order Logic:

$E14(x) \supset E13(x)$

Properties:

[P34](#) concerned (was assessed by): [E18](#) Physical Thing

[P35](#) has identified (identified by): [E3](#) Condition State

E15 Identifier Assignment

Subclass of: [E13](#) Attribute Assignment

Scope note: This class comprises activities that result in the allocation of an identifier to an instance of [E1](#) CRM Entity. Instances of [E15](#) Identifier Assignment may include the creation of the identifier from multiple constituents, which themselves may be instances of [E41](#) Appellation. The syntax and kinds of constituents to be used may be declared in a rule constituting an instance of [E29](#) Design or Procedure.

Examples of such identifiers include Find Numbers, Inventory Numbers, uniform titles in the sense of librarianship and Digital Object Identifiers (DOI). Documenting the act of identifier assignment and deassignment is especially useful when objects change custody or the identification system of an organization is changed. In order to keep track of the identity of things in such cases, it is important to document by whom, when and for what purpose an identifier is assigned to an item.

The fact that an identifier is a preferred one for an organisation can be expressed by using the property *E1 CRM Entity. P48 has preferred identifier (is preferred identifier of): E42 Identifier*. It can better be expressed in a context independent form by assigning a suitable [E55](#) Type, such as “preferred identifier assignment”, to the respective instance of [E15](#) Identifier Assignment via the *P2 has type* property.

Examples:

- Replacement of the inventory number TA959a by GE34604 for a 17th century lament cloth at the Museum Benaki, Athens
- Assigning the author-uniform title heading “Goethe, Johann Wolfgang von, 1749-1832. Faust. 1. Theil.” for the respective work
- On June 1, 2001 assigning the personal name heading “Guillaume, de Machaut, ca. 1300-1377” to Guillaume de Machaut

In First Order Logic:

$E15(x) \supset E13(x)$

Properties:

[P37](#) assigned (was assigned by): [E42](#) Identifier
[P38](#) deassigned (was deassigned by): [E42](#) Identifier
[P142](#) used constituent (was used in): [E90](#) Symbolic Object

E16 Measurement

Subclass of: [E13](#) Attribute Assignment

Scope note: This class comprises actions measuring quantitative physical properties and other values that can be determined by a systematic, objective procedure of direct observation of particular states of physical reality. Properties of instances of [E90](#) Symbolic Object may be measured by observing some of their representative carriers which may or may not be named explicitly. In the former case, the property *P16 used specific object (was used for)*: [E70](#) Thing should be used to specify the information carriers used as empirical basis for the measurement activity.

Examples include measuring the nominal monetary value of a collection of coins or the running time of a movie on a specific video cassette.

The [E16](#) Measurement may use simple counting or tools, such as yardsticks or radiation detection devices. The interest is in the method and care applied, so that the reliability of the result may be judged at a later stage, or research continued on the associated documents. The date of the event is important for dimensions, which may change value over time, such as the length of an object subject to shrinkage. Methods and devices employed should be associated with instances of [E16](#) Measurement by properties such as *P33 used specific technique*: [E29](#) Design or Procedure, *P125 used object of type*: [E55](#) Type, *P16 used specific object (was used for)*: [E70](#) Thing, whereas basic techniques such as "carbon 14 dating" should be encoded using *P2 has type (is type of)*: [E55](#) Type. Details of methods and devices reused or reusable in other instances of [E16](#) Measurement should be documented for these entities rather than the measurements themselves, whereas details of particular execution may be documented by free text or by instantiating adequate sub-activities, if the detail may be of interest for an overarching query.

Regardless whether a measurement is made by an instrument or by human senses, it represents the initial transition from physical reality to information without any other documented information object in between within the reasoning chain that would represent the result of the interaction of the observer or device with reality. Therefore, inferring properties of depicted items using image material, such as satellite images, is not regarded as an instance of [E16](#) Measurement, but as a subsequent instance of [E13](#) Attribute Assignment. Rather, only the production of the images, understood as arrays of radiation intensities, is regarded as an instance of [E16](#) Measurement. The same reasoning holds for other sensor data.

Examples:

- measurement of height of silver cup 232 on the 31st August 1997
- the carbon 14 dating of the "Schoeninger Speer II" in 1996 [an about 400.000 years old Palaeolithic complete wooden spear found in Schoeningen, Niedersachsen, Germany in 1995] (Kouwenhoven, 1997)
- The pixel size of the jpeg version of Titian's painting Bacchus and Ariadne from 1520–3, as freely downloadable from the National Gallery in London's web page <<https://www.nationalgallery.org.uk/paintings/titian-bacchus-and-ariadne>> is 581600 pixels.
- The scope note of [E21](#) Person in the Definition of the CIDOC Conceptual Reference Model Version 5.0.4 as downloaded from <http://www.cidoc-crm.org/sites/default/files/cidoc_crm_version_5.0.4.pdf> consists of 77 words.

In First Order Logic:

$E16(x) \supset E13(x)$

Properties:

[P39](#) measured (was measured by): [E1](#) CRM Entity
[P40](#) observed dimension (was observed in): [E54](#) Dimension

E17 Type Assignment

Subclass of: [E13](#) Attribute Assignment

Scope note: This class comprises the actions of classifying items of whatever kind. Such items include objects, specimens, people, actions and concepts.

This class allows for the documentation of the context of classification acts in cases where the value of the classification depends on the personal opinion of the classifier, and the date that the classification was made. This class also encompasses the notion of "determination," i.e. the systematic and molecular identification of a specimen in biology.

Examples:

- the first classification of object GE34604 as Lament Cloth, October 2nd
- the determination of a cactus in Martin Doerr's garden as '*Cereus hildmannianus* K.Schumann', July 2003

In First Order Logic:

$E17(x) \supset E13(x)$

Properties:

[P41](#) classified (was classified by): [E1](#) CRM Entity
[P42](#) assigned (was assigned by): [E55](#) Type

E18 Physical Thing

Subclass of: [E72](#) Legal Object
[E92](#) Spacetime Volume

Superclass of: [E19](#) Physical Object
[E24](#) Physical Human-Made Thing
[E26](#) Physical Feature

Scope Note: This class comprises all persistent physical items with a relatively stable form, human-made or natural.

Depending on the existence of natural boundaries of such things, the CIDOC CRM distinguishes the instances of E19 Physical Object from instances of E26 Physical Feature, such as holes, rivers, pieces of land etc. Most instances of E19 Physical Object can be moved (if not too heavy), whereas features are integral to the surrounding matter.

An instance of E18 Physical Thing occupies not only a particular geometric space, but in the course of its existence it also forms a trajectory through spacetime, which occupies a real, that is phenomenal, volume in spacetime. We include in the occupied space the space filled by the matter of the physical thing and all its inner spaces, such as the interior of a box. Physical things consisting of aggregations of physically unconnected objects, such as a set of chessmen, occupy a number of individually contiguous spacetime volumes equal to the number of unconnected objects that constitute the set.

We model E18 Physical Thing to be a subclass of E72 Legal Object and of E92 Spacetime Volume. The latter is intended as a phenomenal spacetime volume as defined in CRMgeo (Doerr and Hiebel 2013). By virtue of this multiple inheritance we can discuss the physical extent of an instance of E18 Physical Thing without representing each instance of it together with an instance of its associated spacetime volume. This model combines two quite different kinds of substance: an instance of E18 Physical Thing is matter while an instance of E92 Spacetime Volume is an aggregation of points in spacetime. However, the real spatiotemporal extent of an instance of E18 Physical Thing is regarded to be unique to it, due to all its details and fuzziness; its identity and existence depends uniquely on the identity of the instance of E18 Physical Thing. Therefore this multiple inheritance is unambiguous and effective and furthermore corresponds to the intuitions of natural language.

The CIDOC CRM is generally not concerned with amounts of matter in fluid or gaseous states.

Examples:

- the Cullinan Diamond (E19) (Scarratt and Shor, 2006)
- the cave "Ideon Andron" in Crete (E26) (Smith, 1844-49)
- the Mona Lisa (E22) (Mohem, 2006)

In First Order Logic:

E18(x) \supset E72(x)
E18(x) \supset E92(x)

Properties:

[P44](#) has condition (is condition of): [E3](#) Condition State
[P45](#) consists of (is incorporated in): [E57](#) Material
[P46](#) is composed of (forms part of): [E18](#) Physical Thing
[P49](#) has former or current keeper (is former or current keeper of): [E39](#) Actor
[P50](#) has current keeper (is current keeper of): [E39](#) Actor
[P51](#) has former or current owner (is former or current owner of): [E39](#) Actor
[P52](#) has current owner (is current owner of): [E39](#) Actor
[P53](#) has former or current location (is former or current location of): [E53](#) Place
[P59](#) has section (is located on or within): [E53](#) Place
[P128](#) carries (is carried by): [E90](#) Symbolic Object
[P156](#) occupies (is occupied by): [E53](#) Place

E19 Physical Object

Subclass of: [E18](#) Physical Thing
Superclass of: [E20](#) Biological Object
[E22](#) Human-Made Object

Scope note: This class comprises items of a material nature that are units for documentation and have physical boundaries that separate them completely in an objective way from other objects.

The class also includes all aggregates of objects made for functional purposes of whatever kind, independent of physical coherence, such as a set of chessmen. Typically, instances of E19 Physical Object can be moved (if not too heavy).

In some contexts, such objects, except for aggregates, are also called “bona fide objects” (Smith & Varzi, 2000, pp.401-420), i.e. naturally defined objects.

The decision as to what is documented as a complete item, rather than by its parts or components, may be a purely administrative decision or may be a result of the order in which the item was acquired.

- Examples: John SmithAphrodite of Milos (Kousser, 2005)
- the Palace of Knossos (Evans, 1921-36)
- the Cullinan Diamond (Scarratt and Shor, 2006)
- Apollo 13 at the time of launch (Lovell and Kluger, 1994)

In First Order Logic:

E19(x) \supset E18(x)

Properties:

[P54](#) has current permanent location (is current permanent location of): [E53](#) Place
[P55](#) has current location (currently holds): [E53](#) Place
[P56](#) bears feature (is found on): [E26](#) Physical Feature
[P57](#) has number of parts: [E60](#) Number

E20 Biological Object

Subclass of: [E19](#) Physical Object
Superclass of: [E21](#) Person

Scope note: This class comprises individual items of a material nature, which live, have lived or are natural products of or from living organisms.

Artificial objects that incorporate biological elements, such as Victorian butterfly frames, can be documented as both instances of E20 Biological Object and E22 Human-Made Object.

Examples:

- me
- Tut-Ankh-Amun (Edwards, 1979)

- Boukephalas [Horse of Alexander the Great] (Lamb, 2005)
- petrified dinosaur excrement PA1906-344

In First Order Logic:

$E20(x) \supset E19(x)$

E21 Person

Subclass of: [E20](#) Biological Object
[E39](#) Actor

Scope note: This class comprises real persons who live or are assumed to have lived.

Legendary figures that may have existed, such as Ulysses and King Arthur, fall into this class if the documentation refers to them as historical figures. In cases where doubt exists as to whether several persons are in fact identical, multiple instances can be created and linked to indicate their relationship. The CIDOC CRM does not propose a specific form to support reasoning about possible identity.

In a bibliographic context, a name presented following the conventions usually employed for personal names will be assumed to correspond to an actual real person (E21 Person), unless evidence is available to indicate that this is not the case. The fact that a persona may erroneously be classified as an instance of E21 Person does not imply that the concept comprises personae.

Examples:

- Tut-Ankh-Amun (Edwards, 1979)
- Nelson Mandela (Brown, 2006)

In First Order Logic:

$E21(x) \supset E20(x)$

$E21(x) \supset E39(x)$

Properties:

[P152](#) has parent (is parent of): [E21](#) Person

E22 Human-Made Object

Subclass of: [E19](#) Physical Object
[E24](#) Physical Human-Made Thing

Scope note: This class comprises physical objects purposely created by human activity.

No assumptions are made as to the extent of modification required to justify regarding an object as human-made. For example, an inscribed piece of rock or a preserved butterfly are both regarded as instances of E22 Human-Made Object.

Examples:

- Mallard (the World's fastest steam engine) (Solomon, 2003)
- the Portland Vase (Walker, 2004)
- the Coliseum (Hopkins, 2005)

In First Order Logic:

$E22(x) \supset E19(x)$

$E22(x) \supset E24(x)$

E24 Physical Human-Made Thing

Subclass of: [E18](#) Physical Thing
[E71](#) Human-Made Thing

Superclass of: [E22](#) Human-Made Object
[E25](#) Human-Made Feature
[E78](#) Collection

Scope Note: This class comprises all persistent physical items that are purposely created by human activity.

This class comprises human-made objects, such as a swords, and human-made features, such as rock art. No assumptions are made as to the extent of modification required to justify regarding an object as human-made. For example, a “cup and ring” carving on bedrock is regarded as instance of E24 Physical Human-Made Thing.

Instances of this class may act as carriers of instances of E73 Information Object.

Examples:

- the Forth Railway Bridge (E22) (The Forth Railway Bridge centenary 1890-1990 ICE Proceedings, 1990, Vol.88(6), pp.1079-1107.
- the Channel Tunnel (E25) (Holliday, I., Marcou, G., and Vickerman, R. W., 1991)
- the Historical Collection of the Museum Benaki in Athens (E78) (Georgoula, E., 2005)
- the Rosetta Stone (E22)
- my paperback copy of Crime & Punishment (E22) (fictitious)
- the computer disk at ICS-FORTH that stores the canonical Definition of the CIDOC CRM v.3.2 (E22)
 - my empty DVD disk (E22) (fictitious)

In First Order Logic:

$E24(x) \supset E18(x)$

$E24(x) \supset E71(x)$

Properties:

[P62](#) depicts (is depicted by): [E1](#) CRM Entity

(P62.1 mode of depiction: [E55](#) Type)

[P65](#) shows visual item (is shown by): [E36](#) Visual Item

E25 Human-Made Feature

Subclass of: [E24](#) Physical Human-Made Thing

[E26](#) Physical Feature

Scope Note: This class comprises physical features that are purposely created by human activity, such as scratches, artificial caves, artificial water channels, etc. In particular, it includes the information encoding features on mechanical or digital carriers.

No assumptions are made as to the extent of modification required to justify regarding a feature as human-made. For example, rock art or even “cup and ring” carvings on bedrock a regarded as types of E25 Human-Made Feature.

Examples:

- the Manchester Ship Canal (Famie, 1980)
- Michael Jackson’s nose following plastic surgery
- The laser-readable “pits” engraved June 2014 on Martin Doerr’s CD-R, copying songs of Edith Piaf’s.
- The carved letters on the Rosetta Stone

In First Order Logic:

$E25(x) \supset E24(x)$

$E25(x) \supset E26(x)$

E26 Physical Feature

Subclass of: [E18](#) Physical Thing

Superclass of: [E25](#) Human-Made Feature

[E27](#) Site

Scope Note: This class comprises identifiable features that are physically attached in an integral way to particular physical objects.

Instances of E26 Physical Feature share many of the attributes of instances of E19 Physical Object. They may have a one-, two- or three-dimensional geometric extent, but there are no natural borders that separate them completely in an objective way from the carrier objects. For example, a doorway is a feature but the door itself, being attached by hinges, is not.

Instances of E26 Physical Feature can be features in a narrower sense, such as scratches, holes, reliefs, surface colours, reflection zones in an opal crystal or a density change in a piece of wood. In the wider sense, they are portions of particular objects with partially imaginary borders, such as the core of the Earth, an area of property on the surface of the Earth, a landscape or the head of a contiguous marble statue. They can be measured and dated, and it is sometimes possible to state who or what is or was responsible for them. They cannot be separated from the carrier object, but a segment of the carrier object may be identified (or sometimes removed) carrying the complete feature.

This definition coincides with the definition of "fiat objects" (Smith & Varzi, 2000, pp.401-420), with the exception of aggregates of "bona fide objects".

Examples:

- the temple in Abu Simbel before its removal, which was carved out of solid rock (Hawass, 2000)
- Albrecht Durer's signature on his painting of Charles the Great (Strauss, 1974)
- the damage to the nose of the Great Sphinx in Giza (Temple, 2009)
- Michael Jackson's nose prior to plastic surgery

In First Order Logic:

$E26(x) \supset E18(x)$

E27 Site

Subclass of: [E26 Physical Feature](#)

Scope Note: This class comprises pieces of land or sea floor.

In contrast to the purely geometric notion of E53 Place, this class describes constellations of matter on the surface of the Earth or other celestial body, which can be represented by photographs, paintings and maps.

Instances of E27 Site are composed of relatively immobile material items and features in a particular configuration at a particular location.

Examples:

- the Amazon river basin (Hegen, 1966)
- Knossos (Evans, 1921-36)
- the Apollo 11 landing site (Siegler and Smrekar, 2014)
- Heathrow Airport (Wicks, 2014)
- the submerged harbour of the Minoan settlement of Gournia, Crete (Watrous, 2012)

In First Order Logic:

$E27(x) \supset E26(x)$

E28 Conceptual Object

Subclass of: [E71 Human-Made Thing](#)

Superclass of: [E55 Type](#)
[E89 Propositional Object](#)
[E90 Symbolic Object](#)

Scope note: This class comprises non-material products of our minds and other human produced data that have become objects of a discourse about their identity, circumstances of creation or historical implication. The production of such information may have been supported by the use of technical devices such as cameras or computers.

Characteristically, instances of this class are created, invented or thought by someone, and then may be

documented or communicated between persons. Instances of E28 Conceptual Object have the ability to exist on more than one particular carrier at the same time, such as paper, electronic signals, marks, audio media, paintings, photos, human memories, etc.

They cannot be destroyed. They exist as long as they can be found on at least one carrier or in at least one human memory. Their existence ends when the last carrier and the last memory are lost.

Examples:

- Beethoven's "Ode an die Freude" (Ode to Joy) (E73) (Kershaw, 1999)
- the definition of "ontology" in the Oxford English Dictionary (E73)
- the knowledge about the victory at Marathon carried by the famous runner (E89)

[explanation note: In the following examples we illustrate the distinction between a propositional object, its names and its encoded forms. The Maxwell equations are a good example, because they belong to the fundamental laws of physics and their mathematical content yields identical, unambiguous results regardless formulation and encoding]

- 'Maxwell equations' [preferred subject access point from LCSH] (E41)
<http://lcn.loc.gov/sh85082387> [5], as of 19 November 2012]

**explanation: This is only the name for the Maxwell equations as standardized by the Library of Congress and NOT the equations themselves.

- 'Equations, Maxwell' [variant subject access point, from the same source] (E41)

**explanation: This is another name for the equation standardized by the Library of Congress and not the equations themselves

- Maxwell's equations (E89)

** explanation: This is the propositional content of the equations proper, independent of any particular notation or mathematical formalism.

- The encoding of Maxwells equations as in
[https://upload.wikimedia.org/wikipedia/commons/thumb/c/c4/Maxwell \[6\]'s Equations.svg/500px-Maxwell'sEquations.svg.png](https://upload.wikimedia.org/wikipedia/commons/thumb/c/c4/Maxwell%20Equations.svg/500px-Maxwell'sEquations.svg.png) (E73)

** explanation: This is one possible symbolic encoding of the propositional content of the equations.

In First Order Logic:

$$E28(x) \supset E71(x)$$

Properties:

E29 Design or Procedure

Subclass of: [E73](#) Information Object

Scope note: This class comprises documented plans for the execution of actions in order to achieve a result of a specific quality, form or contents. In particular, it comprises plans for deliberate human activities that may result in new instances of E71 Human-Made Thing or for shaping or guiding the execution of an instance of E7 Activity.

Instances of E29 Design or Procedure can be structured in parts and sequences or depend on others.

This is modelled using *P69 has association with (is associated with)*: E29 Design or Procedure

Designs or procedures can be seen as one of the following:

1. A schema for the activities it describes
2. A schema of the products that result from their application.
3. An independent intellectual product that may have never been applied, such as Leonardo da Vinci's famous plans for flying machines.

Because designs or procedures may never be applied or only partially executed, the CIDOC CRM models a loose relationship between the plan and the respective product.

Examples:

- the ISO standardisation procedure
- the musical notation for Beethoven's "Ode to Joy"

- the architectural drawings for the Kölner Dom in Cologne, Germany
- The drawing on the folio 860 of the Codex Atlanticus from Leonardo da Vinci, 1486-1490, kept in the Biblioteca Ambrosiana in Milan

In First Order Logic:

$E29(x) \supset E73(x)$

Properties:

[P68](#) foresees use of (use foreseen by): [E57](#) Material
[P69](#) has association with (is associated with): [E29](#) Design or Procedure
(P69.1 has type: [E55](#) Type)

E30 Right

Subclass of: [E89](#) Propositional Object

Scope Note: This class comprises legal privileges concerning material and immaterial things or their derivatives.

These include reproduction and property rights.

Examples:

- copyright held by ISO on ISO/CD 21127
- ownership of the “Mona Lisa” by the Louvre

In First Order Logic:

$E30(x) \supset E89(x)$

E31 Document

Subclass of: [E73](#) Information Object

Superclass of: [E32](#) Authority Document

Scope note: This class comprises identifiable immaterial items that make propositions about reality.

These propositions may be expressed in text, graphics, images, audiograms, videograms or by other similar means. Documentation databases are regarded as a special case of E31 Document. This class should not be confused with the term “document” in Information Technology, which is compatible with E73 Information Object.

Examples:

- the Encyclopaedia Britannica (E32) (Kogan, 1958)
- The image content of the photo of the Allied Leaders at Yalta published by UPI, 1945 (E36)
- the Doomsday Book

In First Order Logic:

$E31(x) \supset E73(x)$

Properties:

[P70](#) documents (is documented in): [E1](#) CRM Entity

E32 Authority Document

Subclass of: [E31](#) Document

Scope note: This class comprises encyclopaedia, thesauri, authority lists and other documents that define terminology or conceptual systems for consistent use.

Examples:

- Webster's Dictionary
- 64. (Herbert, 1994)

- Getty Art and Architecture Thesaurus (Getty Trust, 1990) ??? *Published on behalf of Paul Getty Trust.*
- the CIDOC Conceptual Reference Model (Gergatsoulis, M. et al., 2010)

In First Order Logic:

$E32(x) \supset E31(x)$

Properties:

[P71](#) lists (is listed in): [E1](#) CRM Entity

E33 Linguistic Object

Subclass of: [E73](#) Information Object

Superclass of: [E34](#) Inscription

[E35](#) Title

Scope note: This class comprises identifiable expressions in natural language or languages.

Instances of E33 Linguistic Object can be expressed in many ways: e.g. as written texts, recorded speech or sign language. However, the CIDOC CRM treats instances of E33 Linguistic Object independently from the medium or method by which they are expressed. Expressions in formal languages, such as computer code or mathematical formulae, are not treated as instances of E33 Linguistic Object by the CIDOC CRM. These should be modelled as instances of E73 Information Object.

Examples:

The text of an instance of E33 Linguistic Object can be documented in a note by P3 has note: E62 String

- the text of the Ellesmere Chaucer manuscript (Hilmo, 2004)
- the lyrics of the song "Blue Suede Shoes" (Cooper, 2008)
- the text of the Jabberwocky by Lewis Carroll (Carroll, 1981)
- the text of "Doktoro Jekyll kaj Sinjoro Hyde" (an Esperanto translation of Dr Jekyll and Mr Hyde). (Stevenson, 1909)

In First Order Logic:

$E33(x) \supset E73(x)$

Properties:

[P72](#) has language (is language of): [E56](#) Language

[P73](#) has translation (is translation of): [E33](#) Linguistic Object

E34 Inscription

Subclass of: [E33](#) Linguistic Object

[E37](#) Mark

Scope note: This class comprises recognisable, short texts attached to instances of E24 Physical Human-Made Thing.

The transcription of the text can be documented in a note by *P3 has note: E62 String*. The alphabet used can be documented by *P2 has type: E55 Type*. This class does not intend to describe the idiosyncratic characteristics of an individual physical embodiment of an inscription, but the underlying prototype. The physical embodiment is modelled in the CIDOC CRM as instances of E24 Physical Human-Made Thing.

The relationship of a physical copy of a book to the text it contains is modelled using *E18 Physical Thing. P128 carries (is carried by): E33 Linguistic Object*.

Examples:

- "keep off the grass" on a sign stuck in the lawn of the quad of Balliol College
- The text published in Corpus Inscriptionum Latinarum V 895
- Kilroy was here

In First Order Logic:

$E34(x) \supset E33(x)$

$E34(x) \supset E37(x)$

E35 Title

Subclass of: [E33 Linguistic Object](#)
[E41 Appellation](#)

Scope note: This class comprises textual strings that within a cultural context can be clearly identified as titles due to their form. Being a subclass of E41 Appellation, E35 Title can only be used when such a string is actually used as a title of a work, such as a text, an artwork, or a piece of music.

Titles are proper noun phrases or verbal phrases, and should not be confused with generic object names such as “chair”, “painting” or “book” (the latter are common nouns that stand for instances of E55 Type). Titles may be assigned by the creator of the work itself, or by a social group.

This class also comprises the translations of titles that are used as surrogates for the original titles in different social contexts.

Examples:

- “The Merchant of Venice” (McCullough, 2005)
- “Mona Lisa” (Mohen, 2006)
- “La Pie or The Magpie” (Bortolatto, 1981)
- “Lucy in the Sky with Diamonds” (Lennon, 1967)

In First Order Logic:

$E35(x) \supset E33(x)$
 $E35(x) \supset E41(x)$

E36 Visual Item

Subclass of: [E73 Information Object](#)

Superclass of: [E37 Mark](#)
[E38 Image](#)

Scope Note: This class comprises the intellectual or conceptual aspects of recognisable marks and images.

This class does not intend to describe the idiosyncratic characteristics of an individual physical embodiment of a visual item, but the underlying prototype. For example, a mark such as the ICOM logo is generally considered to be the same logo when used on any number of publications. The size, orientation and colour may change, but the logo remains uniquely identifiable. The same is true of images that are reproduced many times. This means that visual items are independent of their physical support.

The class E36 Visual Item provides a means of identifying and linking together instances of E24 Physical Human-Made Thing that carry the same visual symbols, marks or images etc. The property *P62 depicts (is depicted by)* between E24 Physical Human-Made Thing and depicted subjects (E1 CRM Entity) can be regarded as a short-cut of the more fully developed path from E24 Physical Human-Made Thing through *P65 shows visual item (is shown by)*, E36 Visual Item, *P138 represents (has representation)* to E1CRM Entity, which in addition captures the optical features of the depiction.

Examples:

- the visual appearance of Monet’s “La Pie”
- the Coca-Cola logo (E34)
- the Chi-Rho (E37)
- the communist red star (E37)

In First Order Logic:

$E36(x) \supset E73(x)$

Properties:

[P138](#) represents (has representation): [E1](#) CRM Entity
(P138.1 mode of representation: [E55](#) Type)

E37 Mark

Subclass of: [E36](#) Visual Item

Superclass of: [E34](#) Inscription

Scope note: This class comprises symbols, signs, signatures or short texts applied to instances of E24 Physical Human-Made Thing by arbitrary techniques in order to indicate the creator, owner, dedications, purpose, etc.

This class specifically excludes features that have no semantic significance, such as scratches or tool marks. These should be documented as instances of E25 Human-Made Feature.

Examples:

- Minoan double axe mark (Lowe Fri, 2011)
- ☉
- ☺

In First Order Logic:

$E37(x) \supset E36(x)$

E38 Image

Deprecated, use [E36 Visual Item](#) instead

E39 Actor

Subclass of: [E77](#) Persistent Item

Superclass of: [E21](#) Person

[E74](#) Group

Scope note: This class comprises people, either individually or in groups, who have the potential to perform intentional actions of kinds for which someone may be held responsible.

The CIDOC CRM does not attempt to model the inadvertent actions of such actors. Individual people should be documented as instances of E21 Person, whereas groups should be documented as instances of E74 Group.

Examples:

- London and Continental Railways (E40)
- the Governor of the Bank of England in 1975 (E21)
- Sir Ian McKellan (E21) (Gibson, 1986)

In First Order Logic:

$E39(x) \supset E77(x)$

Properties:

[P74](#) has current or former residence (is current or former residence of): [E53](#) Place

[P75](#) possesses (is possessed by): [E30](#) Right

[P76](#) has contact point (provides access to): [E41](#) Appellation

E40 Legal Body

Deprecated, use [E74](#) Group instead

E41 Appellation

Subclass of: [E90](#) Symbolic Object

Superclass of: [E35](#) Title

[E42](#) Identifier

Scope note: This class comprises signs, either meaningful or not, or arrangements of signs following a specific syntax, that are used or can be used to refer to and identify a specific instance of some class or category within a certain context.

Instances of E41 Appellation do not identify things by their meaning, even if they happen to have one, but instead by convention, tradition, or agreement. Instances of E41 Appellation are cultural constructs; as such, they have a context, a history, and a use in time and space by some group of users. A given instance of E41 Appellation can have alternative forms, i.e., other instances of E41 Appellation that are always regarded as equivalent independent from the thing it denotes.

Specific subclasses of E41 Appellation should be used when instances of E41 Appellation of a characteristic form are used for particular objects. **Instances of E49 Time Appellation, for example, which take the form of instances of E50 Date, can be easily recognised.**

Numerically expressed identifiers in continua are instances of E41 Appellation, such as Gregorian dates or spatial coordinates, even though their encoding may be similar to instances of E60 Number.

Thus, the use of subclasses of E41 is not determined by the characteristics of the object the appellation refers to, e.g., a person or a place, but rather the form of the appellation itself shows it as a special type of appellation, such as an identifier.

E41 Appellation should not be confused with the act of naming something. Cf. E15 Identifier Assignment

Examples:

- "Martin"
- "the Forth Bridge"
- "the Merchant of Venice" (E35) (McCullough, 2005)
- "*Spigelia marilandica* (L.) L." [not the species, just the *name*] (Hershberger, Jenkins and Robacker, 2015)
- "information science" [not the science itself, but the name through which we refer to it in an English-speaking context]
- “安” [Chinese “an”, meaning “peace”]
- “6°5’29”N 45°12’13”W”
- “Black queen’s bishop 4” [chess coordinate]
- “1900”
- “4-4-1959”
- “19-MAR-1922”
- “19640604”
- “+41 22 418 5571”
- weasel@paveprime.com
- “Vienna”
- “CH-1211, Genève”
- “Aquae Sulis Minerva”
- “Bath”
- “Cambridge”
- “the Other Place”
- “the City”
- “1-29-3 Otsuka, Bunkyo-ku, Tokyo, 121, Japan”
- “Rue David Dufour 5, CH-1211, Genève”
- “the entrance lobby to the Ripley Center”
- “the poop deck of H.M.S Victory”
- “the Venus de Milo’s left buttock”
- “left inner side of my box”
- “the entrance lobby to the Ripley Center”
- “the poop deck of H.M.S Victory”
- “the Venus de Milo’s left buttock”
- “left inner side of my box”
-

In First Order Logic:

$E41(x) \supset E90(x)$

Properties:

[P139](#) has alternative form: [E41](#) Appellation
(P139.1 has type: [E55](#) Type)

E42 Identifier

Subclass of: [E41](#) Appellation

Scope note: This class comprises strings or codes assigned to instances of E1 CRM Entity in order to identify them uniquely and permanently within the context of one or more organisations. Such codes are often known as inventory numbers, registration codes, etc. and are typically composed of alphanumeric sequences. The class E42 Identifier is not normally used for machine-generated identifiers used for automated processing unless these are also used by human agents.

Examples:

- “MM.GE.195”
- “13.45.1976”
- “OXCMS: 1997.4.1”
- ISSN “0041-5278”
- ISRC “FIFIN8900116”
- Shelf mark “Res 8 P 10”
- “Guillaume de Machaut (1300?-1377)” [a controlled personal name heading that follows the French rules] (Reaney, 1974)

In First Order Logic:

$E42(x) \supset E41(x)$

E44 Place Appellation

Deprecated, use [E41](#) Appellation instead

E45 Address

Deprecated, use [E41](#) Appellation instead

E46 Section Definition

Deprecated, use [E41](#) Appellation instead

E47 Spatial Coordinates

Deprecated, use [E41](#) Appellation instead

E48 Place Name

Deprecated, use [E41](#) Appellation instead

E49 Time Appellation

Deprecated, use [E41](#) Appellation instead

E50 Date

Deprecated use [E41](#) Appellation instead

E51 Contact Point

Deprecated use [E41](#) Appellation instead

E52 Time-Span

Subclass of: [E1](#) CRM Entity

Scope note: This class comprises abstract temporal extents, in the sense of Galilean physics, having a beginning, an end and a duration.

Time Span has no other semantic connotations. Time-Spans are used to define the temporal extent of instances of E4 Period, E5 Event and any other phenomena valid for a certain time. Since our knowledge of history is imperfect, instances of E52 Time-Span can best be considered as approximations of the actual Time-Spans of temporal entities. The properties of E52 Time-Span are intended to allow these approximations to be expressed precisely. An extreme case of approximation, might, for example, define an instance of E52 Time-Span having unknown beginning, end and duration. Used as a common E52 Time-Span for two events, it would nevertheless define them as being simultaneous, even if nothing else was known.

Automatic processing and querying of instances of E52 Time-Span is facilitated if data can be parsed into an E61 Time Primitive.

Examples:

- 1961
- From 12-17-1993 to 12-8-1996
- 14h30 – 16h22 4th July 1945
- 9.30 am 1.1.1999 to 2.00 pm 1.1.1999
- duration of the Ming Dynasty (*Chan*, 2011)

In First Order Logic:

$E52(x) \supset E1(x)$

Properties:

[P79](#) beginning is qualified by: [E62](#) String
[P80](#) end is qualified by: [E62](#) String
[P81](#) ongoing throughout: [E61](#) Time Primitive
[P82](#) at some time within: [E61](#) Time Primitive
[P83](#) had at least duration (was minimum duration of): [E54](#) Dimension
[P84](#) had at most duration (was maximum duration of): [E54](#) Dimension
[P86](#) falls within (contains): [E52](#) Time-Span

E53 Place

Subclass of: [E1](#) CRM Entity

Scope note: This class comprises extents in space, in particular on the surface of the earth, in the pure sense of physics: independent from temporal phenomena and matter.

The instances of E53 Place are usually determined by reference to the position of “immobile” objects such as buildings, cities, mountains, rivers, or dedicated geodetic marks. A Place can be determined by combining a frame of reference and a location with respect to this frame.

It is sometimes argued that instances of E53 Place are best identified by global coordinates or absolute reference systems. However, relative references are often more relevant in the context of cultural documentation and tend to be more precise. In particular, we are often interested in position in relation to large, mobile objects, such as ships. For example, the Place at which Nelson died is known with reference to a large mobile object – H.M.S Victory. A resolution of this Place in terms of absolute coordinates would require knowledge of the movements of the vessel and the precise time of death, either of which may be revised, and the result would lack historical and cultural relevance.

Any object can serve as a frame of reference for an instance of E53 Place determination. The model foresees the notion of a "section" of an instance of E19 Physical Object as a valid E53 Place determination.

Examples:

- the extent of the UK in the year 2003
- the position of the hallmark on the inside of my wedding ring

- the place referred to in the phrase: “Fish collected at three miles north of the confluence of the Arve and the Rhone”
- here -> <-

In First Order Logic:

$E53(x) \supset E1(x)$

Properties:

[P89](#) falls within (contains): [E53](#) Place
[P121](#) overlaps with: [E53](#) Place
[P122](#) borders with: [E53](#) Place
[P157](#) is at rest relative to (provides reference space for): [E18](#) Physical Thing
[P168](#) place is defined by (defines place) : [E94](#) Space Primitive
[P171](#) at some place within : [E94](#) Space Primitive
[P172](#) contains : [E94](#) Space Primitive

E54 Dimension

Subclass of: [E1](#) CRM Entity

Superclass of: [E97](#) Monetary Amount

Scope note: This class comprises quantifiable properties that can be measured by some calibrated means and can be approximated by values, i.e. points or regions in a mathematical or conceptual space, such as natural or real numbers, RGB values etc.

An instance of E54 Dimension represents the true quantity, independent from its numerical approximation, e.g. in inches or in cm. The properties of the class E54 Dimension allow for expressing the numerical approximation of the values of instances of E54 Dimension. If the true values belong to a non-discrete space, such as spatial distances, it is recommended to record them as approximations by intervals or regions of indeterminacy enclosing the assumed true values. For instance, a length of 5 cm may be recorded as 4.5-5.5 cm, according to the precision of the respective observation. Note, that interoperability of values described in different units depends critically on the representation as value regions.

Numerical approximations in archaic instances of E58 Measurement Unit used in historical records should be preserved. Equivalents corresponding to current knowledge should be recorded as additional instances of E54 Dimension as appropriate.

Examples:

- The 250 metric ton weight of the Luxor Obelisk
- The 5.17 m height of the statue of David by Michaelangelo
- The 530.2 carats of the Great Star of Africa diamond
- The AD1262-1312, 1303-1384 calibrated C14 date for the Shroud of Turin
- The 33 m diameter of the Stonehenge Sarcen Circle
- The 755.9 foot length of the sides of the Great Pyramid at Giza
- Christies’ hammer price for “Vase with Fifteen Sunflowers” (E97) has currency British Pounds (E98)
- The time span of the Battle of Issos 333 B.C.E. (E52) had duration Battle of Issos duration (E54)

In First Order Logic:

$E54(x) \supset E1(x)$

Properties:

[P90](#) has value: [E60](#) Number
[P91](#) has unit (is unit of): [E58](#) Measurement Unit

E55 Type

Subclass of: [E28](#) Conceptual Object

Superclass of: [E56](#) Language

[E57](#) Material

[E58](#) Measurement Unit

Scope note: This class comprises concepts denoted by terms from thesauri and controlled vocabularies used to characterize and classify instances of CIDOC CRM classes. Instances of E55 Type represent concepts in contrast to instances of E41 Appellation which are used to name instances of CIDOC CRM classes.

E55 Type is the CIDOC CRM's interface to domain specific ontologies and thesauri. These can be represented in the CIDOC CRM as subclasses of E55 Type, forming hierarchies of terms, i.e. instances of E55 Type linked via *P127 has broader term (has narrower term)*: E55Type. Such hierarchies may be extended with additional properties.

Examples:

- weight, length, depth [types of E54]
- portrait, sketch, animation [types of E36]
- French, English, German [E56]
- excellent, good, poor [types of E3]
- Ford Model T, chop stick [types of E22]
- cave, doline, scratch [types of E26]
- poem, short story [types of E33]
- wedding, earthquake, skirmish [types of E5]

In First Order Logic:

$E55(x) \supset E28(x)$

Properties:

[P127](#) has broader term (has narrower term): [E55](#) Type

[P150](#) defines typical parts of (define typical wholes for): [E55](#) Type

E56 Language

Subclass of: [E55](#) Type

Scope note: This class is a specialization of E55 Type and comprises the natural languages in the sense of concepts.

This type is used categorically in the model without reference to instances of it, i.e. the Model does not foresee the description of instances of instances of E56 Language, e.g.: "instances of Mandarin Chinese".

It is recommended that internationally or nationally agreed codes and terminology are used to denote instances of E56 Language, such as those defined in ISO 639:1988.

Examples:

- el [Greek] (*Palmer*, 1980)
- en [English] (*Wilson*, 1983)
- eo [Esperanto] (*Nuessel*, 2000)
- es [Spanish] (*Pineda*, 1993)
- fr [French] (*Rickard*, 1974)

In First Order Logic:

$E56(x) \supset E55(x)$

E57 Material

Subclass of: [E55](#) Type

Scope note: This class is a specialization of E55 Type and comprises the concepts of materials.

Instances of E57 Material may denote properties of matter before its use, during its use, and as incorporated in an object, such as ultramarine powder, tempera paste, reinforced concrete. Discrete pieces of raw-materials kept in museums, such as bricks, sheets of fabric, pieces of metal, should be modelled individually in the same way as other objects. Discrete used or processed pieces, such as the stones from Nefer Titi's temple, should be modelled as parts (cf. *P46 is composed of (forms part of)*: *E18 Physical Thing*).

This type is used categorically in the model without reference to instances of it, i.e. the Model does not foresee the description of instances of instances of E57 Material, e.g.: “instances of gold”.

It is recommended that internationally or nationally agreed codes and terminology are used.

Examples:

- Brick (*Gurcke*, 1987)
- Gold (*Watson*, 1990)
- Aluminium (*Norman*, 1986)
- Polycarbonate (*Mhaske*, 2011)
- Resin (*Barton*, 1992)

In First Order Logic:

$E57(x) \supset E55(x)$

E58 Measurement Unit

Subclass of: [E55](#) Type

Superclass of: [E98](#) Currency

Scope Note: This class is a specialization of E55 Type and comprises the types of measurement units: feet, inches, centimetres, litres, lumens, etc.

This type is used categorically in the model without reference to instances of it, i.e. the Model does not foresee the description of instances of instances of E58 Measurement Unit, e.g.: “instances of cm”.

Système International (SI) units or internationally recognized non-SI terms should be used whenever possible. (ISO80000:2009). Archaic Measurement Units used in historical records should be preserved.

Examples:

- cm [centimetre]
- km [kilometre]
- m [meter]
- m/s [meters per second] (*Hau*, 1999)
- A [Ampere]
- GRD [Greek Drachme] (*Daniel*, 2014) (E98)
- °C [degrees centigrade] (*Beckman*, 1998)

In First Order Logic:

$E58(x) \supset E55(x)$

E59 Primitive Value

Superclass of: [E60](#) Number

[E61](#) Time Primitive

[E62](#) String

Scope Note: This class comprises values of primitive data types of programming languages or database management systems and data types composed of such values used as documentation elements, as well as their mathematical abstractions.

They are not considered as elements of the universe of discourse this model aims at defining and analysing. Rather, they play the role of a symbolic interface between the scope of this model and the world of mathematical and computational manipulations and the symbolic objects they define and handle.

In particular they comprise lexical forms encoded as "strings" or series of characters and symbols based on encoding schemes (characterised by being a limited subset of the respective mathematical abstractions) such as UNICODE and values of datatypes that can be encoded in a lexical form, including quantitative specifications of time-spans and geometry. They have in common that instances of E59 Primitive Value define themselves by virtue of their encoded value, regardless the nature of their mathematical abstractions.

Therefore they must not be represented in an implementation by a universal identifier associated with a content model of different identity. In a concrete application, it is recommended that the primitive value system from a chosen implementation platform and/or data definition language be used to substitute for this class and its subclasses.

Examples:

- ABCDEFG (E62)
- 3.14 (E60)
- 0
- 1921-01-01 (E61)

In First Order Logic:

E60 Number

Subclass of: [E59 Primitive Value](#)

Scope Note: This class comprises any encoding of computable (algebraic) values such as integers, real numbers, complex numbers, vectors, tensors etc., including intervals of these values to express limited precision.

Numbers are fundamentally distinct from numerically expressed identifiers in continua, which are instances of E41 Appellation, such as Gregorian dates or spatial coordinates, even though their encoding may be similar. Instances of E60 Number can be combined with each other in algebraic operations to yield other instances of E60 Number, e.g., $1+1=2$. Identifiers in continua may be combined with numbers expressing distances to yield new identifiers, e.g., $1924-01-31 + 2 \text{ days} = 1924-02-02$. Cf. E54 Dimension

Examples:

- 5
- $3+2i$
- $1.5e-04$
- $(0.5, -0.7, 88)$

In First Order Logic:

$E60(x) \supset E59(x)$

E61 Time Primitive

Subclass of: [E59 Primitive Value](#)

Scope Note: This class comprises instances of E59 Primitive Value for time that should be implemented with appropriate validation, precision and references to temporal coordinate systems to express time in some context relevant to cultural and scientific documentation.

Instantiating different instances of E61 Time Primitive relative to the same instance of E52 Time Span allows for the expression of multiple opinions/approximations of the same phenomenon. When representing different opinions/approximations of the E52 Time Span of some E2 Temporal Entity, multiple instances of E61 Time Primitive should be instantiated relative to one E52 Time Span. Only one E52 Time Span should be instantiated since there is only one real phenomenal time extent of any given temporal entity.

The instances of E61 Time Primitive are not considered as elements of the universe of discourse that the CIDOC CRM aims at defining and analysing. Rather, they play the role of a symbolic interface between the scope of this model and the world of mathematical and computational manipulations and the symbolic objects they define and handle.

Therefore they must not be represented in an implementation by a universal identifier associated with a content model of different identity. In a concrete application, it is recommended that the primitive value system from a chosen implementation platform and/or data definition language be used to substitute for this class.

Examples:

- 1994 – 1997

- 13 May 1768
- 2000/01/01 00:00:59.7
- 85th century BC

In First Order Logic:

$E61(x) \supset E59(x)$

E62 String

Subclass of: [E59](#) Primitive Value

Scope Note: This class comprises coherent sequences of binary-encoded symbols. They correspond to the content of an instance of E90 Symbolic object. Instances of E62 String represent only the symbol sequence itself. They may or may not contain a language code. In contrast, instances of other subclasses of E59 Primitive value represent entities in mathematical spaces other than that of symbol sequences, by using binary-encoded symbols, such as date expressions or numbers in decimal encoding. For instance, different syntactic forms of a date expression may represent the same date, but consist of different strings.

Examples:

- the Quick Brown Fox Jumps Over the Lazy Dog
- 6F 6E 54 79 70 31 0D 9E

In First Order Logic:

$E62(x) \supset E59(x)$

E63 Beginning of Existence

Subclass of: [E5](#) Event

Superclass of: [E12](#) Production

[E65](#) Creation

[E66](#) Formation

[E67](#) Birth

[E81](#) Transformation

Scope note: This class comprises events that bring into existence any instance of E77 Persistent Item.

It may be used for temporal reasoning about things (intellectual products, physical items, groups of people, living beings) beginning to exist; it serves as a hook for determination of a “terminus post quem” or “terminus ante quem”.

Examples:

- the birth of my child
- the birth of Snoopy, my dog
- the calving of the iceberg that sank the Titanic
- the construction of the Eiffel Tower (Tissandier, 1889)

In First Order Logic:

$E63(x) \supset E5(x)$

Properties:

[P92](#) brought into existence (was brought into existence by): [E77](#) Persistent Item

E64 End of Existence

Subclass of: [E5](#) Event

Superclass of: [E6](#) Destruction

[E68](#) Dissolution

[E69](#) Death

[E81](#) Transformation

Scope note: This class comprises events that end the existence of any instance of E77 Persistent Item.

It may be used for temporal reasoning about things (physical items, groups of people, living beings) ceasing to exist; it serves as a hook for determination of a “terminus post quem” or “terminus ante quem”. In cases where substance from a Persistent Item continues to exist in a new form, the process would be documented as instances of E81 Transformation.

Examples:

- the death of Snoopy, my dog
- the melting of the snowmanthe burning of the Temple of Artemis in Ephesos by Herostratos in 356BC (Trell, 1945)

In First Order Logic:

$E64(x) \supset E5(x)$

Properties:

[P93](#) took out of existence (was taken out of existence by): [E77](#) Persistent Item

E65 Creation

Subclass of: [E7](#) Activity

[E63](#) Beginning of Existence

Superclass of: [E83](#) Type Creation

Scope note: This class comprises events that result in the creation of conceptual items or immaterial products, such as legends, poems, texts, music, images, movies, laws, types etc.

Examples:

- the framing of the U.S. Constitution (Farrand, 1913)
- the drafting of U.N. resolution 1441 (United Nations Security Council, 2002)

In First Order Logic:

$E65(x) \supset E7(x)$

$E65(x) \supset E63(x)$

Properties:

[P94](#) has created (was created by): [E28](#) Conceptual Object

E66 Formation

Subclass of: [E7](#) Activity

[E63](#) Beginning of Existence

Scope note: This class comprises events that result in the formation of a formal or informal E74 Group of people, such as a club, society, association, corporation or nation.

E66 Formation does not include the arbitrary aggregation of people who do not act as a collective. The formation of an instance of E74 Group does not require that the group is populated with members at the time of formation. In order to express the joining of members at the time of formation, the respective activity should be simultaneously an instance of both E66 Formation and E85 Joining.

Examples:

- the formation of the CIDOC CRM Special Interest Group
- the formation of the Soviet Union (Pipes, 1964)
- the conspiring of the murderers of Caesar (Irwin, 1935)

In First Order Logic:

$E66(x) \supset E7(x)$

$E66(x) \supset E63(x)$

Properties:

[P95](#) has formed (was formed by): [E74](#) Group

[P151](#) was formed from: [E74](#) Group

E67 Birth

Subclass of: [E63](#) Beginning of Existence

Scope note: This class comprises the births of human beings. E67 Birth is a biological event focussing on the context of people coming into life. (E63 Beginning of Existence comprises the coming into life of any living beings).

Twins, triplets etc. are brought into life by the same instance of E67 Birth. The introduction of E67 Birth as a documentation element allows the description of a range of family relationships in a simple model. Suitable extensions may describe more details and the complexity of motherhood with the intervention of modern medicine. In this model, the biological father is not seen as a necessary participant in the birth.

Examples:

- the birth of Alexander the Great (Stoneman, 2004)

In First Order Logic:

$E67(x) \supset E63(x)$

Properties:

[P96](#) by mother (gave birth): [E21](#) Person

[P97](#) from father (was father for): [E21](#) Person

[P98](#) brought into life (was born): [E21](#) Person

E68 Dissolution

Subclass of: [E64](#) End of Existence

Scope note: This class comprises the events that result in the formal or informal termination of an instance of E74 Group of people.

If the dissolution was deliberate, the Dissolution event should also be instantiated as an instance of E7 Activity.

Examples:

- the fall of the Roman Empire (Whittington, 1964)
- the liquidation of Enron Corporation (Atlas, 2001)

In First Order Logic:

$E68(x) \supset E64(x)$

Properties:

[P99](#) dissolved (was dissolved by): [E74](#) Group

E69 Death

Subclass of: [E64](#) End of Existence

Scope note: This class comprises the deaths of human beings. If a person is *killed*, the death should be documented as an instance of both E69 Death and E7 Activity. The death or perishing of other living beings should be documented as instances of E64 End of Existence.

Examples:

- the murder of Julius Caesar (E69,E7) (Irwin, 1935)
- the death of Senator Paul Wellstone (Monast, 2003)

In First Order Logic:

$E69(x) \supset E64(x)$

Properties:

[P100](#) was death of (died in): [E21](#) Person

E70 Thing

Subclass of: [E77](#) Persistent Item

Superclass of: [E71](#) Human-Made Thing

[E72](#) Legal Object

Scope note: This general class comprises discrete, identifiable, instances of [E77](#) Persistent Item that are documented as single units, that either consist of matter or depend on being carried by matter and are characterized by relative stability.

They may be intellectual products or physical things. They may for instance have a solid physical form, an electronic encoding, or they may be a logical concept or structure.

Examples:

- my photograph collection ([E78](#))
- the bottle of milk in my refrigerator ([E22](#))
- the plan of the Straßburger Münster (French: *Cathédrale Notre-Dame de Strasbourg*) ([E29](#))
- the thing on the top of Otto Hahn's desk ([E19](#))
- the form of the no-smoking sign ([E36](#))
- the cave of Dirou, Mani, Greece ([E27](#)) (Psimenos. 2005)

In First Order Logic:

$E70(x) \supset E77(x)$

Properties

[P43](#) has dimension (is dimension of): [E54](#) Dimension

[P101](#) had as general use (was use of): [E55](#) Type

[P130](#) shows features of (features are also found on): [E70](#) Thing
([P130.1](#) kind of similarity: [E55](#) Type)

E71 Human-Made Thing

Subclass of: [E70](#) Thing

Superclass of: [E24](#) Physical Human-Made Thing

[E28](#) Conceptual Object

Scope note: This class comprises discrete, identifiable human-made items that are documented as single units.

These items are either intellectual products or human-made physical things, and are characterized by relative stability. They may for instance have a solid physical form, an electronic encoding, or they may be logical concepts or structures.

Examples:

- Beethoven's 5th Symphony ([E73](#)) (Lockwood, 2015)
- Michelangelo's David (Paoletti, 2015)
- Einstein's Theory of General Relativity ([E73](#)) (Hartle, 2003)
- the taxon '*Fringilla coelebs* Linnaeus, 1758' ([E55](#)) (Sinkevicius and Narusevicius, 2002)

In First Order Logic:

$E71(x) \supset E70(x)$

Properties

[P102](#) has title (is title of): [E35](#) Title

([P102.1](#) has type: [E55](#) Type)

[P103](#) was intended for (was intention of): [E55](#) Type

E72 Legal Object

Subclass of: [E70](#) Thing

Superclass of: [E18](#) Physical Thing

[E90](#) Symbolic Object

Scope note: This class comprises those material or immaterial items to which instances of [E30](#) Right, such as the right of ownership or use, can be applied.

This is true for all instances of [E18](#) Physical Thing. In the case of instances of [E28](#) Conceptual Object, however, the identity of an instance of [E28](#) Conceptual Object or the method of its use may be too ambiguous to reliably establish instances of [E30](#) Right, as in the case of taxa and inspirations. Ownership

of corporations is currently regarded as out of scope of the CIDOC CRM.

Examples:

- the Cullinan diamond (E19) (Scarratt and Shor, 2006)
- definition of the CIDOC Conceptual Reference Model Version 2.1 (E73) (ISO 21127: 2014)

In First Order Logic:

$E72(x) \supset E70(x)$

Properties:

[P104](#) is subject to (applies to): [E30](#) Right

[P105](#) right held by (has right on): [E39](#) Actor

E73 Information Object

Subclass of: [E89](#) Propositional Object

[E90](#) Symbolic Object

Superclass of: [E29](#) Design or Procedure

[E31](#) Document

[E33](#) Linguistic Object

[E36](#) Visual Item

Scope note:

This class comprises identifiable immaterial items, such as a poems, jokes, data sets, images, texts, multimedia objects, procedural prescriptions, computer program code, algorithm or mathematical formulae, that have an objectively recognizable structure and are documented as single units. The encoding structure known as a "named graph" also falls under this class, so that each "named graph" is an instance of E73 Information Object.

An instance of E73 Information Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously.

Instances of E73 Information Object of a linguistic nature should be declared as instances of the E33 Linguistic Object subclass. Instances of E73 Information Object of a documentary nature should be declared as instances of the E31 Document subclass. Conceptual items such as types and classes are not instances of E73 Information Object, nor are ideas without a reproducible expression.

Examples:

- image BM000038850.JPG from the Clayton Herbarium in London (E31)
- E. A. Poe's "The Raven" (Poe, 1869)
- the movie "The Seven Samurai" by Akira Kurosawa (Mellen, 2002)
- the Maxwell Equations (Huray, 2010)
- The Getty AAT as published as Linked Open Data, accessed 1/10/2014

In First Order Logic:

$E73(x) \supset E89(x)$

$E73(x) \supset E90(x)$

Properties:

E74 Group

Subclass of: [E39](#) Actor

Superclass of:

Scope note:

This class comprises any gatherings or organizations of E39 Actors that act collectively or in a similar way due to any form of unifying relationship. In the wider sense this class also comprises official positions which used to be regarded in certain contexts as one actor, independent of the current holder of the office, such as the president of a country. In such cases, it may happen that the Group never had more than one member. A joint pseudonym (i.e., a name that seems indicative of an individual but that is actually used as a persona by two or more people) is a particular case of E74 Group.

A gathering of people becomes an E74 Group when it exhibits organizational characteristics usually typified by a set of ideas or beliefs held in common, or actions performed together. These might be

communication, creating some common artifact, a common purpose such as study, worship, business, sports, etc. Nationality can be modelled as membership in an E74 Group (cf. HumanML markup). Married couples and other concepts of family are regarded as particular examples of E74 Group.

Examples:

- the impressionists (Wilson, 1983)
- the Navajo (Correll, 1972)
- the Greeks (Williams, 1993)
- the peace protestors in New York City on February 15 2003
- Exxon-Mobil ('*Exxon Mobil Corp*', *Mergent's dividend achievers*, vol. 3, no. 3, 2006, pp. 97-97)
- King Solomon and his wives (Thieberger, 1947)
- The President of the Swiss Confederation
- Nicolas Bourbaki (Aczel, 2007)
- Betty Crocker (Crocker, 2012)
- Ellery Queen (*Queen*, 1964)
- Greenpeace
- Paveprime Ltd
- the National Museum of Denmark
-

In First Order Logic:

$E74(x) \supset E39(x)$

Properties:

[P107](#) has current or former member (is current or former member of): [E39](#) Actor
(P107.1 *kind of member*: [E55](#) Type)

E75 Conceptual Object Appellation

Deprecated use [E41](#) Appellation instead

E77 Persistent Item

Subclass of: [E1](#) CRM Entity

Superclass of: [E39](#) Actor

[E70](#) Thing

Scope note: This class comprises items that have a persistent identity, sometimes known as “endurants” in philosophy.

They can be repeatedly recognized within the duration of their existence by identity criteria rather than by continuity or observation. Persistent Items can be either physical entities, such as people, animals or things, or conceptual entities such as ideas, concepts, products of the imagination or common names.

The criteria that determine the identity of an item are often difficult to establish -; the decision depends largely on the judgement of the observer. For example, a building is regarded as no longer existing if it is dismantled and the materials reused in a different configuration. On the other hand, human beings go through radical and profound changes during their life-span, affecting both material composition and form, yet preserve their identity by other criteria. Similarly, inanimate objects may be subject to exchange of parts and matter. The class E77 Persistent Item does not take any position about the nature of the applicable identity criteria and if actual knowledge about identity of an instance of this class exists. There may be cases, where the identity of an instance of E77 Persistent Item is not decidable by a certain state of knowledge.

The main classes of objects that fall outside the scope the E77 Persistent Item class are temporal objects such as periods, events and acts, and descriptive properties.

Examples:

- Leonard da Vinci (Strano, 1953)
- Stonehenge (Richards, 2005)
- the hole in the ozone layer (Hufford and Horwitz, 2005)
- the First Law of Thermodynamics (Craig and Gislason, 2002)

- the Bermuda Triangle (Dolan, 2005)

In First Order Logic:

$E77(x) \supset E1(x)$

E78 Curated Holding

Subclass of: [E24](#) Physical Human-Made Thing

Scope note: This class comprises aggregations of instances of E18 Physical Thing that are assembled and maintained (“curated” and “preserved,” in museological terminology) by one or more instances of E39 Actor over time for a specific purpose and audience, and according to a particular collection development plan. Typical instances of curated holdings are museum collections, archives, library holdings and digital libraries. A digital library is regarded as an instance of E18 Physical Thing because it requires keeping physical carriers of the electronic content.

Items may be added or removed from an E78 Curated Holding in pursuit of this plan. This class should not be confused with the E39 Actor maintaining the E78 Curated Holding often referred to with the name of the E78 Curated Holding (e.g. “The Wallace Collection decided...”).

Collective objects in the general sense, like a tomb full of gifts, a folder with stamps or a set of chessmen, should be documented as instances of E19 Physical Object, and not as instances of E78 Curated Holding. This is because they form wholes either because they are physically bound together or because they are kept together for their functionality.

Examples:

- the John Clayton Herbarium
- the Wallace Collection (Ingamells, 1990)
- Mikael Heggelund Foslie’s coralline red algae Herbarium at Museum of Natural History and Archaeology, Trondheim, Norway
- The Digital Collections of the Munich Digitization Center (MDZ) accessible via <https://www.digitale-sammlungen.de/> at least in January 2018.

In First Order Logic:

$E78(x) \supset E24(x)$

Properties:

[P109](#) has current or former curator (is current or former curator of): [E39](#) Actor

E79 Part Addition

Subclass of: [E11](#) Modification

Scope note: This class comprises activities that result in an instance of E24 Physical Human-Made Thing being increased, enlarged or augmented by the addition of a part.

Typical scenarios include the attachment of an accessory, the integration of a component, the addition of an element to an aggregate object, or the accessioning of an object into a curated E78 Collection. Objects to which parts are added are, by definition, human-made, since the addition of a part implies a human activity. Following the addition of parts, the resulting human-made assemblages are treated objectively as single identifiable wholes, made up of constituent or component parts bound together either physically (for example the engine becoming a part of the car), or by sharing a common purpose (such as the 32 chess pieces that make up a chess set). This class of activities forms a basis for reasoning about the history and continuity of identity of objects that are integrated into other objects over time, such as precious gemstones being repeatedly incorporated into different items of jewellery, or cultural artifacts being added to different museum instances of E78 Collection over their lifespan.

Examples:

- the setting of the koh-i-noor diamond into the crown of Queen Elizabeth the Queen Mother (Dalrymple, 2017)

- the addition of the painting “Room in Brooklyn” by Edward Hopper to the collection of the Museum of Fine Arts, Boston

In First Order Logic:

$$E79(x) \supset E11(x)$$

Properties:

[P110](#) augmented (was augmented by): [E24](#) Physical Human-Made Thing

[P111](#) added (was added by): [E18](#) Physical Thing

E80 Part Removal

Subclass of: [E11](#) Modification

Scope note: This class comprises the activities that result in an instance of E18 Physical Thing being decreased by the removal of a part.

Typical scenarios include the detachment of an accessory, the removal of a component or part of a composite object, or the deaccessioning of an object from a curated collection, an instance of E78 Collection. If the instance of E80 Part Removal results in the total decomposition of the original object into pieces, such that the whole ceases to exist, the activity should instead be modelled as an E81 Transformation, i.e. a simultaneous destruction and production. In cases where the part removed has no discernible identity prior to its removal but does have an identity subsequent to its removal, the activity should be modelled as both an instance of E80 Part Removal and E12 Production. This class of activities forms a basis for reasoning about the history, and continuity of identity over time, of objects that are removed from other objects, such as precious gemstones being extracted from different items of jewelry, or cultural artifacts being deaccessioned from different museum collections over their lifespan.

Examples:

- the removal of the engine from my car
- the disposal of object number 1976:234 from the collection

In First Order Logic:

$$E80(x) \supset E11(x)$$

Properties:

[P112](#) diminished (was diminished by): [E24](#) Physical Human-Made Thing

[P113](#) removed (was removed by): [E18](#) Physical Thing

E81 Transformation

Subclass of: [E63](#) Beginning of Existence

[E64](#) End of Existence

Scope note: This class comprises the events that result in the simultaneous destruction of one or more than one instance of E18 Physical Thing and the creation of one or more than one instance of E18 Physical Thing that preserves recognizable substance and structure from the first one(s) but has fundamentally different nature or identity.

Although the old and the new instances of E18 Physical Thing are treated as discrete entities having separate, unique identities, they are causally connected through an instance of E81 Transformation; the destruction of the old one(s) directly causes the creation of the new one(s) using or preserving some relevant substance and structure. Instances of E81 Transformation are therefore distinct from re-classifications (documented as instances of E17 Type Assignment) or modifications (documented as instances of E11 Modification) of objects that do not fundamentally change their nature or identity. Characteristic cases are reconstructions and repurposing of historical buildings or ruins, fires leaving buildings in ruins, taxidermy of specimen in natural history.

Examples:

- the death and mummification of Tut-Ankh-Amun (transformation of Tut-Ankh-Amun from a living person to a mummy) (E69,E81,E7)

In First Order Logic:

$$E81(x) \supset E63(x)$$

$$E81(x) \supset E64(x)$$

Properties:

[P123](#) resulted in (resulted from): E18 Physical Thing

[P124](#) transformed (was transformed by): E18 Physical Thing

E82 Actor Appellation

Deprecated use [E41](#) Appellation instead

E83 Type Creation

Subclass of: [E65](#) Creation

Scope note: This class comprises activities formally defining new types of items.

It is typically a rigorous scholarly or scientific process that ensures a type is exhaustively described and appropriately named. In some cases, particularly in archaeology and the life sciences, E83 Type Creation requires the identification of an exemplary specimen and the publication of the type definition in an appropriate scholarly forum. The activity modelled as an instance of E83 Type Creation is central to research in the life sciences, where a type would be referred to as a “taxon,” the type description as a “protologue,” and the exemplary specimens as “original element” or “holotype”.

Examples:

- creation of the taxon '*Penicillium brefeldianum* (B. O. Dodge', 1933)
- addition of class E85 Joining [E84 Information Carrier](#) to the CIDOC CRM

In First Order Logic:

$E83(x) \supset E65(x)$

Properties:

[P135](#) created type (was created by): [E55](#) Type

[P136](#) was based on (supported type creation): [E1](#) CRM Entity
([P136.1](#) in the taxonomic role: [E55](#) Type)

E84 Information Carrier

Deprecated use E22 Human-Made Object instead

E85 Joining

Subclass of: [E7](#) Activity

Scope note: This class comprises the activities that result in an instance of E39 Actor becoming a member of an instance of E74 Group. This class does not imply initiative by either party. It may be the initiative of a third party.

Typical scenarios include becoming a member of a social organisation, becoming employee of a company, marriage, the adoption of a child by a family and the inauguration of somebody into an official position.

Examples:

- The election of Sir Isaac Newton as Member of Parliament for the University of Cambridge to the Convention Parliament of 1689 (Gleick,2003)
- The inauguration of Mikhail Sergeyevich Gorbachev as leader of the Union of Soviet Socialist Republics (USSR) in 1985 (Butson, 1986)
- The implementation of the membership treaty between EU and Denmark January 1. 1993

In First Order Logic:

$E85(x) \supset E7(x)$

Properties:

[P143](#) joined (was joined by): [E39](#) Actor

[P144](#) joined with (gained member by) [E74](#) Group
([P144.1](#) kind of member: [E55](#) Type)

E86 Leaving

Subclass of: [E7](#) Activity

Scope note: This class comprises the activities that result in an instance of [E39](#) Actor to be disassociated from an instance of [E74](#) Group. This class does not imply initiative by either party. It may be the initiative of a third party.

Typical scenarios include the termination of membership in a social organisation, ending the employment at a company, divorce, and the end of tenure of somebody in an official position.

Examples:

- The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702 (Gleick, 2003)
- George Washington's leaving office in 1797 (Jones, 1979)
- The implementation of the treaty regulating the termination of Greenland's membership in EU between EU, Denmark and Greenland February 1. 1985

In First Order Logic:

$E86(x) \supset E7(x)$

Properties:

[P145](#) separated (left by) [E39](#) Actor

[P146](#) separated from (lost member by) [E74](#) Group

E87 Curation Activity

Subclass of: [E7](#) Activity

Scope note: This class comprises the activities that result in the continuity of management and the preservation and evolution of instances of [E78](#) Collection, following an implicit or explicit curation plan.

It specializes the notion of activity into the curation of a collection and allows the history of curation to be recorded.

Items are accumulated and organized following criteria like subject, chronological period, material type, style of art etc. and can be added or removed from an instance of [E78](#) Collection for a specific purpose and/or audience. The initial aggregation of items of a collection is regarded as an instance of [E12](#) Production Event while the activity of evolving, preserving and promoting a collection is regarded as an instance of [E87](#) Curation Activity.

Examples:

- The curation of Mikael Heggelund Foslie's coralline red algae Herbarium 1876 – 1909 (when Foslie died), now at Museum of Natural History and Archaeology, Norway

In First Order Logic:

$E87(x) \supset E7(x)$

Properties:

[P147](#) curated (was curated by): [E78](#) Collection

E89 Propositional Object

Subclass of: [E28](#) Conceptual Object

Superclass of: [E73](#) Information Object

[E30](#) Right

Scope note: This class comprises immaterial items, including but not limited to stories, plots, procedural prescriptions, algorithms, laws of physics or images that are, or represent in some sense, sets of propositions about real or imaginary things and that are documented as single units or serve as topic of discourse.

This class also comprises items that are "about" something in the sense of a subject. In the wider sense, this class includes expressions of psychological value such as non-figural art and musical themes.

However, conceptual items such as types and classes are not instances of E89 Propositional Object. This should not be confused with the definition of a type, which is indeed an instance of E89 Propositional Object.

Examples:

- Maxwell's Equations (Huray, 2010)
- The ideational contents of Aristotle's book entitled 'Metaphysics' as rendered in the Greek texts translated in ... Oxford edition...
- The underlying prototype of any "no-smoking" sign (E36)
- The common ideas of the plots of the movie "The Seven Samurai" by Akira Kurosawa and the movie "The Magnificent Seven" by John Sturges
- The image content of the photo of the Allied Leaders at Yalta published by UPI, 1945 (E36)
- The character "Little Red Riding Hood" variants of which appear amongst others in Grimm brothers' 'Rotkäppchen', other oral fairy tales and the film 'Hoodwinked'
- The place "Havnor" as invented by Ursula K. Le Guin for her 'Earthsea' book series, the related maps and appearing in derivative works based on these novels

In First Order Logic:

$E89(x) \supset E28(x)$

Properties:

[P148](#) has component (is component of): [E89](#) Propositional Object

[P67](#) refers to (is referred to by): [E1](#) CRM Entity

([P67.1](#) has type: [E55](#) Type)

[P129](#) is about (is subject of): [E1](#) CRM Entity

E90 Symbolic Object

Subclass of: [E28](#) Conceptual Object

[E72](#) Legal Object

Superclass of: [E73](#) Information Object

[E41](#) Appellation

Scope note:

This class comprises identifiable symbols and any aggregation of symbols, such as characters, identifiers, traffic signs, emblems, texts, data sets, images, musical scores, multimedia objects, computer program code or mathematical formulae that have an objectively recognizable structure and that are documented as single units.

It includes sets of signs of any nature, which may serve to designate something, or to communicate some propositional content.

An instance of E90 Symbolic Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously. An instance of E90 Symbolic Object may or may not have a specific meaning, for example an arbitrary character string.

In some cases, the content of an instance of E90 Symbolic Object may completely be represented by a serialized digital content model, such as a sequence of ASCII-encoded characters, an XML or HTML document, or a TIFF image. The property *P3 has note* allows for the description of this content model. In order to disambiguate which symbolic level is the carrier of the meaning, the property *P3.1 has type* can be used to specify the encoding (e.g. "bit", "Latin character", RGB pixel).

Examples:

- 'ecognizabl'
- The "no-smoking" sign (E36)
- "BM000038850.JPG" (E41)
- image BM000038850.JPG from the Clayton Herbarium in London (E36)
- The distribution of form, tone and colour found on Leonardo da Vinci's painting named "Mona Lisa" in daylight (E36)
- The Italian text of Dante's "Divina Commedia" as found in the authoritative critical edition *La Commedia secondo l'antica vulgata a cura di Giorgio Petrocchi*, Milano: Mondadori, 1966-67 (= Le Opere di Dante Alighieri, Edizione Nazionale a cura della Società Dantesca Italiana, VII, 1-4) (E33)

In First Order Logic:

$E90(x) \supset E28(x)$

$E90(x) \supset E72(x)$

Properties:

[P106](#) is composed of (forms part of): [E90](#) Symbolic Object

[P190](#) has symbolic content: E62 String

E92 Spacetime Volume

Subclass of: [E1](#) CRM Entity

Superclass of: [E4](#) Period

[E18](#) Physical Thing

[E93](#) Presence

Scope note:

This class comprises 4 dimensional point sets (volumes) in physical spacetime regardless their true geometric forms. They may derive their identity from being the extent of a material phenomenon or from being the interpretation of an expression defining an extent in spacetime. Intersections of instances of E92 Spacetime Volume, E53 Place and E52 Timespan are also regarded as instances of E92 Spacetime Volume. An instance of E92 Spacetime Volume is either contiguous or composed of a finite number of contiguous subsets. Its boundaries may be fuzzy due to the properties of the phenomena it derives from or due to the limited precision up to which defining expression can be identified with a real extent in spacetime. The duration of existence of an instance of E90 Spacetime Volume is trivially its projection on time.

Examples:

- the extent in space and time of the Event of Caesar's murder
- where and when the carbon 14 dating of the "Schoeninger Speer II" in 1996 took place
- the spatio-temporal trajectory of the H.M.S. Victory from its building to its actual location
- the extent in space and time defined by a polygon approximating the Danube river flood in Austria between 6th and 9th of August 2002

In First Order Logic:

$E92(x) \supset E1(x)$

Properties:

[P10](#) falls within (contains): [E92](#) Spacetime Volume

[P132](#) spatiotemporally overlaps with: [E92](#) Spacetime Volume

[P133](#) spatiotemporally separated from: [E92](#) Spacetime Volume

[P160](#) has temporal projection(is temporal projection of): [E52](#) Time-Span

[P161](#) has spatial projection (is spatial projection of): [E53](#) Place

E93 Presence

Subclass of: [E92](#) Spacetime Volume

Scope note:

This class comprises instances of E92 Spacetime Volume, whose arbitrary temporal extent has been chosen in order to determine the spatial extent of a phenomenon over the chosen time-span. Respective phenomena may, for instance, be historical events or periods, but can also be physical things seen in their diachronic existence and extent. In other words, instances of this class fix a slice of a Spacetime Volume in time.

The temporal extent typically is predetermined by the researcher so as to focus the investigation particularly on finding the spatial extent of the phenomenon by testing for its characteristic features. There are at least two basic directions such investigations might take. The investigation may wish to determine where something was during some time or it may wish to reconstruct the total passage of a

phenomenon's Spacetime Volume through an examination of discrete presences. Observation and measurement of features indicating the presence or absence of a phenomenon in some space allows for the progressive approximation of spatial extents through argumentation typically based on inclusion, exclusion and various overlaps.

In First Order Logic:

$$E93(x) \supset E92(x)$$

Properties:

[P164](#) during (was time-span of): [E52](#) Time Span
[P166](#) was a presence of (had presence): [E92](#) Space Time Volume
[P167](#) at (was place of): [E53](#) Place

E94 Space Primitive

Subclass of: [E59](#) Primitive Value

Scope Note: This class comprises instances of E59 Primitive Value for space that should be implemented with appropriate validation, precision and references to spatial coordinate systems to express geometries on or relative to earth, or any other stable constellations of matter, relevant to cultural and scientific documentation.

An E94 Space Primitive defines an E53 Place in the sense of a declarative place as elaborated in CRMgeo (Doerr and Hiebel 2013), which means that the identity of the place is derived from its geometric definition. This declarative place allows for the application of all E53 Place properties to relate phenomenal places to their approximations expressed with geometries.

Instances of E94 Space Primitive provide the ability to link CIDOC CRM encoded data to the kinds of geometries used in maps or Geoinformation systems. They may be used for visualization of the instances of E53 Place they define, in their geographic context and for computing topological relations between places based on these geometries.

Note that it is possible for a place to be defined by phenomena causal to it, such as a settlement or a riverbed, or other forms of identification rather than by an instance of E94 Space Primitive. Any geometric approximation of such a place by an instance of E94 Space Primitive constitutes an instance of E53 Place in its own right. E94 Space Primitive is not further elaborated upon within this model. Compatibility with OGC standards is considered good practice.

Examples:

- Coordinate Information in GML like `<gml:Point gml:id="p21" srsName="http://www.opengis.net/def/crs/EPSG/0/4326"><gml:coordinates>45.67, 88.56</gml:coordinates></gml:Point>`
- Coordinate Information in lat, long 48,2 13,3
- Well Known Text like `POLYGON ((30 10, 40 40, 20 40, 10 20, 30 10))`

In First Order Logic:

$$E94(x) \supset E59(x)$$

Properties:

E95 Spacetime Primitive

Subclass of: [E59](#) Primitive Value

Scope Note: This class comprises instances of E59 Primitive Value for spacetime volumes that should be implemented with appropriate validation, precision and reference systems to express geometries being limited and

varying over time on or relative to Earth, or any other stable constellations of matter, relevant to cultural and scientific documentation. An instance of E95 Spacetime Primitive may consist of one expression including temporal and spatial information such as in GML or a different form of expressing spacetime in an integrated way such as a formula containing all 4 dimensions.

An instance of E95 Spacetime Primitive defines an instance of E92 Spacetime Volume in the sense of a declarative spacetime volume as defined in CRMgeo (Doerr & Hiebel 2013), which means that the identity of the instance of E92 Spacetime Volume is derived from its geometric and temporal definition. This declarative spacetime volume allows for the application of all E92 Spacetime Volume properties to relate phenomenal spacetime volumes of periods and physical things to propositions about their spatial and temporal extents.

Instances of E92 Spacetime Volume defined by P169 that use different spatiotemporal referring systems are always regarded as different instances of the E92 Spacetime Volume.

It is possible for a spacetime volume to be defined by phenomena causal to it, such as an expanding and declining realm, a settlement structure or a battle, or other forms of identification rather than by an instance of E95 Spacetime Primitive. Any spatiotemporal approximation of such a phenomenon by an instance of E95 Spacetime Primitive constitutes an instance of E92 Spacetime Volume in its own right. E95 Spacetime Primitive is not further elaborated upon within this model. Compatibility with OGC standards are recommended.

Examples:

- Spatial and temporal information in KML for the maximum extent of the Byzantine Empire

```
<Placemark>
  <name> Byzantine Empire </name>
  <styleUrl>#style_1</styleUrl>
  <TimeSpan>
    <begin>330</begin>
    <end>1453</end>
  </TimeSpan>
  <Polygon><altitudeMode>clampToGround</altitudeMode><outerBoundaryIs><LinearRing>
<coordinates>18.452787460,40.85553626,0 17.2223187,40.589098,.....0 17.2223,39.783
</coordinates>
</Polygon>
</Placemark>
```

In First Order Logic:

$E95(x) \supset E59(x)$

Properties:

[P169](#) defines spacetime volume_(spacetime volume_ is defined by): E92 Spacetime Volume

E96 Purchase

Subclass of: E8 Acquisition

Superclass of:

Scope note: This class comprises transfers of legal ownership from one or more instances of E39 Actor to one or more different instances of E39 Actor, where the transferring party is completely compensated by the payment of a monetary amount. In more detail, a purchase agreement establishes a fixed monetary obligation at its initialization on the receiving party, to the giving party. An instance of E96 Purchase begins with the contract or equivalent agreement and ends with the fulfilment of all contractual obligations. In the case that the activity is abandoned before both parties have fulfilled these obligations, the activity is not regarded as an instance of E96 Purchase.

This class is a very specific case of the much more complex social business practices of exchange of goods and the creation and satisfaction of related social obligations. Purchase activities which define individual sales prices per object can be modelled by instantiating E96 Purchase for each object individually and as part of an overall E96 Purchase transaction.

In First Order Logic:

$$E96(x) \supset E8(x)$$

Properties:

[P179](#) had sales price (was sales price of): [E97](#) Monetary Amount

E97 Monetary Amount

Subclass of: [E54](#) Dimension

Scope note: This class comprises quantities of monetary possessions or obligations in terms of their nominal value with respect to a particular currency. These quantities may be abstract accounting units, the nominal value of a heap of coins or bank notes at the time of validity of the respective currency, the nominal value of a bill of exchange or other documents expressing monetary claims or obligations. It specifically excludes amounts expressed in terms of weights of valuable items, like gold and diamonds, and quantities of other non-currency items, like goats or stocks and bonds.

Example:

- Christies' hammer price for "Vase with Fifteen Sunflowers" (E97) has currency British Pounds (E98)

In First Order Logic:

$$E97(x) \supset E54(x)$$

Properties:

[P180](#) has currency (was_currency_of): [E98](#) Currency

[P181](#) has amount: [E60](#) Number

E98 Currency

Subclass of: [E55](#) Type
[E58](#) Measurement Unit

Scope note: This class comprises the units in which a monetary system, supported by an administrative authority or other community, quantifies and arithmetically compares all monetary amounts declared in the unit. The unit of a monetary system must describe a nominal value which is kept constant by its administrative authority and an associated banking system if it exists, and not by market value. For instance, one may pay with grams of gold, but the respective monetary amount would have been agreed as the gold price in US dollars on the day of the payment. Under this definition, British Pounds, U.S. Dollars, and European Euros are examples of currency, but "grams of gold" is not. One monetary system has one and only one currency. Instances of this class must not be confused with coin denominations, such as "Dime" or "Sestertius". Non-monetary exchange of value in terms of quantities of a particular type of goods, such as cows, do not constitute a currency.

Examples:

- “As” (Roman mid republic)
- “Euro”, (Temperton, 1997)
- “US Dollar” (Rose, 1978)

In First Order Logic:

$E98(x) \supset E55(x)$

$E98(x) \supset E58(x)$

E99 Product Type

Subclass of: E55 Type

Scope note: This class comprises types that stand as the models for instances of E22 Human-Made Object that are produced as the result of production activities using plans exact enough to result in one or more series of uniform, functionally and aesthetically identical and interchangeable items. The product type is the intended ideal form of the manufacture process. It is typical of instances of E22 that conform to an instance of E99 Product Type that its component parts are interchangeable with component parts of other instances of E22 made after the model of the same instance of E99. Frequently, the uniform production according to a given instance of E99 Product Type is achieved by creating individual tools, such as moulds or print plates that are themselves carriers of the design of the product type. Modern tools may use the flexibility of electronically controlled devices to achieve such uniformity. The product type itself, i.e., the potentially unlimited series of aesthetically equivalent items, may be the target of artistic design, rather than the individual object. In extreme cases, only one instance of a product type may have been produced, such as in a "print on demand" process which was only triggered once. However, this should not be confused with industrial prototypes, such as car prototypes, which are produced prior to the production line being set up, or test the production line itself.

Examples: Volkswagen Type 11 (Beetle)
 Dragendorff 54 samian vessel
 1937 Edward VIII brass threepenny bit
 Qin Crossbow trigger un-notched Part B (Bg2u)
 Nokia Cityman 1320 (The first Nokia mobile phone)

In First Order Logic:

$E99(x) \supset E55(x)$

Properties:

[P187](#) has production plan (is production plan for): E29 Design or Procedure

[P188](#) requires production tool (is production tool for): E19 Physical Object

CIDOC CRM Property Declarations

The properties of the CIDOC CRM are comprehensively declared in this section using the following format:

- Property names are presented as headings in bold face, preceded by unique property identifiers;
- The line “Domain:” declares the class for which the property is defined;
- The line “Range:” declares the class to which the property points, or that provides the values for the property;
- The line “Superproperty of:” is a cross-reference to any subproperties the property may have;
- The line “Quantification:” declares the possible number of occurrences for domain and range class instances for the property. Possible values are: 1:many, many:many, many:1;
- The line “Scope note:” contains the textual definition of the concept the property represents;
- The line “Examples:” contains a bulleted list of examples of instances of this property. If the example is also instance of a subproperty of this property, the unique identifier of the subclass is added in parenthesis. If the example instantiates two properties, the unique identifiers of both properties is added in parenthesis. The line “Examples:” provides illustrative examples showing how the property should be used.

P1 is identified by (identifies)

Domain: [E1](#) CRM Entity

Range: [E41](#) Appellation

Superproperty of: [E1](#) CRM Entity. [P48](#) has preferred identifier (is preferred identifier of): [E42](#) Identifier

[E52](#) Time-Span. [P78](#) is identified by (identifies): [E41](#) Appellation

[E53](#) Place. [P87](#) is identified by (identifies): [E41](#) Appellation

[E71](#) Human-Made Thing. [P102](#) has title (is title of): [E35](#) Title

[E39](#) Actor. [P131](#) is identified by (identifies): [E41](#) Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property describes the naming or identification of any real world item by a name or any other identifier.

This property is intended for identifiers in general use, which form part of the world the model intends to describe, and not merely for internal database identifiers which are specific to a technical system, unless these latter also have a more general use outside the technical context. This property includes in particular identification by mathematical expressions such as coordinate systems used for the identification of instances of [E53](#) Place. The property does not reveal anything about when, where and by whom this identifier was used. A more detailed representation can be made using the fully developed (i.e. indirect) path through [E15](#) Identifier Assignment.

P1 is identified by (identifies), is a shortcut for the path from ‘[E1](#) CRM Entity’ through ‘[P140i](#) was attributed by’, ‘[E15](#) Identifier Assignment’, ‘[P37](#) assigned’, ‘[E42](#) Identifier’, ‘[P139](#) has alternative form’ to ‘[E41](#) Appellation’.

Examples:

- the capital of Italy ([E53](#)) *is identified by* “Rome” ([E41](#))
- text 25014–32 ([E33](#)) *is identified by* “The Decline and Fall of the Roman Empire” ([E35](#))

In First Order Logic:

$P1(x,y) \supset E1(x)$

$P1(x,y) \supset E41(y)$

P2 has type (is type of)

Domain: [E1](#) CRM Entity

Range: [E55](#) Type

Superproperty of: [E1](#) CRM Entity. [P137](#) exemplifies (is exemplified by): [E55](#) Type

Quantification: many to many (0,n:0,n)

Scope note: This property allows sub typing of CIDOC CRM entities - a form of specialisation – through the use of a terminological hierarchy, or thesaurus.

The CIDOC CRM is intended to focus on the high-level entities and relationships needed to describe data structures. Consequently, it does not specialise entities any further than is required for this immediate purpose. However, entities in the isA hierarchy of the CIDOC CRM may be specialised into any number of sub entities, which can be defined in the [E55](#) Type hierarchy. [E41](#) Appellation, for example, may be specialised into “e-mail address”, “telephone number”, “post office box”, “URL” etc. none of which figures explicitly in the CIDOC CRM hierarchy. Sub typing obviously requires consistency between the meaning of the terms assigned and the more general intent of the CIDOC CRM entity in question.

Examples:

“enquiries@cidoc-crm.org” ([E41](#)) *has type* e-mail address ([E55](#))

In First Order Logic:

$P2(x,y) \supset E1(x)$

$P2(x,y) \supset E55(y)$

P3 has note

Domain: [E1](#) CRM Entity

Range: [E62](#) String
Superproperty of: [E52](#) Time-Span. [P79](#) beginning is qualified by: [E62](#) String
[E52](#) Time-Span. [P80](#) end is qualified by: [E62](#) String
E90 Symbolic Object. [P190](#) has symbolic content: E62 String
Quantification: one to many (0,n:0,1)

Scope note: This property is a container for all informal descriptions about an object that have not been expressed in terms of CIDOC CRM constructs.

In particular it captures the characterisation of the item itself, its internal structures, appearance etc. Like property *P2 has type (is type of)*, this property is a consequence of the restricted focus of the CIDOC CRM. The aim is not to capture, in a structured form, everything that can be said about an item; indeed, the CIDOC CRM formalism is not regarded as sufficient to express everything that can be said. Good practice requires use of distinct note fields for different aspects of a characterisation. The *P3.1 has type* property of *P3 has note* allows differentiation of specific notes, e.g. “construction”, “decoration” etc. An item may have many notes, but a note is attached to a specific item.

Examples:

- coffee mug – OXCMS:1983.1.1 (E19) *has note* “chipped at edge of handle” (E62) *has type* Condition (E55)

In First Order Logic:

$P3(x,y) \supset E1(x)$
 $P3(x,y) \supset E62(y)$
 $P3(x,y,z) \supset [P3(x,y) \wedge E55(z)]$

Properties: P3.1 has type: [E55](#) Type

P4 has time-span (is time-span of)

Domain: [E2](#) Temporal Entity
Range: [E52](#) Time-Span
Quantification: many to one, necessary, dependent (1,1:1,n)

Scope note: This property describes the temporal confinement of an instance of an E2 Temporal Entity.

The related instance of E52 Time-Span is understood as the real Time-Span during which the phenomena were active, which make up the temporal entity instance. It does not convey any other meaning than a positioning on the “time-line” of chronology. The Time-Span in turn is approximated by a set of dates (instances of E61 Time Primitive). A temporal entity can have in reality only one Time-Span, but there may exist alternative opinions about it, which we would express by assigning multiple Time-Spans. Related temporal entities may share an instance of E52 Time-Span. Instances of E52 Time-Span may have completely unknown dates but other descriptions by which we can infer knowledge.

Examples:

- the Yalta Conference (E7) *has time-span* Yalta Conference time-span (E52)

In First Order Logic:

$P4(x,y) \supset E2(x)$
 $P4(x,y) \supset E52(y)$

P5 consists of (forms part of)

Domain: [E3](#) Condition State
Range: [E3](#) Condition State
Quantification: one to many (0,n:0,1)

Scope note: This property describes the decomposition of an instance of E3 Condition State into discrete, subsidiary states.

It is assumed that the sub-states into which the condition state is analysed form a logical whole - although the entire story may not be completely known – and that the sub-states are in fact constitutive of the general condition state. For example, a general condition state of “in ruins” may be decomposed into the

individual stages of decay.
This property is transitive.

Examples:

The Condition State of the ruined Parthenon (E3) *consists of* the bombarded state after the explosion of a Venetian shell in 1687 (E3)⁶

In First Order Logic:

$P5(x,y) \supset E3(x)$
 $P5(x,y) \supset E3(y)$

P7 took place at (witnessed)

Domain: [E4](#) Period

Range: [E53](#) Place

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the spatial location of an instance of E4 Period.

The related instance of E53 Place should be seen as a wider approximation of the geometric area within which the phenomena that characterise the period in question occurred, see below. P7 took place at (witnessed) does not convey any meaning other than spatial positioning (frequently on the surface of the earth). For example, the period “Révolution française” can be said to have taken place in “France in 1789”; the “Victorian” period may be said to have taken place in “Britain from 1837-1901” and its colonies, as well as other parts of Europe and North America. An instance of E4 Period can take place at multiple non-contiguous, non-overlapping locations

It is a shortcut of the more fully developed path from E4 Period through *P161 has spatial projection*, E53 Place, *P89 falls within* to E53 Place. E4 Period is a subclass of E92 Spacetime Volume. By the definition of *P161 has spatial projection* an instance of E4 Period takes place on all its spatial projections, that is, instances of E53 Place. Something happening at a given place can also be considered to happen at a larger place containing the first. For example, the assault on the Bastille July 14th 1789 took place in the area covered by Paris in 1789 but also in the area covered by France in 1789.

Examples:

- the period “Révolution française” (E4) *took place at* the area covered by France in 1789 (E53)

In First Order Logic:

$P7(x,y) \supset E4(x)$
 $P7(x,y) \supset E53(y)$

P8 took place on or within (witnessed)

Domain: [E4](#) Period

Range: [E18](#) Physical Thing

Quantification: many to many (0,n:0,n)

Scope note: This property describes the location of an instance of E4 Period with respect to an instance of E19 Physical Object.

P8 took place on or within (witnessed) is a shortcut of the more fully developed path from ‘E4 Period’ through ‘P7 took place at’, ‘E53 Place’, ‘P156i is occupied by’, to ‘E18 Physical Thing’

It describes a period that can be located with respect to the space defined by an E19 Physical Object such as a ship or a building. The precise geographical location of the object during the period in question may be unknown or unimportant.

For example, the French and German armistice of 22 June 1940 was signed in the same railway carriage as the armistice of 11 November 1918.

Examples:

⁶ The Venetians in Athens and the Destruction of the Parthenon in 1687, Theodor E. Mommsen, American Journal of Archaeology, Vol. 45, No. 4 (Oct. - Dec., 1941), pp. 544-5

- the coronation of Queen Elizabeth II (E7) *took place on or within* Westminster Abbey (E19)

In First Order Logic:

$P8(x,y) \supset E4(x)$

$P8(x,y) \supset E18(y)$

P9 consists of (forms part of)

Domain: [E4](#) Period

Range: [E4](#) Period

Subproperty of:

[E92](#) Spacetime Volume. P10i contains (falls within): [E92](#) Spacetime Volume

Quantification: one to many, (0,n:0,1)

Scope note: This property associates an instance of E4 Period with another instance of E4 Period that is defined by a subset of the phenomena that define the former. Therefore the spacetime volume of the latter must fall within the spacetime volume of the former.
This property is transitive.

Examples:

- Cretan Bronze Age (E4) *consists of* Middle Minoan (E4)

In First Order Logic:

$P9(x,y) \supset E4(x)$

$P9(x,y) \supset E4(y)$

$P9(x,y) \supset P10(y,x)$

P10 falls within (contains)

Domain: [E92](#) Spacetime Volume

Range: [E92](#) Spacetime Volume

Subproperty of: [E92](#) Spacetime Volume. [P132](#) spatiotemporally overlaps with.: [E92](#) Spacetime Volume

Superproperty of: [E93](#) Presence. [P166](#) was a presence of (had presence): [E92](#) Spacetime Volume

Quantification: many to many (0,n:0,n)

Scope note: This property associates an instance of E92 Spacetime Volume with another instance of E92 Spacetime Volume that falls within the latter. In other words, all points in the former are also points in the latter.
This property is transitive.

Examples:

- the Great Plague (E4) *falls within* The Gothic period (E4)

In First Order Logic:

$P10(x,y) \supset E92(x)$

$P10(x,y) \supset E92(y)$

$P10(x,y) \supset P132(x,y)$

P11 had participant (participated in)

Domain: [E5](#) Event

Range: [E39](#) Actor

Subproperty of: [E5](#) Event. [P12](#) occurred in the presence of (was present at): [E77](#) Persistent Item

Superproperty of: [E7](#) Activity. [P14](#) carried out by (performed): [E39](#) Actor

[E67](#) Birth. [P96](#) by mother (gave birth): [E21](#) Person

[E68](#) Dissolution. [P99](#) dissolved (was dissolved by): [E74](#) Group

[E85](#) Joining. [P143](#) joined (was joined by): [E39](#) Actor

[E85](#) Joining. [P144](#) joined with (gained member by): [E74](#) Group

[E86](#) Leaving. [P145](#) separated (left by): [E39](#) Actor

[E86](#) Leaving. [P146](#) separated from (lost member by): [E74](#) Group
[P151](#) was formed from: [E74](#) Group

Quantification: many to many (0,n:0,n)

Scope note: This property describes the active or passive participation of instances of E39 Actors in an instance of E5 Event.

It documents known events in which an instance of E39 Actor has participated during the course of that actor's life or history. The E53 Place and E52 Time-Span where and when these events happened provide us with constraints about the presence of the related E39 Actor in the past. Collective actors, i.e., instances of E74 Group, may physically participate in events via their representing E21 Persons only. The participation of multiple actors in an event is most likely an indication of their acquaintance and interaction.

The property implies that the Actor was involved in the event but does not imply any causal relationship. For instance, someone having been portrayed can be said to have participated in the creation of the portrait.

Examples:

- Napoleon (E21) *participated in* The Battle of Waterloo (E7)
- Maria (E21) *participated in* Photographing of Maria (E7)

In First Order Logic:

$P11(x,y) \supset E5(x)$
 $P11(x,y) \supset E39(y)$
 $P11(x,y) \supset P12(x,y)$

P12 occurred in the presence of (was present at)

Domain: [E5](#) Event

Range: [E77](#) Persistent Item

Superproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor
[E7](#) Activity. [P16](#) used specific object (was used for): [E70](#) Thing
[E9](#) Move. [P25](#) moved (moved by): [E19](#) Physical Object
[E11](#) Modification. [P31](#) has modified (was modified by): [E18](#) Physical Thing
[E63](#) Beginning of Existence. [P92](#) brought into existence (was brought into existence by): [E77](#) Persistent Item
[E64](#) End of Existence. [P93](#) took out of existence (was taken out of existence by): [E77](#) Persistent Item
[E79](#) Part Addition. [P111](#) added (was added by): [E18](#) Physical Thing
[E80](#) Part Removal. [P113](#) removed (was removed by): [E18](#) Physical Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the active or passive presence of an E77 Persistent Item in an E5 Event without implying any specific role.

It documents known events in which an instance of E77 Persistent Item was present during the course of its life or history. For example, an object may be the desk, now in a museum on which a treaty was signed. The E53 Place and E52 Time-Span where and when these events happened provide us with constraints about the presence of the related E77 Persistent Item in the past. Instances of E90 Symbolic Object, in particular information objects, are physically present in events via at least one of the instances of E18 Physical Thing carrying them. Note, that the human mind can be such a carrier. A precondition for a transfer of information to a person or another new physical carrier is the presence of the respective information object and this person or physical thing in one event.

Examples:

- Deckchair 42 (E19) *was present at* The sinking of the Titanic (E5)

In First Order Logic:

$P12(x,y) \supset E5(x)$
 $P12(x,y) \supset E77(y)$

P13 destroyed (was destroyed by)

Domain: [E6](#) Destruction
Range: [E18](#) Physical Thing
Subproperty of: [E64](#) End of Existence. [P93](#) took out of existence (was taken out of existence by): [E77](#) Persistent Item
Quantification: one to many, necessary (1,n:0,1)

Scope note: This property links specific instances of [E18](#) Physical Thing that have been destroyed to be related to an instance of [E6](#) Destruction.
Destruction implies the end of an item's life as a subject of cultural documentation – the physical matter of which the item was composed may in fact continue to exist. An instance of [E6](#) Destruction may be contiguous with an instance of [E12](#) Production that brings into existence a derived object composed partly of matter from the destroyed object.

Examples:

- the Tay Bridge Disaster ([E6](#)) *destroyed* The Tay Bridge ([E22](#))

In First Order Logic:

$P13(x,y) \supset E6(x)$
 $P13(x,y) \supset E18(y)$
 $P13(x,y) \supset P93(x,y)$

P14 carried out by (performed)

Domain: [E7](#) Activity
Range: [E39](#) Actor
Subproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor
Superproperty of: [E8](#) Acquisition. [P22](#) transferred title to (acquired title through): [E39](#) Actor
[E8](#) Acquisition. [P23](#) transferred title from (surrendered title through): [E39](#) Actor
[E10](#) Transfer of Custody. [P28](#) custody surrendered by (surrendered custody through): [E39](#) Actor
[E10](#) Transfer of Custody. [P29](#) custody received by (received custody through): [E39](#) Actor
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the active participation of an instance of [E39](#) Actor in an instance of [E7](#) Activity.

It implies causal or legal responsibility. The *P14.1 in the role of* property of the property specifies the nature of an Actor's participation.

Examples:

- the painting of the Sistine Chapel ([E7](#)) *carried out by* Michaelangelo Buonaroti ([E21](#)) *in the role of* master craftsman ([E55](#))

In First Order Logic:

$P14(x,y) \supset E7(x)$
 $P14(x,y) \supset E39(y)$
 $P14(x,y) \supset P11(x,y)$
 $P14(x,y,z) \supset [P14(x,y) \wedge E55(z)]$

Properties: *P14.1 in the role of*: [E55](#) Type

P15 was influenced by (influenced)

Domain: [E7](#) Activity
Range: [E1](#) CRM Entity
Superproperty of: [E7](#) Activity. [P16](#) used specific object (was used for): [E70](#) Thing
[E7](#) Activity. [P17](#) was motivated by (motivated): [E1](#) CRM Entity
[E7](#) Activity. [P134](#) continued (was continued by): [E7](#) Activity
[E83](#) Type Creation. [P136](#) was based on (supported type creation): [E1](#) CRM Entity
Quantification: many to many (0,n:0,n)

Scope note: This is a high level property, which captures the relationship between an instance of [E7](#) Activity and anything, that is, an instance of [E1](#) CRM Entity that may have had some bearing upon it.

The property has more specific sub properties.

Examples:

- the designing of the Sydney Harbour Bridge (E7) *was influenced by* the Tyne bridge (E22)

In First Order Logic:

$P15(x,y) \supset E7(x)$

$P15(x,y) \supset E1(y)$

P16 used specific object (was used for)

Domain: [E7](#) Activity

Range: [E70](#) Thing

Subproperty of: [E5](#) Event. [P12](#) occurred in the presence of (was present at): [E77](#) Persistent Item

[E7](#) Activity. [P15](#) was influenced by (influenced): [E1](#) CRM Entity

Superproperty of: [E7](#) Activity. [P33](#) used specific technique (was used by): [E29](#) Design or Procedure

[E15](#) Identifier Assignment. [P142](#) used constituent (was used in): [E90](#) Symbolic Object

[E79](#) Part Addition. [P111](#) added (was added by): [E18](#) Physical Thing

Quantification: many to many (0,n:0,n)

Scope note: This property describes the use of material or immaterial things in a way essential to the performance or the outcome of an instance of E7 Activity.

This property typically applies to tools, instruments, moulds, raw materials and items embedded in a product. It implies that the presence of the object in question was a necessary condition for the action. For example, the activity of writing this text required the use of a computer. An immaterial thing can be used if at least one of its carriers is present. For example, the software tools on a computer.

Another example is the use of a particular name by a particular group of people over some span to identify a thing, such as a settlement. In this case, the physical carriers of this name are at least the people understanding its use.

Examples:

- the writing of this scope note (E7) *used specific object* Nicholas Crofts' computer (E22) *mode of use* Typing Tool; Storage Medium (E55)
- the people of Iraq calling the place identified by TGN '7017998' (E7) *used specific object* "Quyunjig" (E41) *mode of use* Current; Vernacular (E55)

In First Order Logic:

$P16(x,y) \supset E7(x)$

$P16(x,y) \supset E70(y)$

$P16(x,y) \supset P12(x,y)$

$P16(x,y) \supset P15(x,y)$

$P16(x,y,z) \supset [P16(x,y) \wedge E55(z)]$

Properties: P16.1 mode of use: [E55](#) Type

P17 was motivated by (motivated)

Domain: [E7](#) Activity

Range: [E1](#) CRM Entity

Subproperty of: [E7](#) Activity. [P15](#) was influenced by (influenced): [E1](#) CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property describes an item or items that are regarded as a reason for carrying out the instance of E7 Activity.

For example, the discovery of a large hoard of treasure may call for a celebration, an order from head quarters can start a military manoeuvre.

Examples:

- the resignation of the chief executive (E7) *was motivated by* the collapse of SwissAir (E68).

- the coronation of Elizabeth II (E7) *was motivated by* the death of George VI (E69)

In First Order Logic:

$P17(x,y) \supset E7(x)$
 $P17(x,y) \supset E1(y)$
 $P17(x,y) \supset P15(x,y)$

P19 was intended use of (was made for):

Domain: [E7](#) Activity
 Range: [E71](#) Human-Made Thing
 Quantification: many to many (0,n:0,n)

Scope note: This property relates an instance of E7 Activity with instances of E71 Human-Made Thing, created specifically for use in the activity.

This is distinct from the intended use of an item in some general type of activity such as the book of common prayer which was intended for use in Church of England services (see *P101 had as general use (was use of)*).

Examples:

- Lady Diana Spencer's wedding dress (E71) *was made for* Wedding of Prince Charles and Lady Diana Spencer (E7) *mode of use* To Be Worn (E55)

In First Order Logic:

$P19(x,y) \supset E7(x)$
 $P19(x,y) \supset E71(y)$
 $P19(x,y,z) \supset [P19(x,y) \wedge E55(z)]$

Properties: P19.1 mode of use: [E55](#) Type

P20 had specific purpose (was purpose of)

Domain: [E7](#) Activity
 Range: [E5](#) Event
 Quantification: many to many (0,n:0,n)

Scope note: This property identifies the relationship between a preparatory activity, an instance of E7 Activity and the instance of E7 Event it is intended to be preparation for.

This includes activities, orders and other organisational actions, taken in preparation for other activities or events.

P20 had specific purpose (was purpose of) implies that an activity succeeded in achieving its aim. If it does not succeed, such as the setting of a trap that did not catch anything, one may document the unrealized intention using *P21 had general purpose (was purpose of):E55 Type* and/or *P33 used specific technique (was used by): E29 Design or Procedure*.

Examples:

- Van Eyck's pigment grinding in 1432 (E7) *had specific purpose* the painting of the Ghent altar piece (E12)

In First Order Logic:

$P20(x,y) \supset E7(x)$
 $P20(x,y) \supset E5(y)$

P21 had general purpose (was purpose of)

Domain: [E7](#) Activity
 Range: [E55](#) Type
 Quantification: many to many (0,n:0,n)

Scope note: This property describes an intentional relationship between an instance of E7 Activity and some general goal or purpose, described as an instance of E55 Type.

This may involve activities intended as preparation for some type of activity or event. *P21 had general purpose (was purpose of)* differs from *P20 had specific purpose (was purpose of)* in that no occurrence of an event is implied as the purpose.

Examples:

- Van Eyck's pigment grinding (E7) *had general purpose* painting (E55)
- The setting of trap 2742 on May 17th 1874 (E7) *had general purpose* Catching Moose (E55) (Activity type)

In First Order Logic:

$$\begin{aligned} P21(x,y) &\supset E7(x) \\ P21(x,y) &\supset E55(y) \end{aligned}$$

P22 transferred title to (acquired title through)

Domain: [E8](#) Acquisition

Range: [E39](#) Actor

Subproperty of: [E7](#) Activity. [P14](#) carried out by (performed): [E39](#) Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the instance of E39 Actor that acquires the legal ownership of an object as a result of an instance of E8 Acquisition.

The property will typically describe an Actor purchasing or otherwise acquiring an object from another Actor. However, title may also be acquired, without any corresponding loss of title by another Actor, through legal fieldwork such as hunting, shooting or fishing.

In reality the title is either transferred to or from someone, or both.

Examples:

- acquisition of the Amoudrouz collection by the Geneva Ethnography Museum (E8) *transferred title to* Geneva Ethnography Museum (E74)

In First Order Logic:

$$\begin{aligned} P22(x,y) &\supset E8(x) \\ P22(x,y) &\supset E39(y) \\ P22(x,y) &\supset P14(x,y) \end{aligned}$$

P23 transferred title from (surrendered title through)

Domain: [E8](#) Acquisition

Range: [E39](#) Actor

Subproperty of: [E7](#) Activity. [P14](#) carried out by (performed): [E39](#) Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the instance(s) of E39 Actor who relinquish legal ownership as the result of an instance of E8 Acquisition.

The property will typically be used to describe a person donating or selling an object to a museum. In reality title is either transferred to or from someone, or both.

Examples:

- acquisition of the Amoudrouz collection by the Geneva Ethnography Museum (E8) *transferred title from* Heirs of Amoudrouz (E74)

In First Order Logic:

$$\begin{aligned} P23(x,y) &\supset E8(x) \\ P23(x,y) &\supset E39(y) \end{aligned}$$

$$P23(x,y) \supset P14(x,y)$$

P24 transferred title of (changed ownership through)

Domain: [E8](#) Acquisition
Range: [E18](#) Physical Thing
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance(s) of E18 Physical Thing involved in an instance of E8 Acquisition. In reality, an acquisition must refer to at least one transferred item.

Examples:

- acquisition of the Amoudrouz collection by the Geneva Ethnography Museum (E8) *transferred title of Amoudrouz Collection* (E78)

In First Order Logic:

$$P24(x,y) \supset E8(x)$$
$$P24(x,y) \supset E18(y)$$

P25 moved (moved by)

Domain: [E9](#) Move
Range: [E19](#) Physical Object
Subproperty of: [E5](#) Event. [P12](#) occurred in the presence of (was present at): [E77](#) Persistent Item
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies an instance of E19 Physical Object that was moved by an instance of E9Move. A move must concern at least one object.

The property implies the object's passive participation. For example, Monet's painting "Impression sunrise" was moved for the first Impressionist exhibition in 1874.

Examples:

- Monet's "Impression sunrise" (E22) *moved by* preparations for the First Impressionist Exhibition (E9)

In First Order Logic:

$$P25(x,y) \supset E9(x)$$
$$P25(x,y) \supset E19(y)$$
$$P25(x,y) \supset P12(x,y)$$

P26 moved to (was destination of)

Domain: [E9](#) Move
Range: [E53](#) Place
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies a destination, an instance of E53 place, of an instance of E9 Move.

A move will be linked to a destination, such as the move of an artifact from storage to display. A move may be linked to many terminal instances of E53 Place by multiple instances of this property. In this case the move describes a distribution of a set of objects. The area of the move includes the origin(s), route and destination(s).

Therefore the described destination is an instance of E53 Place which *P89 falls within (contains)* the instance of E53 Place the move *P7 took place at*.

Examples:

- the movement of the Tut-Ankh-Amun Exhibition (E9) *moved to* The British Museum (E53)

In First Order Logic:

$P26(x,y) \supset E9(x)$
 $P26(x,y) \supset E53(y)$
 $P26(x,y) \supset (\exists z)[E53(z) \wedge P7(x,z) \wedge P89(y,z)]$

P27 moved from (was origin of)

Domain: [E9](#) Move
 Range: [E53](#) Place
 Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies an origin, an instance of E53 Place, of an instance of E9 Move.

A move will be linked to an origin, such as the move of an artifact from storage to display. A move may be linked to many starting instances of E53 Place by multiple instances of this property. In this case the move describes the picking up of a set of objects. The area of the move includes the origin(s), route and destination(s).

Therefore the described origin is an instance of E53 Place which *P89 falls within (contains)* the instance of E53 Place the move *P7 took place at*.

Examples:

- the movement of the Tut-Ankh-Amun Exhibition (E9) *moved from* The Egyptian Museum in Cairo (E53)

In First Order Logic:

$P27(x,y) \supset E9(x)$
 $P27(x,y) \supset E53(y)$
 $P27(x,y) \supset (\exists z)[E53(z) \wedge P7(x,z) \wedge P89(y,z)]$

P28 custody surrendered by (surrendered custody through)

Domain: [E10](#) Transfer of Custody
 Range: [E39](#) Actor
 Subproperty of: [E7](#) Activity. [P14](#) carried out by (performed): [E39](#) Actor
 Quantification: many to many (0,n:0,n)

Scope note: This property identifies the instance(s) of E39 Actor who surrender custody of an instance of E18 Physical Thing in an instance of E10 Transfer of Custody.

The property will typically describe an Actor surrendering custody of an object when it is handed over to someone else's care. On occasion, physical custody may be surrendered involuntarily – through accident, loss or theft.

In reality, custody is either transferred to someone or from someone, or both.

Examples:

- the Secure Deliveries Inc. crew (E74) *surrendered custody through* The delivery of the paintings by Secure Deliveries Inc. to the National Gallery (E10).

In First Order Logic:

$P28(x,y) \supset E10(x)$
 $P28(x,y) \supset E39(y)$
 $P28(x,y) \supset P14(x,y)$

P29 custody received by (received custody through)

Domain: [E10](#) Transfer of Custody
 Range: [E39](#) Actor
 Subproperty of: [E7](#) Activity. [P14](#) carried out by (performed): [E39](#) Actor
 Quantification: many to many (0,n:0,n)

Scope note: This property identifies the instance(s) E39 Actor who receive custody of an instance of E18 Physical

Thing in an instance of E10 Transfer of Custody.

The property will typically describe Actors receiving custody of an object when it is handed over from another Actor's care. On occasion, physical custody may be received involuntarily or illegally – through accident, unsolicited donation, or theft.

In reality, custody is either transferred to someone or from someone, or both.

Examples:

- representatives of The National Gallery (E74) *received custody through*. The delivery of the paintings by Secure Deliveries Inc. to the National Gallery (E10)

In First Order Logic:

$P29(x,y) \supset E10(x)$

$P29(x,y) \supset E39(y)$

$P29(x,y) \supset P14(x,y)$

P30 transferred custody of (custody transferred through)

Domain: [E10](#) Transfer of Custody

Range: [E18](#) Physical Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance(s) of E18 Physical Thing concerned in an instance of E10 Transfer of Custody.

The property will typically describe the object that is handed over by an instance of E39 Actor to to the custody of another instance of E39 Actor. On occasion, physical custody may be transferred involuntarily or illegally – through accident, unsolicited donation, or theft.

Examples:

the delivery of the paintings by Secure Deliveries Inc. to the National Gallery (E10) *transferred custody of* paintings from The Iveagh Bequest (E19)

In First Order Logic:

$P30(x,y) \supset E10(x)$

$P30(x,y) \supset E18(y)$

P31 has modified (was modified by)

Domain: [E11](#) Modification

Range: [E18](#) Physical Thing

Subproperty of: [E5](#) Event. [P12](#) occurred in the presence of (was present at): [E77](#) Persistent Item

Superproperty of: [E12](#) Production. [P108](#) has produced (was produced by): [E24](#) Physical Human-Made Thing

[E79](#) Part Addition. [P110](#) augmented (was augmented by): [E24](#) Physical Human-Made Thing

[E80](#) Part Removal. [P112](#) diminished (was diminished by): [E24](#) Physical Human-Made Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E24 Physical Human-Made Thing modified in an instance of E11 Modification.

Examples:

- rebuilding of the Reichstag (E11) *has modified* the Reichstag in Berlin (E24)

In First Order Logic:

$P31(x,y) \supset E11(x)$

$P31(x,y) \supset E18(y)$

$P31(x,y) \supset P12(x,y)$

P32 used general technique (was technique of)

Domain: [E7](#) Activity
Range: [E55](#) Type
Subproperty of: [E7](#) Activity. [P125](#) used object of type (was type of object used in): [E55](#) Type
Superproperty of:
Quantification: many to many (0,n:0,n)

Scope note: This property identifies the technique or method, modelled as an instance of [E55](#) Type, that was employed in an instance of [E7](#) Activity.

These techniques should be drawn from an external [E55](#) Type hierarchy of consistent terminology of general techniques or methods such as embroidery, oil-painting, carbon dating, etc. Specific documented techniques should be described as instances of [E29](#) Design or Procedure. This property identifies the technique that was employed in an act of modification.

Examples:

- ornamentation of silver cup 113 ([E11](#)) *used general technique* gold-plating ([E55](#)) (Design or Procedure Type)

In First Order Logic:

$P32(x,y) \supset E7(x)$
 $P32(x,y) \supset E55(y)$
 $P32(x,y) \supset P125(x,y)$

P33 used specific technique (was used by)

Domain: [E7](#) Activity
Range: [E29](#) Design or Procedure
Subproperty of: [E7](#) Activity. [P16](#) used specific object (was used for): [E70](#) Thing
Quantification: many to many (0,n:0,n)

Scope note: This property identifies a specific instance of [E29](#) Design or Procedure in order to carry out an instance of [E7](#) Activity or parts of it.

The property differs from [P32](#) used general technique (was technique of) in that [P33](#) refers to an instance of [E29](#) Design or Procedure, which is a concrete information object in its own right rather than simply being a term or a method known by tradition.

Typical examples would include intervention plans for conservation or the construction plans of a building

Examples:

- Ornamentation of silver cup 232 ([E11](#)) *used specific technique* 'Instructions for golden chase work by A N Other' ([E29](#))
- Rebuilding of Reichstag ([E11](#)) *used specific technique* Architectural plans by Foster and Partners ([E29](#))

In First Order Logic:

$P33(x,y) \supset E7(x)$
 $P33(x,y) \supset E29(y)$
 $P33(x,y) \supset P16(x,y)$

P34 concerned (was assessed by)

Domain: [E14](#) Condition Assessment
Range: [E18](#) Physical Thing
Subproperty of: [E13](#) Attribute Assignment. [P140](#) assigned attribute to (was attributed by): [E1](#) CRM Entity
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of [E18](#) Physical Thing that was assessed during an instance of [E14](#) Condition Assessment activity.

Conditions may be assessed either by direct observation or using recorded evidence. In the latter case the instance of E18 Physical Thing does not need to be present or extant at the time of assessment.

Examples:

- 1997 condition assessment of the silver collection (E14) *concerned* silver cup 232 (E22)

In First Order Logic:

$P34(x,y) \supset E14(x)$
 $P34(x,y) \supset E18(y)$
 $P34(x,y) \supset P140(x,y)$

P35 has identified (was identified by)

Domain: [E14](#) Condition Assessment

Range: [E3](#) Condition State

Subproperty of: [E13](#) Attribute Assignment. [P141](#) assigned (was assigned by): [E1](#) CRM Entity

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E3 Condition State that was observed in an instance of E14 Condition Assessment activity.

Examples:

- 1997 condition assessment of silver cup 232 (E14) *has identified* oxidation traces were present in 1997 (E3) *has type* oxidation traces (E55)

In First Order Logic:

$P35(x,y) \supset E14(x)$
 $P35(x,y) \supset E3(y)$
 $P35(x,y) \supset P141(x,y)$

P37 assigned (was assigned by)

Domain: [E15](#) Identifier Assignment

Range: [E42](#) Identifier

Subproperty of: [E13](#) Attribute Assignment. [P141](#) assigned (was assigned by): [E1](#) CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property records the identifier that was assigned to an item in an instance of P37 Identifier Assignment.

The same identifier may be assigned on more than one occasion.

An Identifier might be created prior to an assignment.

Examples:

- 01 June 1997 Identifier Assignment of the silver cup donated by Martin Doerr (E15) *assigned* “232” (E42)

In First Order Logic:

$P37(x,y) \supset E15(x)$
 $P37(x,y) \supset E42(y)$
 $P37(x,y) \supset P141(x,y)$

P38 deassigned (was deassigned by)

Domain: [E15](#) Identifier Assignment

Range: [E42](#) Identifier

Subproperty of: [E13](#) Attribute Assignment. [P141](#) assigned (was assigned by): [E1](#) CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property records the identifier that was deassigned from an instance of E1 CRM Entity.

Deassignment of an identifier may be necessary when an item is taken out of an inventory, a new numbering system is introduced or items are merged or split up.

The same identifier may be deassigned on more than one occasion.

Examples:

- 31 July 2001 Identifier Assignment of the silver cup OXCMS:2001.1.32 (E15) *deassigned* “232”

(E42)

In First Order Logic:

$P38(x,y) \supset E15(x)$
 $P38(x,y) \supset E42(y)$
 $P38(x,y) \supset P141(x,y)$

P39 measured (was measured by)

Domain: [E16](#) Measurement
Range: [E1](#) CRM Entity
Subproperty of: [E13](#) Attribute Assignment. [P140](#) assigned attribute to (was attributed by): [E1](#) CRM Entity
Quantification: many to one, necessary (1,1:0,n)

Scope note: This property associates an instance of E16 Measurement with the instance of E1 CRM Entity to which it applied. An instance of E1 CRM Entity may be measured more than once. Material and immaterial things and processes may be measured, e.g. the number of words in a text, or the duration of an event.

Examples:

- 31 August 1997 measurement of height of silver cup 232 (E16) *measured* silver cup 232 (E22)

In First Order Logic:

$P39(x,y) \supset E16(x)$
 $P39(x,y) \supset E1(y)$
 $P39(x,y) \supset P140(x,y)$

P40 observed dimension (was observed in)

Domain: [E16](#) Measurement
Range: [E54](#) Dimension
Subproperty of: [E13](#) Attribute Assignment. [P141](#) assigned (was assigned by): [E1](#) CRM Entity
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property records the dimension that was observed in an E16 Measurement Event. E54 Dimension can be any quantifiable aspect of E70 Thing. Weight, image colour depth and monetary value are dimensions in this sense. One measurement activity may determine more than one dimension of one object. Dimensions may be determined either by direct observation or using recorded evidence. In the latter case the measured Thing does not need to be present or extant. Even though knowledge of the value of a dimension requires measurement, the dimension may be an object of discourse prior to, or even without, any measurement being made.

Examples:

- 31 August 1997 measurement of height of silver cup 232 (E16) *observed dimension* silver cup 232 height (E54) *has unit* mm (E58), *has value* 224 (E60)

In First Order Logic:

$P40(x,y) \supset E16(x)$
 $P40(x,y) \supset E54(y)$
 $P40(x,y) \supset P141(x,y)$

P41 classified (was classified by)

Domain: [E17](#) Type Assignment
Range: [E1](#) CRM Entity
Subproperty of: [E13](#) Attribute Assignment. [P140](#) assigned attribute to (was attributed by): [E1](#) CRM Entity
Quantification: many to one, necessary (1,1:0,n)

Scope note: This property records the item to which a type was assigned in an E17 Type Assignment activity. Any instance of a CIDOC CRM entity may be assigned a type through type assignment. Type assignment events allow a more detailed path from 'E1 CRM Entity' through 'P41i was classified by', 'E17 Type Assignment', 'P42 assigned', to 'E55 Type' for assigning types to objects compared to the shortcut

offered by *P2 has type (is type of)*.

Examples:

- 31 August 1997 classification of silver cup 232 (E17) *classified* silver cup 232 (E22)

In First Order Logic:

$P41(x,y) \supset E17(x)$

$P41(x,y) \supset E1(y)$

$P41(x,y) \supset P140(x,y)$

P42 assigned (was assigned by)

Domain: [E17](#) Type Assignment

Range: [E55](#) Type

Subproperty of: [E13](#) Attribute Assignment. [P141](#) assigned (was assigned by): [E1](#) CRM Entity

Quantification: many to many, necessary (1,n:0,n)

Scope note:

This property records the type that was assigned to an entity by an E17 Type Assignment activity.

Type assignment events allow a more detailed path from '*E1 CRM Entity*' through '*P41i was classified by*', '*E17 Type Assignment*', '*P42 assigned*', to '*E55 Type*' for assigning types to objects compared to the shortcut offered by *P2 has type (is type of)*.

For example, a fragment of an antique vessel could be assigned the type "attic red figured belly handled amphora" by expert A. The same fragment could be assigned the type "shoulder handled amphora" by expert B.

A Type may be intellectually constructed independent from assigning an instance of it.

Examples:

- 31 August 1997 classification of silver cup 232 (E17) *assigned* goblet (E55)

In First Order Logic:

$P42(x,y) \supset E17(x)$

$P42(x,y) \supset E55(y)$

$P42(x,y) \supset P141(x,y)$

P43 has dimension (is dimension of)

Domain: [E70](#) Thing

Range: [E54](#) Dimension

Quantification: one to many, dependent (0,n:1,1)

Scope note:

This property records a E54 Dimension of some E70 Thing.

It is a shortcut of the more fully developed path from '*E70 Thing*' through '*P39 measured*', '*E16 Measurement*', '*P40 observed dimension*', to '*E54 Dimension*'. It offers no information about how and when an E54 Dimension was established, nor by whom.

An instance of E54 Dimension is specific to an instance of E70 Thing.

Examples:

- silver cup 232 (E22) *has dimension* height of silver cup 232 (E54) *has unit (P91)* mm (E58), *has value (P90)* 224 (E60)

In First Order Logic:

$P43(x,y) \supset E70(x)$

$P43(x,y) \supset E54(y)$

P44 has condition (is condition of)

Domain: [E18](#) Physical Thing

Range: [E3](#) Condition State

Quantification: one to many, dependent (0,n:1,1)

Scope note:

This property records an E3 Condition State for some E18 Physical Thing.

It is a shortcut of the more fully developed path from ‘*E18 Physical Thing*’ through ‘*P34 concerned*’, ‘*E14 Condition Assessment*’, ‘*P35 has identified*’, to ‘*E3 Condition State*’. It offers no information about how and when the E3 Condition State was established, nor by whom.

An instance of Condition State is specific to an instance of Physical Thing.

Examples:

- silver cup 232 (E22) *has condition* oxidation traces were present in 1997 (E3) *has type* oxidation traces (E55)

In First Order Logic:

$P44(x,y) \supset E18(x)$

$P44(x,y) \supset E3(y)$

P45 consists of (is incorporated in)

Domain: [E18 Physical Thing](#)

Range: [E57 Material](#)

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instances of E57 Materials of which an instance of E18 Physical Thing is composed.

All physical things consist of physical materials. *P45 consists of (is incorporated in)* allows the different Materials to be recorded. *P45 consists of (is incorporated in)* refers here to observed Material as opposed to the consumed raw material.

A Material, such as a theoretical alloy, may not have any physical instances.

Examples:

- silver cup 232 (E22) *consists of* silver (E57)

In First Order Logic:

$P45(x,y) \supset E18(x)$

$P45(x,y) \supset E57(y)$

P46 is composed of (forms part of)

Domain: [E18 Physical Thing](#)

Range: [E18 Physical Thing](#)

Subproperty of: [E92 Spacetime Volume](#). [P132](#) spatiotemporally overlaps with: [E92 Spacetime Volume](#)

Superproperty of: [E19 Physical Object](#). [P56](#) bears feature (is found on): [E26 Physical Feature](#)

Quantification: many to many (0,n:0,n)

Scope note: This property allows instances of E18 Physical Thing to be analysed into component elements.

Component elements, since they are themselves instances of E18 Physical Thing, may be further analysed into sub-components, thereby creating a hierarchy of part decomposition. An instance of E18 Physical Thing may be shared between multiple wholes, for example two buildings may share a common wall. This property does not specify when and for how long a component element resided in the respective whole. If a component is not part of a whole from the beginning of existence or until the end of existence of the whole, the classes E79 Part Addition and E90 Part Removal can be used to document when a component became part of a particular whole and/or when it stopped being a part of it. For the time-span of being part of the respective whole, the component is completely contained in the place the whole occupies.

This property is intended to describe specific components that are individually documented, rather than general aspects. Overall descriptions of the structure of an instance of E18 Physical Thing are captured by the *P3 has note* property.

The instances of E57 Material of which an item of E18 Physical Thing is composed should be

documented using *P45 consists of (is incorporated in)*.

Examples:

- the Royal carriage (E22) *forms part of* the Royal train (E22)
- the “Hog’s Back” (E24) *forms part of* the “Fosseway” (E24)

In First Order Logic:

$P46(x,y) \supset E18(x)$

$P46(x,y) \supset E18(y)$

$P46(x,y) \supset P132(x,y)$

$P46(x,y) \supset (\exists uzw)[E93(u) \wedge P166(x,u) \wedge E52(z) \wedge P164(u,z) \wedge E93(w) \wedge P166(y,w) \wedge P164(w,z) \wedge P10(w,u)]$

P48 has preferred identifier (is preferred identifier of)

Domain: [E1](#) CRM Entity

Range: [E42](#) Identifier

Subproperty of: [E1](#) CRM Entity. [P1](#) is identified by (identifies): [E41](#) Appellation

Quantification: many to one (0,1:0,n)

Scope note: This property records the preferred E42 Identifier that was used to identify an instance of E1 CRM Entity at the time this property was recorded.

More than one preferred identifier may have been assigned to an item over time.

Use of this property requires an external mechanism for assigning temporal validity to the respective CIDOC CRM instance.

The fact that an identifier is a preferred one for an organisation can be better expressed in a context independent form by assigning a suitable E55 Type to the respective instance of E15 Identifier Assignment using the *P2 has type* property.

Examples:

- the pair of Lederhosen donated by Dr Martin Doerr (E22) *has preferred identifier* “OXCMS:2001.1.32” (E42)

In First Order Logic:

$P48(x,y) \supset E1(x)$

$P48(x,y) \supset E42(y)$

$P48(x,y) \supset P1(x,y)$

P49 has former or current keeper (is former or current keeper of)

Domain: [E18](#) Physical Thing

Range: [E39](#) Actor

Superproperty of: [E18](#) Physical Thing. [P50](#) has current keeper (is current keeper of): [E39](#) Actor

[E78](#) Curated Holding. [P109](#) has current or former curator (is current or former curator of): [E39](#) Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who have or have had custody of an instance of E18 Physical Thing at some time. This property leaves open the question if parts of this physical thing have been added or removed during the time-spans it has been under the custody of this actor, but it is required that at least a part which can unambiguously be identified as representing the whole has been under this custody for its whole time. The way, in which a representative part is defined, should ensure that it is unambiguous who keeps a part and who the whole and should be consistent with the identity criteria of the kept instance of E18 Physical Thing.

The distinction with *P50 has current keeper (is current keeper of)* is that *P49 has former or current keeper (is former or current keeper of)* leaves open the question as to whether the specified keepers are current.

P49 has former or current keeper (is former or current keeper of) is a shortcut for the more detailed path from ‘*E18 Physical Thing*’ through ‘*P30 transferred custody of*’, ‘*E10 Transfer of Custody*’, ‘*P28 custody surrendered by*’ or ‘*P29 custody received by*’ to ‘*E39 Actor*’.

Examples:

- paintings from The Iveagh Bequest (E18) *has former or current keeper* Secure Deliveries Inc. (E74)

In First Order Logic:

$P49(x,y) \supset E18(x)$

$P49(x,y) \supset E39(y)$

P50 has current keeper (is current keeper of)

Domain: [E18](#) Physical Thing

Range: [E39](#) Actor

Subproperty of: [E18](#) Physical Thing. [P49](#) has former or current keeper (is former or current keeper of): [E39](#) Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who had custody of an instance of E18 Physical Thing at the time of validity of the record or database containing the statement that uses this property.

P50 has current keeper (is current keeper of) is a shortcut for the more detailed path from ‘*E18 Physical Thing*’ through, ‘*P30i custody transferred through*’, ‘*E10 Transfer of Custody*’, ‘*P29 custody received by*’, to ‘*E39 Actor*’.

Examples:

- paintings from The Iveagh Bequest (E18) *has current keeper* The National Gallery (E74)

In First Order Logic:

$P50(x,y) \supset E18(x)$

$P50(x,y) \supset E39(y)$

$P50(x,y) \supset P49(x,y)$

P51 has former or current owner (is former or current owner of)

Domain: [E18](#) Physical Thing

Range: [E39](#) Actor

Superproperty of: [E18](#) Physical Thing. [P52](#) has current owner (is current owner of): [E39](#) Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor that is or has been the legal owner (i.e. title holder) of an instance of E18 Physical Thing at some time.

The distinction with *P52 has current owner (is current owner of)* is that *P51 has former or current owner (is former or current owner of)* does not indicate whether the specified owners are current. *P51 has former or current owner (is former or current owner of)* is a shortcut for the more detailed path from ‘*E18 Physical Thing*’ through ‘*P24i changed ownership through*’, ‘*E8 Acquisition*’, ‘*P23 transferred title from*’, or ‘*P22 transferred title to*’, to ‘*E39 Actor*’.

Examples:

- paintings from the Iveagh Bequest (E18) *has former or current owner* Lord Iveagh (E21)

In First Order Logic:

$P51(x,y) \supset E18(x)$

$P51(x,y) \supset E39(y)$

P52 has current owner (is current owner of)

Domain: [E18](#) Physical Thing

Range: [E39](#) Actor

Subproperty of: [E18](#) Physical Thing. [P51](#) has former or current owner (is former or current owner of): [E39](#) Actor

Quantification: [E72](#) Legal Object.[P105](#) right held by (has right on):[E39](#) Actor
many to many (0,n:0,n)

Scope note: This property identifies the E21 Person or E74 Group that was the owner of an instance of E18 Physical Thing at the time of validity of the record or database containing the statement that uses this property.

P52 has current owner (is current owner of) is a shortcut for the more detailed path from ‘E18 Physical Thing through’, ‘P24i changed ownership through’, ‘E8 Acquisition’, ‘P22 transferred title to’, to ‘E39 Actor’, if and only if this acquisition event is the most recent.

Examples:

- paintings from the Iveagh Bequest (E18) *has current owner* «English Heritage» (E40)

In First Order Logic:

$P52(x,y) \supset E18(x)$

$P52(x,y) \supset E39(y)$

$P52(x,y) \supset P51(x,y)$

$P52(x,y) \supset P105(x,y)$

P53 has former or current location (is former or current location of)

Domain: [E18](#) Physical Thing

Range: [E53](#) Place

Superproperty of:[E19](#) Physical Object. [P55](#) has current location (currently holds): [E53](#) Place

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property associates an instance of E53 Place as the former or current location of an instance of E18 Physical Thing.

In the case of E19 Physical Objects, the property does not allow any indication of the Time-Span during which the Physical Object was located at this Place, nor if this is the current location.

In the case of immobile objects, the Place would normally correspond to the Place of creation.

P53 has former or current location (is former or current location of) is a shortcut. A more detailed representation can make use of the fully developed (i.e. indirect) path from ‘E19 Physical Object’, though, ‘P25i moved by’, ‘E9 Move’, ‘P26 moved to’ or ‘P27 moved from’, to ‘E53 Place’.

Examples:

- silver cup 232 (E22) *has former or current location* Display Case 4, Room 23, Museum of Oxford (E53)

In First Order Logic:

$P53(x,y) \supset E18(x)$

$P53(x,y) \supset E53(y)$

P54 has current permanent location (is current permanent location of)

Domain: [E19](#) Physical Object

Range: [E53](#) Place

Quantification: many to one (0,1:0,n)

Scope note: This property records the foreseen permanent location of an instance of E19 Physical Object at the time of validity of the record or database containing the statement that uses this property.

P54 has current permanent location (is current permanent location of) is similar to *P55 has current location (currently holds)*. However, it indicates the E53 Place currently reserved for an object, such as the permanent storage location or a permanent exhibit location. The object may be temporarily removed from the permanent location, for example when used in temporary exhibitions or loaned to another institution. The object may never actually be located at its permanent location.

Examples:

- silver cup 232 (E22) *has current permanent location* Shelf 3.1, Store 2, Museum of Oxford (E53)

In First Order Logic:

$P54(x,y) \supset E19(x)$

$P54(x,y) \supset E53(y)$

P55 has current location (currently holds)

Domain: [E19](#) Physical Object

Range: [E53](#) Place

Subproperty of: [E18](#) Physical Thing. [P53](#) has former or current location (is former or current location of): [E53](#) Place

Quantification: many to one (0,1:0,n)

Scope note: This property records the location of an E19 Physical Object at the time of validity of the record or database containing the statement that uses this property.

This property is a specialisation of *P53 has former or current location (is former or current location of)*. It indicates that the E53 Place associated with the E19 Physical Object is the current location of the object. The property does not allow any indication of how long the Object has been at the current location. *P55 has current location (currently holds)* is a shortcut. A more detailed representation can make use of the fully developed (i.e. indirect) path from '*E19 Physical Object*', through, '*P25i moved by*', '*E9 Move*', '*P26 moved to*', to, '*E53 Place*' if and only if this Move is the most recent.

Examples:

- silver cup 232 (E22) *has current location* Display cabinet 23, Room 4, British Museum (E53)

In First Order Logic:

$P55(x,y) \supset E19(x)$

$P55(x,y) \supset E53(y)$

$P55(x,y) \supset P53(x,y)$

P56 bears feature (is found on)

Domain: [E19](#) Physical Object

Range: [E26](#) Physical Feature

Subproperty of: [E18](#) Physical Thing. [P46](#) is composed of (forms part of): [E18](#) Physical Thing

Quantification: one to many, dependent (0,n:1,1)

Scope note: This property links an instance of E19 Physical Object to an instance of E26 Physical Feature that it bears.

An E26 Physical Feature can only exist on one object. One object may bear more than one E26 Physical Feature. An E27 Site should be considered as an E26 Physical Feature on the surface of the Earth.

An instance B of E26 Physical Feature being a detail of the structure of another instance A of E26 Physical Feature can be linked to B by use of the property [P46](#) is composed of (forms part of). This implies that the subfeature B is [P56i](#) found on the same E19 Physical Object as A.

P56 bears feature (is found on) is a shortcut. A more detailed representation can make use of the fully developed (i.e. indirect) path '*E19 Physical Object*', through, '*P59 has section*', '*E53 Place*', '*P53i is former or current location of*', to, '*E26 Physical Feature*'.

Examples:

- silver cup 232 (E22) *bears feature* 32 mm scratch on silver cup 232 (E26)

In First Order Logic:

$P56(x,y) \supset E19(x)$

$P56(x,y) \supset E26(y)$

$P56(x,y) \supset P46(x,y)$

P57 has number of parts

Domain: [E19](#) Physical Object

Range: [E60](#) Number

Quantification: many to one (0,1:0,n)

Scope note: This property documents the number of parts, an instance of E60 Number, of which an instance of E19 Physical Object is composed.

This may be used as a method of checking inventory counts with regard to aggregate or collective objects. What constitutes a part or component depends on the context and requirements of the documentation. Normally, the parts documented in this way would not be considered as worthy of individual attention.

For a more complete description, objects may be decomposed into their components and constituents using *P46 is composed of (forms parts of)* and *P45 consists of (is incorporated in)*. This allows each element to be described individually.

Examples:

- chess set 233 (E22) *has number of parts* 33 (E60)

In First Order Logic:

$P57(x,y) \supset E19(x)$

$P57(x,y) \supset E60(y)$

P58 has section definition (defines section)

Deprecated, use **P1 is identified by (identifies)** instead

P59 has section (is located on or within)

Domain: [E18](#) Physical Thing

Range: [E53](#) Place

Quantification: one to many (0,n:0,1)

Scope note: This property links an area, i.e., an instance of E53 Place to the instance of E18 Physical Thing upon which it is found. This area may either be identified by a name, or by a geometry in terms of a coordinate system adapted to the shape of the respective instance of E18 Physical Thing. Typically, names identifying sections of physical objects are composed of the name of a kind of part and the name of the object itself, such as "The poop deck of H.M.S. Victory", which is composed of "poop deck" and "H.M.S. Victory". We had planned to start the meeting with issue 397, but the sig considered it was best to go over the scope note for E54 Dimension, revised by MD.

Examples:

- HMS Victory (E22) *has section* HMS Victory section B347.6 (E53)

In First Order Logic:

$P59(x,y) \supset E18(x)$

$P59(x,y) \supset E53(y)$

P62 depicts (is depicted by)

Domain: [E24](#) Physical Human-Made Thing

Range: [E1](#) CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property identifies something that is depicted by an instance of E24 Physical Human-Made Thing. Depicting is meant in the sense that an instance of E24 Physical Human-Made Thing intentionally shows, through its optical qualities or form, a representation of the entity depicted. Photographs are by default regarded as being intentional in this sense. Anything that is designed to change the properties of the depiction, such as an e-book reader, is specifically excluded. The property does not pertain to inscriptions or any other information encoding.

This property is a shortcut of the more fully developed path from E24 Physical Human-Made Thing through *P65 shows visual item*, E36 Visual Item, *P138 represents*, E1CRM Entity. P138.1 mode of representation "depiction" allows the nature of the depiction to be refined.

Examples:

- The painting “La Liberté guidant le peuple” by Eugène Delacroix (E84) depicts the French “July Revolution” of 1830 (E7)
- the 20 pence coin held by the Department of Coins and Medals of the British Museum under registration number 2006,1101.126 (E24) depicts Queen Elizabeth II (E21) mode of depiction Profile (E55)

In First Order Logic:

$P62(x,y) \supset E24(x)$
 $P62(x,y) \supset E1(y)$
 $P62(x,y,z) \supset [P62(x,y) \wedge E55(z)]$

Properties: P62.1 mode of depiction: [E55](#) Type

P65 shows visual item (is shown by)

Domain: [E24](#) Physical Human-Made Thing
 Range: [E36](#) Visual Item
 Subproperty of: [E18](#) Physical Thing. [P128](#) carries (is carried by): [E90](#) Symbolic Object
 Quantification: many to many (0,n;0,n)

Scope note: This property documents an E36 Visual Item shown by an instance of E24 Physical Human-Made Thing.

This property is similar to *P62 depicts (is depicted by)* in that it associates an item of E24 Physical Human-Made Thing with a visual representation. However, *P65 shows visual item (is shown by)* differs from the *P62 depicts (is depicted by)* property in that it makes no claims about what the E36 Visual Item is deemed to represent. E36 Visual Item identifies a recognisable image or visual symbol, regardless of what this image may or may not represent.

For example, all recent British coins bear a portrait of Queen Elizabeth II, a fact that is correctly documented using *P62 depicts (is depicted by)*. Different portraits have been used at different periods, however. *P65 shows visual item (is shown by)* can be used to refer to a particular portrait.

P65 shows visual item (is shown by) may also be used for Visual Items such as signs, marks and symbols, for example the 'Maltese Cross' or the 'copyright symbol' that have no particular representational content.

This property is part of the fully developed path E24 Physical Human-Made Thing , *P65 shows visual item*, E36 Visual Item, *P138 represents*, E1 CRM Entity which is shortcut by, *P62 depicts (is depicted by)*.

Examples:

- My T-Shirt (E22) shows visual item Mona Lisa (E36)

In First Order Logic: $P65(x,y) \supset E24(x)$
 $P65(x,y) \supset E36(y)$
 $P65(x,y) \supset P128(x,y)$

P67 refers to (is referred to by)

Domain: [E89](#) Propositional Object
 Range: [E1](#) CRM Entity
 Superproperty of: [E31](#) Document. [P70](#) documents (is documented in): [E1](#) CRM Entity
[E32](#) Authority Document. [P71](#) lists (is listed in): [E1](#) CRM Entity
[E89](#) Propositional Object. [P129](#) is about (is subject of): [E1](#) CRM Entity
[E36](#) Visual Item. [P138](#) represents (has representation): [E1](#) CRM Entity
[E29](#) Design or Procedure. [P68](#) foresees use of (use foreseen by): [E57](#) Material
 Quantification: many to many (0,n;0,n)

Scope note: This property documents that an instance of E89 Propositional Object makes a statement about an instance of E1 CRM Entity. *P67 refers to (is referred to by)* has the *P67.1 has type* link to an instance of E55 Type. This is intended to allow a more detailed description of the type of reference. This differs from

P129 is about (is subject of), which describes the primary subject or subjects of the E89 Propositional Object.

Examples:

the eBay auction listing of 4 July 2002 (E73) *refers to* silver cup 232 (E22) *has type* item for sale (E55)

In First Order Logic:

$P67(x,y) \supset E89(x)$

$P67(x,y) \supset E1(y)$

$P67(x,y,z) \supset [P67(x,y) \wedge E55(z)]$

Properties: P67.1 has type: [E55](#) Type

P68 foresees use of (use foreseen by)

Domain: [E29](#) Design or Procedure

Range: [E57](#) Material

Subproperty of: [E89](#) Propositional Object. [P67](#) refers to (is referred to by): [E1](#) CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an E57 Material foreseen to be used by an E29 Design or Procedure.

E29 Designs and procedures commonly foresee the use of particular E57 Materials. The fabrication of adobe bricks, for example, requires straw, clay and water. This property enables this to be documented.

This property is not intended for the documentation of E57 Materials that were used on a particular occasion when an instance of E29 Design or Procedure was executed.

Examples:

- procedure for soda glass manufacture (E29) *foresees use of* soda (E57)

In First Order Logic:

$P68(x,y) \supset E29(x)$

$P68(x,y) \supset E57(y)$

$P68(x,y) \supset P67(x,y)$

P69 has association with (is associated with)

Domain: [E29](#) Design or Procedure

Range: [E29](#) Design or Procedure

Quantification: many to many (0,n:0,n)

Scope note: This property generalises relationships like whole-part, sequence, prerequisite or inspired by between instances of E29 Design or Procedure. Any instance of E29 Design or Procedure may be associated with other designs or procedures. The property is considered to be symmetrical unless otherwise indicated by *P69.1 has type*.

The *P69.1 has type* property of *P69 has association with* allows the nature of the association to be specified reading from domain to range; examples of types of association between instances of E29 Design or Procedure include: has part, follows, requires, etc.

The property can typically be used to model the decomposition of the description of a complete workflow into a series of separate procedures.

This property is transitive.

Examples:

- Procedure for glass blowing (E29) *has association with* procedure for glass heating (E29)
- The set of instructions for performing Macbeth in Max Reinhardt's production in 1916 in Berlin at Deutsches Theater (E29) has association with the scene design drawing by Ernst Stern reproduced at <http://www.glopad.org/pi/fr/record/digdoc/1003814> (E29) has type has part (E55)
- Preparation of parchment (E29) *has association with* soaking and unhairing of skin (E29) *has type* 'has part' (E55). Preparation of parchment (E29) *has association with* stretching of skin (E29) *has type* 'has part' (E55). Stretching of skin (E29) *has association with* soaking and unhairing of skin (E29) *has type* 'follows' (E55).

- The plan for reassembling the temples at Abu Simbel (E29) has association with the plan for storing and transporting the blocks (E29) has type 'follows' (E55)'.

In First Order Logic:

$P69(x,y) \supset E29(x)$
 $P69(x,y) \supset E29(y)$
 $P69(x,y,z) \supset [P69(x,y) \wedge E55(z)]$
 $P69(x,y) \supset P69(y,x)$

Properties: P69.1 has type: [E55](#) Type

P70 documents (is documented in)

Domain: [E31](#) Document

Range: [E1](#) CRM Entity

Subproperty of: [E89](#) Propositional Object. [P67](#) refers to (is referred to by): [E1](#) CRM Entity

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the CRM Entities documented as instances of E31 Document. Documents may describe any conceivable entity, hence the link to the highest-level entity in the CIDOC CRM class hierarchy. This property is intended for cases where a reference is regarded as making a proposition about reality. This may be of a documentary character, in the scholarly or scientific sense, or a more general statement.

Examples:

- the British Museum catalogue (E31) *documents* the British Museum's Collection (E78)

In First Order Logic:

$P70(x,y) \supset E31(x)$
 $P70(x,y) \supset E1(y)$
 $P70(x,y) \supset P67(x,y)$

P71 lists (is listed in)

Domain: [E32](#) Authority Document

Range: [E1](#) CRM Entity

Subproperty of: [E89](#) Propositional Object. [P67](#) refers to (is referred to by): [E1](#) CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property documents a source E32 Authority Document for an instance of an E1 CRM Entity.

Examples:

- the Art & Architecture Thesaurus (E32) *lists* alcazars (E55)

In First Order Logic:

$P71(x,y) \supset E32(x)$
 $P71(x,y) \supset E1(y)$
 $P71(x,y) \supset P67(x,y)$

P72 has language (is language of)

Domain: [E33](#) Linguistic Object

Range: [E56](#) Language

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the instance(s) of E56 Language of an instance of E33 Linguistic Object.

Linguistic Objects are composed in one or more human Languages. This property allows these languages to be documented.

Examples:

- the American Declaration of Independence (E33) *has language* 18th Century English (E56)

In First Order Logic:

$P72(x,y) \supset E33(x)$

$P72(x,y) \supset E56(y)$

P73 has translation (is translation of)

Domain: [E33](#) Linguistic Object

Range: [E33](#) Linguistic Object

Subproperty of: [E70](#) Thing. [P130](#)i features are also found on: [E70](#) Thing

Quantification: one to many (0,n:0,1)

Scope note: This property describes the source and target of instances of [E33](#)Linguistic Object involved in a translation.

When a Linguistic Object is translated into a new language it becomes a new Linguistic Object, despite being conceptually similar to the source object.

This property is transitive

Examples:

- “Les Baigneurs” ([E33](#)) *has translation* “The Bathers” ([E33](#))

In First Order Logic:

$P73(x,y) \supset E33(x)$

$P73(x,y) \supset E33(y)$

$P73(x,y) \supset P130(y,x)$

P74 has current or former residence (is current or former residence of)

Domain: [E39](#) Actor

Range: [E53](#) Place

Quantification: many to many (0,n:0,n)

Scope note: This property describes the current or former [E53](#) Place of residence of an [E39](#) Actor.

The residence may be either the Place where the Actor resides, or a legally registered address of any kind.

Examples:

- Queen Elizabeth II ([E39](#)) *has current or former residence* Buckingham Palace ([E53](#))

In First Order Logic:

$P74(x,y) \supset E39(x)$

$P74(x,y) \supset E53(y)$

P75 possesses (is possessed by)

Domain: [E39](#) Actor

Range: [E30](#) Right

Quantification: many to many (0,n:0,n)

Scope note: This property identifies former or current instances of [E30](#) Rights held by an [E39](#) Actor.

Examples:

- Michael Jackson ([E21](#)) *possesses* Intellectual property rights on the Beatles’ back catalogue ([E30](#))

In First Order Logic:

$P75(x,y) \supset E39(x)$

$P75(x,y) \supset E30(y)$

P76 has contact point (provides access to)

Domain: [E39](#) Actor
Range: [E51](#) Contact Point
Quantification: many to many (0,n:0,n)

Scope note: This property identifies an [E51](#) Contact Point of any type that provides access to an [E39](#) Actor by any communication method, such as e-mail or fax.

Examples:

- RLG ([E40](#)) has contact point “bl.ric@rlg.org” ([E51](#))

In First Order Logic:

$P76(x,y) \supset E39(x)$

$P76(x,y) \supset E51(y)$

P78 is identified by (identifies)

Deprecated, use P1 identified by (identifies) instead

P79 beginning is qualified by

Domain: [E52](#) Time-Span
Range: [E62](#) String
Subproperty of: [E1](#) CRM Entity. [P3](#) has note: [E62](#) String
Quantification: many to one (0,1:0,n)

Scope note: This property associates an instance of [E52](#) Time-Span with a note detailing the scholarly or scientific opinions and justifications about the beginning of this time-span concerning certainty, precision, sources etc. This property may also be used to describe arguments constraining possible dates and to distinguish reasons for alternative dates.

Examples:

- the time-span of the Holocene ([E52](#)) beginning is qualified by “The formal definition and dating of the GSSP (Global Stratotype Section and Point) for the base of the Holocene using the Greenland NGRIP ice core, and selected auxiliary records”⁷ ([E62](#))

In First Order Logic:

$P79(x,y) \supset E52(x)$

$P79(x,y) \supset E62(y)$

$P79(x,y) \supset P3(x,y)$

P80 end is qualified by

Domain: [E52](#) Time-Span
Range: [E62](#) String
Subproperty of: [E1](#) CRM Entity. [P3](#) has note: [E62](#) String
Quantification: many to one (0,1:0,n)

Scope note: This property associates an instance of [E52](#) Time-Span with a note detailing the scholarly or scientific opinions and justifications about the end of this time-span concerning certainty, precision, sources etc. This property may also be used to describe arguments constraining possible dates and to distinguish reasons for alternative dates.

⁷ Walker, Mike; Johnsen, Sigfus; Rasmussen, Sune Olander; Popp, Trevor; Steffensen, Jorgen-Peder; Gibrard, Phil; Hoek, Wim; Lowe, John; Andrews, John; Bjo Rck, Svante; Cwynar, Les C.; Hughen, Konrad; Kersahw, Peter; Kromer, Bernd; Litt, Thomas; Lowe, David J.; Nakagawa, Takeshi; Newnham, Rewi; Schwander, Jakob (2009). "Formal definition and dating of the GSSP (Global Stratotype Section and Point) for the base of the Holocene using the Greenland NGRIP ice core, and selected auxiliary records" (PDF). *Journal of Quaternary Science*. 24 (1): 3–17. Bibcode:2009JQS....24....3W. doi:10.1002/jqs.1227.

Examples:

- the time-span of the Holocene (E52) *end is qualified by* “still ongoing” (E62)

In First Order Logic:

$P80(x,y) \supset E52(x)$

$P80(x,y) \supset E62(y)$

$P80(x,y) \supset P3(x,y)$

P81 ongoing throughout

Domain: [E52](#) Time-Span

Range: [E61](#) Time Primitive

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property describes the minimum period of time covered by an E52 Time-Span.

Since Time-Spans may not have precisely known temporal extents, the CIDOC CRM supports statements about the minimum and maximum temporal extents of Time-Spans. This property allows a Time-Span's minimum temporal extent (i.e. its inner boundary) to be assigned an instance of E61 Time Primitive value. Instances of E61 Time Primitives are treated by the CIDOC CRM as application or system specific date intervals, and are not further analysed.

Examples:

- the time-span of the development of the CIDOC CRM (E52) *ongoing throughout* 1996-2002 (E61)

In First Order Logic:

$P81(x,y) \supset E52(x)$

$P81(x,y) \supset E61(y)$

P82 at some time within

Domain: [E52](#) Time-Span

Range: [E61](#) Time Primitive

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property describes the maximum period of time within which an E52 Time-Span falls.

Since Time-Spans may not have precisely known temporal extents, the CIDOC CRM supports statements about the minimum and maximum temporal extents of Time-Spans. This property allows a Time-Span's maximum temporal extent (i.e. its outer boundary) to be assigned an E61 Time Primitive value. Time Primitives are treated by the CIDOC CRM as application or system specific date intervals, and are not further analysed.

Examples:

- the time-span of the development of the CIDOC CRM (E52) *at some time within* 1992-infinity (E61)

In First Order Logic:

$P82(x,y) \supset E52(x)$

$P82(x,y) \supset E61(y)$

P83 had at least duration (was minimum duration of)

Deprecated, use instead the property **P191 had duration (was duration of)**

P84 had at most duration (was maximum duration of)

Deprecated, use instead the property **P191 had duration (was duration of)**

P86 falls within (contains)

Domain: [E52](#) Time-Span
Range: [E52](#) Time-Span
Quantification: many to many (0,n:0,n)

Scope note: This property describes the inclusion relationship between two instances of E52 Time-Span.

This property supports the notion that a Time-Span's temporal extent falls within the temporal extent of another Time-Span. It addresses temporal containment only, and no contextual link between the two instances of Time-Span is implied.
This property is transitive.

Examples:

- the time-span of the Apollo 11 moon mission (E52) *falls within* the time-span of the reign of Queen Elizabeth II (E52)

In First Order Logic:

$P86(x,y) \supset E52(x)$
 $P86(x,y) \supset E52(y)$

P87 is identified by (identifies)

Deprecated, use P1 identified by (identifies) instead

P89 falls within (contains)

Domain: [E53](#) Place
Range: [E53](#) Place
Quantification: many to many (0,n:0,n)

Scope note: This property identifies an instance of E53 Place that falls wholly within the extent of another instance of E53 Place.

It addresses spatial containment only, and does not imply any relationship between things or phenomena occupying these places.
This property is transitive.

Examples:

- the area covered by the World Heritage Site of Stonehenge (E53) *falls within* the area of Salisbury Plain (E53)

In First Order Logic:

$P89(x,y) \supset E53(x)$
 $P89(x,y) \supset E53(y)$

P90 has value

Domain: [E54](#) Dimension
Range: [E60](#) Number
Superproperty of: [E97](#) Monetary Amount. [P181](#) has amount: [E60](#) Number
Quantification: many to one, necessary (1,1:0,n)

Scope note: This property allows an instance of E54 Dimension to be approximated by an instance of E60 Number primitive.

Examples:

- height of silver cup 232 (E54) *has value* 226 (E60)

In First Order Logic:

$P90(x,y) \supset E54(x)$

$P90(x,y) \supset E60(y)$

P91 has unit (is unit of)

Domain: [E54](#) Dimension

Range: [E58](#) Measurement Unit

Superproperty of: [E97](#) Monetary Amount. [P180](#) has currency: [E98](#) Currency

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property shows the type of unit an E54 Dimension was expressed in.

Examples:

- height of silver cup 232 (E54) *has unit* mm (E58)

In First Order Logic:

$P91(x,y) \supset E54(x)$

$P91(x,y) \supset E58(y)$

P92 brought into existence (was brought into existence by)

Domain: [E63](#) Beginning of Existence

Range: [E77](#) Persistent Item

Subproperty of: [E5](#) Event. [P12](#) occurred in the presence of (was present at): [E77](#) Persistent Item

Superproperty of: [E65](#) Creation. [P94](#) has created (was created by): [E28](#) Conceptual Object

[E66](#) Formation. [P95](#) has formed (was formed by): [E74](#) Group

[E67](#) Birth. [P98](#) brought into life (was born): [E21](#) Person

[E12](#) Production. [P108](#) has produced (was produced by): [E24](#) Physical Human-Made Thing

[E81](#) Transformation. [P123](#) resulted in (resulted from): [E77](#) Persistent Item

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property links an instance of E63 Beginning of Existence to the E77 Persistent Item brought into existence by it.

It allows a “start” to be attached to any Persistent Item being documented i.e. E70 Thing, E72 Legal Object, E39 Actor, E41 Appellation and E55 Type.

Examples:

- the birth of Mozart (E67) *brought into existence* Mozart (E21)

In First Order Logic:

$P92(x,y) \supset E63(x)$

$P92(x,y) \supset E77(y)$

$P92(x,y) \supset P12(x,y)$

P93 took out of existence (was taken out of existence by)

Domain: [E64](#) End of Existence

Range: [E77](#) Persistent Item

Subproperty of: [E5](#) Event. [P12](#) occurred in the presence of (was present at): [E77](#) Persistent Item

Superproperty of: [E6](#) Destruction. [P13](#) destroyed (was destroyed by): [E18](#) Physical Thing

[E68](#) Dissolution. [P99](#) dissolved (was dissolved by): [E74](#) Group

[E69](#) Death. [P100](#) was death of (died in): [E21](#) Person

[E81](#) Transformation. [P124](#) transformed (was transformed by): [E77](#) Persistent Item

Quantification: one to many, necessary (1,n:0,1)

Scope note: This property links an instance of E64 End of Existence to the E77 Persistent Item taken out of existence by it.

In the case of immaterial things, the instance of E64 End of Existence is considered to take place with

the destruction of the last physical carrier.

This allows an “end” to be attached to any Persistent Item being documented i.e. E70 Thing, E72 Legal Object, E39 Actor, E41 Appellation and E55 Type. For many Persistent Items we know the maximum life-span and can infer, that they must have ended to exist. We assume in that case an End of Existence, which may be as unnoticeable as forgetting the secret knowledge by the last representative of some indigenous nation.

Examples:

- the death of Mozart (E69) *took out of existence* Mozart (E21)

In First Order Logic:

$P93(x,y) \supset E64(x)$

$P93(x,y) \supset E77(y)$

$P93(x,y) \supset P12(x,y)$

P94 has created (was created by)

Domain: [E65](#) Creation

Range: [E28](#) Conceptual Object

Subproperty of: [E63](#) Beginning of Existence. [P92](#) brought into existence (was brought into existence by): [E77](#) Persistent Item

Superproperty of: [E83](#) Type Creation. [P135](#) created type (was created by): [E55](#) Type

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property links an instance of conceptual E65 Creation to the instance of E28 Conceptual Object created by it.

It represents the act of conceiving the intellectual content of the E28 Conceptual Object. It does not represent the act of creating the first physical carrier of the E28 Conceptual Object. As an example, this is the composition of a poem, not its commitment to paper.

Examples:

- the composition of “The Four Friends” by A. A. Milne (E65) *has created* “The Four Friends” by A. A. Milne (E28)

In First Order Logic:

$P94(x,y) \supset E65(x)$

$P94(x,y) \supset E28(y)$

$P94(x,y) \supset P92(x,y)$

P95 has formed (was formed by)

Domain: [E66](#) Formation

Range: [E74](#) Group

Subproperty of: [E63](#) Beginning of Existence. [P92](#) brought into existence (was brought into existence by): [E77](#) Persistent Item

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property links the founding or E66 Formation for an E74 Group with the Group itself.

Examples:

- the formation of the CIDOC CRM SIG at the August 2000 CIDOC Board meeting (E66) *has formed* the CIDOC CRM Special Interest Group (E74)

In First Order Logic:

$P95(x,y) \supset E66(x)$

$P95(x,y) \supset E74(y)$

$P95(x,y) \supset P92(x,y)$

P96 by mother (gave birth)

Domain: [E67](#) Birth

Range: [E21](#) Person
Subproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor
Quantification: many to one, necessary (1,1:0,n)

Scope note: This property links an [E67](#) Birth event to an [E21](#) Person as a participant in the role of birth-giving mother. Note that biological fathers are not necessarily participants in the Birth (see *P97 from father (was father for)*). The Person being born is linked to the Birth with the property *P98 brought into life (was born)*. This is not intended for use with general natural history material, only people. There is no explicit method for modelling conception and gestation except by using extensions. This is a sub-property of *P11 had participant (participated in)*.

Examples:

- the birth of Queen Elizabeth II ([E67](#)) by mother Queen Mother ([E21](#))

In First Order Logic:

$P96(x,y) \supset E67(x)$
 $P96(x,y) \supset E21(y)$
 $P96(x,y) \supset P11(x,y)$

P97 from father (was father for)

Domain: [E67](#) Birth
Range: [E21](#) Person
Quantification: many to one, necessary (1,1:0,n)

Scope note: This property links an [E67](#) Birth event to an [E21](#) Person in the role of biological father.

Note that biological fathers are not seen as necessary participants in the Birth, whereas birth-giving mothers are (see *P96 by mother (gave birth)*). The Person being born is linked to the Birth with the property *P98 brought into life (was born)*.

This is not intended for use with general natural history material, only people. There is no explicit method for modelling conception and gestation except by using extensions.

A Birth event is normally (but not always) associated with one biological father.

Examples:

- King George VI ([E21](#)) was father for the birth of Queen Elizabeth II ([E67](#))

In First Order Logic:

$P97(x,y) \supset E67(x)$
 $P97(x,y) \supset E21(y)$

P98 brought into life (was born)

Domain: [E67](#) Birth
Range: [E21](#) Person
Subproperty of: [E63](#) Beginning of Existence. [P92](#) brought into existence (was brought into existence by): [E77](#) Persistent Item
Quantification: one to many, dependent (0,n:1,1)

Scope note: This property links an [E67](#) Birth event to an [E21](#) Person in the role of offspring.

Twins, triplets etc. are brought into life by the same Birth event. This is not intended for use with general Natural History material, only people. There is no explicit method for modelling conception and gestation except by using extensions.

Examples:

- the Birth of Queen Elizabeth II ([E67](#)) brought into life Queen Elizabeth II ([E21](#))

In First Order Logic:

$P98(x,y) \supset E67(x)$

$P98(x,y) \supset E21(y)$
 $P98(x,y) \supset P92(x,y)$

P99 dissolved (was dissolved by)

Domain: [E68](#) Dissolution

Range: [E74](#) Group

Subproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor

[E64](#) End of Existence. [P93](#) took out of existence (was taken out of existence by): [E77](#) Persistent Item

Quantification: one to many, necessary (1,n:0,n)

Scope note: This property links the disbanding or E68 Dissolution of an E74 Group to the Group itself.

Examples:

- the end of The Hole in the Wall Gang (E68) *dissolved* The Hole in the Wall Gang (E74)

In First Order Logic:

$P99(x,y) \supset E68(x)$

$P99(x,y) \supset E74(y)$

$P99(x,y) \supset P11(x,y)$

$P99(x,y) \supset P93(x,y)$

P100 was death of (died in)

Domain: [E69](#) Death

Range: [E21](#) Person

Subproperty of: [E64](#) End of Existence. [P93](#) took out of existence (was taken out of existence by): [E77](#) Persistent Item

Quantification: one to many, necessary (1,n:0,n)

Scope note: This property links an E69 Death event to the E21 Person that died.

A Death event may involve multiple people, for example in the case of a battle or disaster. This is not intended for use with general Natural History material, only people.

Examples:

- Mozart's death (E69) *was death of* Mozart (E21)

In First Order Logic:

$P100(x,y) \supset E69(x)$

$P100(x,y) \supset E21(y)$

$P100(x,y) \supset P93(x,y)$

P101 had as general use (was use of)

Domain: [E70](#) Thing

Range: [E55](#) Type

Quantification: many to many (0,n:0,n)

Scope note: This property links an instance of E70 Thing to an E55 Type of usage.

It allows the relationship between particular things, both physical and immaterial, and general methods and techniques of use to be documented. Thus it can be asserted that a baseball bat had a general use for sport and a specific use for threatening people during the Great Train Robbery.

Examples:

- Tony Gill's Ford Mustang (E22) *had as general use* transportation (E55)

In First Order Logic:

$P101(x,y) \supset E70(x)$

$P101(x,y) \supset E55(y)$

P102 has title (is title of)

Domain: [E71](#) Human-Made Thing

Range: [E35](#) Title

Subproperty of: [E1](#) CRM Entity. [P1](#) is identified by (identifies): [E41](#) Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property describes the E35 Title applied to an instance of E71 Human-Made Thing. The E55 Type of Title is assigned in a sub property.

The *P102.1 has type* property of the *P102 has title (is title of)* property enables the relationship between the Title and the thing to be further clarified, for example, if the Title was a given Title, a supplied Title etc.

It allows any human-made material or immaterial thing to be given a Title. It is possible to imagine a Title being created without a specific object in mind.

Examples:

- the first book of the Old Testament (E33) *has title* “Genesis” (E35)
has type translated (E55)

In First Order Logic:

$P102(x,y) \supset E71(x)$

$P102(x,y) \supset E35(y)$

$P102(x,y,z) \supset [P102(x,y) \wedge E55(z)]$

$P102(x,y) \supset P1(x,y)$

Properties: P102.1 has type: [E55](#) Type

P103 was intended for (was intention of)

Domain: [E71](#) Human-Made Thing

Range: [E55](#) Type

Quantification: many to many (0,n:0,n)

Scope note: This property links an instance of E71 Human-Made Thing to an E55 Type of usage.

It creates a property between specific human-made things, both physical and immaterial, to Types of intended methods and techniques of use. Note: A link between specific human-made things and a specific use activity should be expressed using *P19 was intended use of (was made for)*.

Examples:

- this plate (E22) *was intended for* being destroyed at wedding reception (E55)

In First Order Logic:

$P103(x,y) \supset E71(x)$

$P103(x,y) \supset E55(y)$

P104 is subject to (applies to)

Domain: [E72](#) Legal Object

Range: [E30](#) Right

Quantification: many to many (0,n:0,n)

Scope note: This property links a particular E72 Legal Object to the instances of E30 Right to which it is subject.

The Right is held by an E39 Actor as described by *P75 possesses (is possessed by)*.

Examples:

- Beatles back catalogue (E72) *is subject to* reproduction right on Beatles back catalogue (E30)

In First Order Logic:

$P104(x,y) \supset E72(x)$
 $P104(x,y) \supset E30(y)$

P105 right held by (has right on)

Domain: [E72](#) Legal Object
Range: [E39](#) Actor
Superproperty of: [E18](#) Physical Thing .[P52](#) has current owner (is current owner of): [E39](#) Actor
Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor who holds the instances of E30 Right to an E72 Legal Object. It is a superproperty of *P52 has current owner (is current owner of)* because ownership is a right that is held on the owned object.

P105 right held by (has right on) is a shortcut of the fully developed path E72 Legal Object,*P104 is subject to*, E30 Right, *P75i is possessed by*, E39 Actor.

Examples:

- Beatles back catalogue (E73) *right held by* Michael Jackson (E21)

In First Order Logic:

$P105(x,y) \supset E72(x)$
 $P105(x,y) \supset E39(y)$

P106 is composed of (forms part of)

Domain: [E90](#) Symbolic Object
Range: [E90](#) Symbolic Object
Superproperty of: [E73](#) Information Object. [P165](#) incorporates (is incorporated in): [E90](#) Symbolic Object
Quantification: many to many (0,n:0,n)

Scope note: This property associates an instance of E90 Symbolic Object with a part of it that is by itself an instance of E90 Symbolic Object, such as fragments of texts or clippings from an image. This property is transitive.

Examples:

- This Scope note P106 (E33) is composed of fragments of texts (E33)
- ‘recognizable’ P106 (E90) is composed of ‘ecognizabl’ (E90)

In First Order Logic:

$P106(x,y) \supset E90(x)$
 $P106(x,y) \supset E90(y)$

P107 has current or former member (is current or former member of)

Domain: [E74](#) Group
Range: [E39](#) Actor
Quantification: many to many (0,n:0,n)

Scope note: This property relates an E39 Actor to the E74 Group of which that E39 Actor is a member.

Groups, Legal Bodies and Persons, may all be members of Groups. A Group necessarily consists of more than one member.

This property is a shortcut of the more fully developed path *E74 Group* , *P144i gained member by*, *E85 Joining*, *P143 joined* , *E39 Actor*

The property P107.1 *kind of member* can be used to specify the type of membership or the role the

member has in the group.

Examples:

- Moholy Nagy (E21) *is current or former member of* Bauhaus (E74)
- National Museum of Science and Industry (E40) *has current or former member* The National Railway Museum (E40)
- The married couple Queen Elisabeth and Prince Phillip (E74) *has current or former member* Prince Phillip (E21) with P107.1 *kind of member* husband (E55 Type)

In First Order Logic:

$P107(x,y) \supset E74(x)$
 $P107(x,y) \supset E39(y)$
 $P107(x,y,z) \supset [P107(x,y) \wedge E55(z)]$

Properties: P107.1 *kind of member*: [E55](#) Type

P108 has produced (was produced by)

Domain: [E12](#) Production

Range: [E24](#) Physical Human-Made Thing

Subproperty of: [E11](#) Modification. [P31](#) has modified (was modified by): [E18](#) Physical Thing

[E63](#) Beginning of Existence. [P92](#) brought into existence (was brought into existence by): [E77](#) Persistent Item

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property identifies the E24 Physical Human-Made Thing that came into existence as a result of an E12 Production.

The identity of an instance of E24 Physical Human-Made Thing is not defined by its matter, but by its existence as a subject of documentation. An E12 Production can result in the creation of multiple instances of E24 Physical Human-Made Thing.

Examples:

- The building of Rome (E12) *has produced* The Colosseum (E22)

In First Order Logic:

$P108(x,y) \supset E12(x)$
 $P108(x,y) \supset E24(y)$
 $P108(x,y) \supset P31(x,y)$
 $P108(x,y) \supset P92(x,y)$

P109 has current or former curator (is current or former curator of)

Domain: [E78](#) Collection

Range: [E39](#) Actor

Subproperty of: [E18](#) Physical Thing. [P49](#) has former or current keeper (is former or current keeper of): [E39](#) Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who assume or have assumed overall curatorial responsibility for an E78 Collection.

It does not allow a history of curation to be recorded. This would require use of an Event initiating a curator being responsible for a Collection.

Examples:

- the Robert Opie Collection (E78) *has current or former curator* Robert Opie (E39)
- the Mikael Heggelund Foslie's coralline red algae Herbarium (E78) *has current or former curator* Mikael Heggelund Foslie

In First Order Logic:

$P109(x,y) \supset E78(x)$
 $P109(x,y) \supset E39(y)$
 $P109(x,y) \supset P49(x,y)$

P110 augmented (was augmented by)

Domain: [E79](#) Part Addition
Range: [E24](#) Physical Human-Made Thing
Subproperty of: [E11](#) Modification. [P31](#) has modified (was modified by): [E18](#) Physical Thing
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the [E24](#) Physical Human-Made Thing that is added to (augmented) in an [E79](#) Part Addition.

Although a Part Addition event normally concerns only one item of Physical Human-Made Thing, it is possible to imagine circumstances under which more than one item might be added to (augmented). For example, the artist Jackson Pollock trailing paint onto multiple canvasses.

Examples:

- the final nail-insertion Event ([E79](#)) *augmented* Coffin of George VI ([E24](#))

In First Order Logic:

$P110(x,y) \supset E79(x)$
 $P110(x,y) \supset E24(y)$
 $P110(x,y) \supset P31(x,y)$

P111 added (was added by)

Domain: [E79](#) Part Addition
Range: [E18](#) Physical Thing
Subproperty of: [E5](#) Event. [P12](#) occurred in the presence of (was present at):[E77](#) Persistent Item
[E7](#) Activity.[P16](#) used specific object (was used for):[E70](#) Thing
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the [E18](#) Physical Thing that is added during an [E79](#) Part Addition activity

Examples:

- the insertion of the final nail ([E79](#)) *added* the last nail in George VI's coffin ([E18](#))

In First Order Logic:

$P111(x,y) \supset E79(x)$
 $P111(x,y) \supset E18(y)$
 $P111(x,y) \supset P12(x,y)$
 $P111(x,y) \supset P16(x,y)$

P112 diminished (was diminished by)

Domain: [E80](#) Part Removal
Range: [E24](#) Physical Human-Made Thing
Subproperty of: [E11](#) Modification. [P31](#) has modified (was modified by): [E18](#) Physical Thing
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the [E24](#) Physical Human-Made Thing that was diminished by [E80](#) Part Removal.

Although a Part removal activity normally concerns only one item of Physical Human-Made Thing, it is possible to imagine circumstances under which more than one item might be diminished by a single Part Removal activity.

Examples:

- the coffin of Tut-Ankh-Amun ([E22](#)) *was diminished by* The opening of the coffin of Tut-Ankh-

Amun (E80)

In First Order Logic:

$P112(x,y) \supset E80(x)$
 $P112(x,y) \supset E24(y)$
 $P112(x,y) \supset P31(x,y)$

P113 removed (was removed by)

Domain: [E80](#) Part Removal
Range: [E18](#) Physical Thing
Subproperty of: [E5](#) Event. [P12](#) occurred in the presence of (was present at):[E77](#) Persistent Item
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E18 Physical Thing that is removed during an E80 Part Removal activity.

Examples:

- the opening of the coffin of Tut-Ankh-Amun (E80) *removed* The mummy of Tut-Ankh-Amun (E20,E22)

In First Order Logic:

$P113(x,y) \supset E80(x)$
 $P113(x,y) \supset E18(y)$
 $P113(x,y) \supset P12(x,y)$

P114 is equal in time to

Domain: [E2](#) Temporal Entity
Range: [E2](#) Temporal Entity
Subproperty of: [E2](#) Temporal Entity. [P175](#) starts before or with the start of (starts after or with the start of):[E2](#) Temporal Entity
[E2](#) Temporal Entity. [P184](#) ends before or with the end of (ends with or after the end of):[E2](#) Temporal Entity
Quantification: many to many (0,n:0,n)

Scope note: This symmetric property equates the instances of E2 Temporal Entity with the same E52 Time-Span. This property is only necessary if the time span is unknown (otherwise the equivalence can be calculated).

This property is the same as the "equal" relationship of Allen's temporal logic (Allen, 1983, pp. 832-843).

This property is transitive.

Examples:

- the destruction of the Villa Justinian Tempus (E6) *is equal in time to* the death of Maximus Venderus (E69)

In First Order Logic:

$P114(x,y) \supset E2(x)$
 $P114(x,y) \supset E2(y)$
 $P114(x,y) \supset P175(y,x)$
 $P114(x,y) \supset P184(y,x)$

P115 finishes (is finished by)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity
Subproperty of: [E2](#) Temporal Entity. [P184](#) ends before or with the end of (ends with or after the end of): [E2](#) Temporal Entity

Quantification: many to many (0,n:0,n)

Scope note: This property identifies a situation in which the ending point of an instance of [E2](#) Temporal Entity is equal to the ending point of another temporal entity of longer duration. There is no causal relationship implied by this property.
This property is only necessary if the time span is unknown (otherwise the relationship can be calculated).
This property is the same as the "finishes / finished-by" relationships of Allen's temporal logic (Allen, 1983, pp. 832-843).
This property is transitive.

Examples:

- Late Bronze Age (E4) *finishes* Bronze Age (E4)

In First Order Logic:

$P115(x,y) \supset E2(x)$
 $P115(x,y) \supset E2(y)$
 $P115(x,y) \supset P184(x,y)$

P116 starts (is started by)

Domain: [E2](#) Temporal Entity
Range: [E2](#) Temporal Entity
Subproperty of: [E2](#) Temporal Entity. [P185](#) ends before the end of (ends after the end of): [E2](#) Temporal Entity
[E2](#) Temporal Entity. [P175](#) starts before or with the start of (starts after or with the start of): [E2](#) Temporal Entity

Quantification: many to many (0,n:0,n)

Scope note: This property allows the starting point for an instance of [E2](#) Temporal Entity to be situated by reference to the starting point of another instance of [E2](#) Temporal Entity of longer duration.

This property is only necessary if the time span is unknown (otherwise the relationship can be calculated).
This property is the same as the "starts / started-by" relationships of Allen's temporal logic (Allen, 1983, pp. 832-843).
This property is transitive.

Examples:

- Early Bronze Age (E4) *starts* Bronze Age (E4)

In First Order Logic:

$P116(x,y) \supset E2(x)$
 $P116(x,y) \supset E2(y)$
 $P116(x,y) \supset P175(x,y)$
 $P116(x,y) \supset P185(x,y)$

P117 occurs during (includes)

Domain: [E2](#) Temporal Entity
Range: [E2](#) Temporal Entity
Subproperty of: [E2](#) Temporal Entity. [P185](#) ends before the end of (ends after the end of): [E2](#) Temporal Entity

Quantification: many to many (0,n:0,n)

Scope note: This property allows the entire [E52](#) Time-Span of an instance of [E2](#) Temporal Entity to be situated within the Time-Span of another temporal entity that starts before and ends after the included temporal entity.

This property is only necessary if the time span is unknown (otherwise the relationship can be calculated).

This property is the same as the "during / includes" relationships of Allen's temporal logic (Allen, 1983, pp. 832-843).
This property is transitive.

Examples:

- Middle Saxon period (E4) *occurs during* Saxon period (E4)

In First Order Logic:

$P117(x,y) \supset E2(x)$
 $P117(x,y) \supset E2(y)$
 $P117(x,y) \supset P185(x,y)$

P118 overlaps in time with (is overlapped in time by)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity.[P176](#) starts before the start of (starts after the start of): [E2](#) Temporal Entity
[E2](#) Temporal Entity.[P185](#) ends before the end of (ends after the end of):[E2](#) Temporal Entity

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an overlap between the instances of E52 Time-Span of two instances of E2 Temporal Entity.

It implies a temporal order between the two entities: if A overlaps in time B, then A must start before B, and B must end after A. This property is only necessary if the relevant time spans are unknown (otherwise the relationship can be calculated).

This property is the same as the "overlaps / overlapped-by" relationships of Allen's temporal logic (Allen, 1983, pp. 832-843).

Examples:

- the Iron Age (E4) *overlaps in time with* the Roman period (E4)

In First Order Logic:

$P118(x,y) \supset E2(x)$
 $P118(x,y) \supset E2(y)$
 $P118(x,y) \supset P176(x,y)$
 $P118(x,y) \supset P185(x,y)$

P119 meets in time with (is met in time by)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity.[P182](#) ends before or with the start of (starts after or with the end of):[E2](#) Temporal Entity

Quantification: many to many (0,n:0,n)

Scope note: This property indicates that one instance of E2 Temporal Entity immediately follows another instance of E2 Temporal Entity.

It implies a particular order between the two entities: if A meets in time with B, then A must precede B. This property is only necessary if the relevant time spans are unknown (otherwise the relationship can be calculated).

This property is the same as the "meets / met-by" relationships of Allen's temporal logic (Allen, 1983,

pp. 832-843).

Examples:

- Early Saxon Period (E4) *meets in time with* Middle Saxon Period (E4)

In First Order Logic:

$P119(x,y) \supset E2(x)$
 $P119(x,y) \supset E2(y)$
 $P119(x,y) \supset P182(x,y)$

P120 occurs before (occurs after)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity. [P183](#) ends before the start of (starts after the end of): [E2](#) Temporal Entity

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the relative chronological sequence of two temporal entities.

It implies that a temporal gap exists between the end of A and the start of B. This property is only necessary if the relevant time spans are unknown (otherwise the relationship can be calculated).

This property is the same as the "before / after" relationships of Allen's temporal logic (Allen, 1983, pp. 832-843).

This property is transitive.

Examples:

- Early Bronze Age (E4) *occurs before* Late Bronze age (E4)

In First Order Logic:

$P120(x,y) \supset E2(x)$
 $P120(x,y) \supset E2(y)$
 $P120(x,y) \supset P183(x,y)$

P121 overlaps with

Domain: [E53](#) Place

Range: [E53](#) Place

Quantification: many to many (0,n:0,n)

Scope note: This symmetric property allows the instances of E53 Place with overlapping geometric extents to be associated with each other.

It does not specify anything about the shared area. This property is purely spatial, in contrast to Allen operators, which are purely temporal.

Examples:

- the territory of the United States (E53) *overlaps with* the Arctic (E53)
- The maximal extent of the Greek Kingdom (E53) *overlaps with* the maximal extent of the Ottoman Empire(E53)

In First Order Logic:

$P121(x,y) \supset E53(x)$
 $P121(x,y) \supset E53(y)$
 $P121(x,y) \supset P121(y,x)$

P122 borders with

Domain: [E53](#) Place
Range: [E53](#) Place
Quantification: many to many (0,n:0,n)

Scope note: This symmetric property allows the instances of [E53](#) Place which share common borders to be related as such.

This property is purely spatial, in contrast to Allen operators, which are purely temporal.

Examples:

- Scotland ([E53](#)) *borders with* England ([E53](#))

In First Order Logic:

$P122(x,y) \supset E53(x)$
 $P122(x,y) \supset E53(y)$
 $P122(x,y) \supset P122(y,x)$

P123 resulted in (resulted from)

Domain: [E81](#) Transformation
Range: [E18](#) Physical Thing
Subproperty of: [E63](#) Beginning of Existence. [P92](#) brought into existence (was brought into existence by): [E77](#) Persistent Item
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the [E18](#) Physical Thing or things that are the result of an [E81](#) Transformation. New items replace the transformed item or items, which cease to exist as units of documentation. The physical continuity between the old and the new is expressed by the link to the common Transformation

Examples:

- the transformation of the Venetian Loggia in Heraklion into a city hall ([E81](#)) resulted in the City Hall of Heraklion ([E22](#))
- the death and mummification of Tut-Ankh-Amun ([E81](#)) resulted in the Mummy of Tut-Ankh-Amun ([E22](#) and [E20](#))

In First Order Logic:

$P123(x,y) \supset E81(x)$
 $P123(x,y) \supset E18(y)$
 $P123(x,y) \supset P92(x,y)$

P124 transformed (was transformed by)

Domain: [E81](#) Transformation
Range: [E18](#) Physical Thing
Subproperty of: [E64](#) End of Existence. [P93](#) took out of existence (was taken out of existence by): [E77](#) Persistent Item
Quantification: one to many, necessary (1,n:0,1)

Scope note: This property identifies the [E18](#) Physical Thing or things that have ceased to exist due to a [E81](#) Transformation.

The item that has ceased to exist and was replaced by the result of the Transformation. The continuity between both items, the new and the old, is expressed by the link to the common Transformation.

Examples:

- the transformation of the Venetian Loggia in Heraklion into a city hall ([E81](#)) transformed the Venetian Loggia in Heraklion ([E22](#))
- the death and mummification of Tut-Ankh-Amun ([E81](#)) transformed the ruling Pharaoh Tut-Ankh-Amun ([E21](#))

In First Order Logic:

P124(x,y) \supset E81(x)
P124(x,y) \supset E18(y)
P124(x,y) \supset P93(x,y)

P125 used object of type (was type of object used in)

Domain: [E7](#) Activity
Range: [E55](#) Type

Superproperty of: [E7](#) Activity.[P32](#) used general technique (was technique of): [E55](#) Type
Quantification: many to many (0,n:0,n)

Scope note: This property defines the kind of objects used in an E7 Activity, when the specific instance is either unknown or not of interest, such as use of "a hammer".

Examples:

- at the Battle of Agincourt (E7), the English archers *used object of type* long bow (E55)

In First Order Logic:

P125(x,y) \supset E7(x)
P125(x,y) \supset E55(y)

P126 employed (was employed in)

Domain: [E11](#) Modification
Range: [E57](#) Material
Quantification: many to many (0,n:0,n)

Scope note: This property identifies E57 Material employed in an E11 Modification.

The E57 Material used during the E11 Modification does not necessarily become incorporated into the E24 Physical Human-Made Thing that forms the subject of the E11 Modification.

Examples:

- the repairing of the Queen Mary (E11) *employed* Steel (E57)
- distilled water (E57) *was employed in* the restoration of the Sistine Chapel (E11)

In First Order Logic:

P126(x,y) \supset E11(x)
P126(x,y) \supset E57(y)

P127 has broader term (has narrower term)

Domain: [E55](#) Type
Range: [E55](#) Type
Quantification: many to many (0,n:0,n)

Scope note: This property identifies a super-Type to which an E55 Type is related.

It allows Types to be organised into hierarchies. This is the sense of "broader term generic (BTG)" as defined in ISO 2788
This property is transitive.

Examples:

- dime (E55) *has broader term* coin (E55)

In First Order Logic:

P127(x,y) \supset E55(x)
P127(x,y) \supset E55(y)

P128 carries (is carried by)

Domain: [E18](#) Physical Thing
Range: [E90](#) Symbolic Object
Subproperty of: [E70](#) Thing. [P130](#) shows features of (features are also found on): [E70](#) Thing
Superproperty of: [E24](#) Physical Human-Made Thing. [P65](#) shows visual item (is shown by): [E36](#) Visual Item
Quantification: many to many (0,n:0,n)

Scope note: This property identifies an E90 Symbolic Object carried by an instance of E18 Physical Thing. Since an instance of E90 Symbolic Object is defined as an immaterial idealization over potentially multiple carriers, any individual realization on a particular physical carrier may be defective, due to deterioration or shortcomings in the process of creating the realization compared to the intended ideal. As long as such defects do not substantially affect the complete recognition of the respective symbolic object, it is still regarded as carrying an instance of this E90 Symbolic Object. If these defects are of scholarly interest, the particular realization can be modelled as an instance of E25 Human-Made Feature. Note, that any instance of E90 Symbolic Object incorporated (P165) in the carried symbolic object is also carried by the same instance of E18 Physical Thing.

Examples:

- Matthew's paperback copy of Reach for the Sky (E18) *carries* the text of Reach for the Sky (E73)

In First Order Logic:

$P128(x,y) \supset E18(x)$
 $P128(x,y) \supset E90(y)$
 $P128(x,y) \supset P130(x,y)$

P129 is about (is subject of)

Domain: [E89](#) Propositional Object
Range: [E1](#) CRM Entity
Subproperty of: [E89](#) Propositional Object. [P67](#) refers to (is referred to by): [E1](#) CRM Entity
Quantification: many to many (0,n:0,n)

Scope note: This property documents that an E89 Propositional Object has as subject an instance of E1 CRM Entity.

This differs from P67 refers to (is referred to by), which refers to an E1 CRM Entity, in that it describes the primary subject or subjects of an E89 Propositional Object.

Examples:

- The text entitled 'Reach for the sky' (E33) *is about* Douglas Bader (E21)

In First Order Logic:

$P129(x,y) \supset E89(x)$
 $P129(x,y) \supset E1(y)$
 $P129(x,y) \supset P67(x,y)$

P130 shows features of (features are also found on)

Domain: [E70](#) Thing
Range: [E70](#) Thing
Superproperty of: [E33](#) Linguistic Object. [P73i](#) is translation of: [E33](#) Linguistic Object
[E18](#) Physical Thing. [P128](#) carries (is carried by): [E90](#) Symbolic Object
Quantification: many to many (0,n:0,n)

Scope note: This property generalises the notions of "copy of" and "similar to" into a directed relationship, where the domain expresses the derivative or influenced item and the range the source or influencing item, if such a direction can be established. The property can also be used to express similarity in cases that can be stated between two objects only, without historical knowledge about its reasons. The property expresses a symmetric relationship in case no direction of influence can be established either from evidence on the item itself or from historical knowledge. This holds in particular for siblings of a derivation process from a common source or non-causal cultural parallels, such as some weaving

patterns.

The *P130.1 kind of similarity* property of the *P130 shows features of (features are also found on)* property enables the relationship between the domain and the range to be further clarified, in the sense from domain to range, if applicable. For example, it may be expressed if both items are product “of the same mould”, or if two texts “contain identical paragraphs”.

If the reason for similarity is a sort of derivation process, i.e., that the creator has used or had in mind the form of a particular thing during the creation or production, this process should be explicitly modelled. In these cases, *P130 shows features of* can be regarded as a shortcut of such a process. However, the current model does not contain any path specific enough to infer this property. Specializations of the CIDOC CRM may however be more explicit, for instance describing the use of moulds etc.

In First Order Logic:

$P130(x,y) \supset E70(x)$
 $P130(x,y) \supset E70(y)$
 $P130(x,y,z) \supset [P130(x,y) \wedge E55(z)]$

Properties: P130.1 kind of similarity: [E55](#) Type

P131 is identified by (identifies)

Deprecated, use P1 identified by (identifies) instead

P132 spatiotemporally overlaps with

Domain: [E92 Spacetime Volume](#)

Range: [E92 Spacetime Volume](#)

Superproperty of: [E18 Physical Thing](#). [P46](#) is composed of (forms part of): [E18 Physical Thing](#)

[E4 Period](#). [P9](#) consists of (forms part of): [E4 Period](#)

[E92 Spacetime Volume](#). [P10](#) falls within (contains): [E92 Spacetime Volume](#)

Quantification: many to many (0,n:0,n)

Scope note: This symmetric property associates two instances of [E92 Spacetime Volume](#) that have some of their extents in common. If only the fuzzy boundaries of the instances of [E92 Spacetime Volume](#) overlap, this property cannot be determined from observation alone and therefore should not be applied. However, there may be other forms of justification that the two instances of [E92 Spacetime Volume](#) must have some of their extents in common regardless of where and when precisely.

If this property holds for two instances of [E92 Spacetime Volume](#) then it cannot be the case that [P133](#) also holds for the same two instances. Furthermore, there are cases where neither [P132](#) nor [P133](#) holds between two instances of [E92 Spacetime Volume](#). This would occur where only an overlap of the fuzzy boundaries of the two instances of [E92 Spacetime Volume](#) occurs and no other evidence is available.

Examples:

- the “Urnfield” period (E4) *spatiotemporally overlaps with* the “Hallstatt” period (E4)
- Yale Peabody Collection of Artifacts (E78) *spatiotemporally overlaps with* Cuzco Museum (E27) [after repatriation]
- Catedral de Nuestra Señora de la Asunción (E92) *spatiotemporally overlaps with* Great Mosque of Córdoba (E92)
- The facade of the Roman temple acquired by Hearst (E92) *spatiotemporally overlaps with* the Hearst Neptune Pool (E92)
-

In First Order Logic:

$P132(x,y) \supset E92(x)$
 $P132(x,y) \supset E92(y)$
 $P132(x,y) \supset P132(y,x)$
 $P132(x,y) \supset \neg P133(x,y)$

P133 is spatiotemporally separated from

Domain: [E92 Spacetime Volume](#)

Range: [E92 Spacetime Volume](#)

Quantification: many to many (0,n:0,n)

Scope note: This symmetric property associates two instances of E92 Spacetime Volume that have no extents in common. If only the fuzzy boundaries of the instances of E92 Spacetime Volume overlap, this property cannot be determined from observation alone and therefore should not be applied. However, there may be other forms of justification that the two instances of E92 Spacetime Volume must not have any of their extents in common regardless of where and when precisely.

If this property holds for two instances of E92 Spacetime Volume then it cannot be the case that P132 also holds for the same two instances. Furthermore, there are cases where neither P132 nor P133 holds between two instances of E92 Spacetime Volume. This would occur where only an overlap of the fuzzy boundaries of the two instances of E92 Spacetime Volume occurs and no other evidence is available.

Examples:

- the “Hallstatt” period (E4) *is spatiotemporally separated from* the “La Tène” era (E4)
- Parthenon Marbles (E22) *is spatiotemporally separated from* Acropolis Museum (E27) [through expropriation]
- Kingdom of Greece (1831-1924) (E92) *is spatiotemporally separated from* Ottoman Empire (1299-1922) (E92)
- The path of the army of Alexander (335-323 B.C.) (E92) *is spatiotemporally separated from* the Mauryan Empire (E92)
-

In First Order Logic:

$P133(x,y) \supset E92(x)$

$P133(x,y) \supset E92(y)$

$P133(x,y) \supset P133(y,x)$

$P133(x,y) \supset \neg P132(x,y)$

P134 continued (was continued by)

Domain: [E7 Activity](#)

Range: [E7 Activity](#)

Subproperty of: [E7 Activity](#). [P15](#) was influenced by (influenced): [E1 CRM Entity](#)

[E2 Temporal Entity](#). [P174](#) starts before the end of (ends after the start of): [E2 Temporal Entity](#)

Quantification: many to many (0,n:0,n)

Scope note: This property associates two instances of E7 Activity, where the domain is considered as an intentional continuation of the range. A continuation of an activity may happen when the continued activity is still ongoing or after the continued activity has completely ended. The continuing activity may have started already before it decided to continue the other one. Continuation implies a coherence of intentions and outcomes of the involved activities.

Examples:

- the construction of the Kölner Dom (Cologne Cathedral) (E7), abandoned in the 15th century, *was continued by* construction in the 19th century adapting the initial plans so as to preserve the intended appearance (E7)

In First Order Logic:

$P134(x,y) \supset E7(x)$

$P134(x,y) \supset E7(y)$

$P134(x,y) \supset P15(x,y)$

$P134(x,y) \supset P174(x,y)$

P135 created type (was created by)

Domain: [E83](#) Type Creation
Range: [E55](#) Type
Subproperty of: [E65](#) Creation. [P94](#) has created (was created by): [E28](#) Conceptual Object
Quantification: one to many, necessary (1,n:0,1)

Scope note: This property identifies the E55 Type, which is created in an E83Type Creation activity.

Examples:

- The description of a new ribbon worm species by Bürger (E83) *created type* 'Lineus coxinus (Bürger, 1892)' (E55)

In First Order Logic:

$P135(x,y) \supset E83(x)$
 $P135(x,y) \supset E55(y)$
 $P135(x,y) \supset P94(x,y)$

P136 was based on (supported type creation)

Domain: [E83](#) Type Creation
Range: [E1](#) CRM Entity
Subproperty of: [E7](#) Activity. [P15](#) was influenced by (influenced): [E1](#) CRM Entity
Quantification: many to many (0,n:0,n)

Scope note: This property identifies one or more items that were used as evidence to declare a new E55 Type.

The examination of these items is often the only objective way to understand the precise characteristics of a new Type. Such items should be deposited in a museum or similar institution for that reason. The taxonomic role renders the specific relationship of each item to the Type, such as "holotype" or "original element".

Examples:

- the taxon creation of the plant species 'Serratula glauca Linné, 1753.' (E83) *was based on* Object BM000576251 of the Clayton Herbarium (E20) *in the taxonomic role* original element (E55)

In First Order Logic:

$P136(x,y) \supset E83(x)$
 $P136(x,y) \supset E1(y)$
 $P136(x,y,z) \supset [P136(x,y) \wedge E55(z)]$
 $P136(x,y) \supset P15(x,y)$

Properties: P136.1 in the taxonomic role: [E55](#) Type

P137 exemplifies (is exemplified by)

Domain: [E1](#) CRM Entity
Range: [E55](#) Type
Subproperty of: [E1](#) CRM Entity. [P2](#) has type (is type of): [E55](#) Type
Quantification: many to many (0,n:0,n)

Scope note: This property allows an item to be declared as a particular example of an E55 Type or taxon. The *P137.1 in the taxonomic role* property of *P137 exemplifies (is exemplified by)* allows differentiation of taxonomic roles. The taxonomic role renders the specific relationship of this example to the Type, such as "prototypical", "archetypical", "lectotype", etc. The taxonomic role "lectotype" is not associated with the Type Creation (E83) itself, but selected in a later phase.

Examples:

- Object BM000098044 of the Clayton Herbarium (E20) *exemplifies* *Spigelia marilandica* (L.) L. (E55) *in the taxonomic role* lectotype

In First Order Logic:

$P137(x,y) \supset E1(x)$
 $P137(x,y) \supset E55(y)$
 $P137(x,y,z) \supset [P137(x,y) \wedge E55(z)]$
 $P137(x,y) \supset P2(x,y)$

Properties: P137.1 in the taxonomic role: [E55](#) Type

P138 represents (has representation)

Domain: [E36](#) Visual Item
Range: [E1](#) CRM Entity
Subproperty of: [E89](#) Propositional Object. [P67](#) refers to (is referred to by): [E1](#) CRM Entity
Quantification: many to many (0,n:0,n)

Scope note: This property establishes the relationship between an E36 Visual Item and the entity that it visually represents.

Any entity may be represented visually. This property is part of the fully developed path from E24 Physical Human-Made Thing through *P65 shows visual item (is shown by)*, E36 Visual Item, *P138 represents (has representation)* to E1 CRM Entity, which is shortcut by *P62 depicts (is depicted by)*. P138.1 mode of representation allows the nature of the representation to be refined.

This property is also used for the relationship between an original and a digitisation of the original by the use of techniques such as digital photography, flatbed or infrared scanning. Digitisation is here seen as a process with a mechanical, causal component rendering the spatial distribution of structural and optical properties of the original and does not necessarily include any visual similarity identifiable by human observation."

Properties: P138.1 mode of representation: [E55](#) Type

Examples:

- the digital file found at http://www.emunch.no/N/full/No-MM_N0001-01.jpg (E36) represents page 1 of Edward Munch's manuscript MM N 1, Munch-museet (E22) mode of representation Digitisation(E55)
- The 3D model VAM_A.200-1946_trace_1M.ply (E73) represents Victoria & Albert Museum's Madonna and child sculpture (visual work) A.200-1946 (E22) mode of representation 3D surface (E55)
-

In First Order Logic:

$P138(x,y) \supset E36(x)$
 $P138(x,y) \supset E1(y)$
 $P138(x,y,z) \supset [P138(x,y) \wedge E55(z)]$
 $P138(x,y) \supset P67(x,y)$

P139 has alternative form

Domain: [E41](#) Appellation
Range: [E41](#) Appellation
Quantification: many to many (0,n:0,n)

Scope note: This property establishes a relationship of equivalence between two instances of E41 Appellation independent from any item identified by them. It is a dynamic asymmetric relationship, where the range expresses the derivative, if such a direction can be established. Otherwise, the relationship is symmetric. The relationship is not transitive.

The equivalence applies to all cases of use of an instance of E41 Appellation. Multiple names assigned to an object, which are not equivalent for all things identified with a specific instance of E41 Appellation, should be modelled as repeated values of *P1 is identified by (identifies)*.

P139.1 has type allows the type of derivation, such as “transliteration from Latin 1 to ASCII” be refined..

Examples:

- "Martin Doerr" (E41) has alternative form "Martin Dörr" (E41) has type Alternate spelling (E55)
- "Гончарова, Наталья Сергеевна" (E41) has alternative form "Gončarova, Natal'â Sergeevna" (E41) has type ISO 9:1995 transliteration (E55)
- “Αθήνα” has alternative form “Athina” has type transcription.

In First Order Logic:

$P139(x,y) \supset E41(x)$
 $P139(x,y) \supset E41(y)$
 $P139(x,y,z) \supset [P139(x,y) \wedge E55(z)]$
 $P139(x,y) \supset P139(y,x)$

Properties: *P139.1* has type: [E55](#) Type

P140 assigned attribute to (was attributed by)

Domain: [E13](#) Attribute Assignment

Range: [E1](#) CRM Entity

Superproperty of: [E14](#) Condition Assessment. [P34](#) concerned (was assessed by): [E18](#) Physical Thing
[E16](#) Measurement. [P39](#) measured (was measured by): [E70](#) Thing
[E17](#) Type Assignment. [P41](#) classified (was classified by): [E1](#) CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property indicates the item to which an attribute or relation is assigned.

Examples:

- February 1997 Current Ownership Assessment of Martin Doerr’s silver cup (E13) *assigned attribute to* Martin Doerr’s silver cup (E19)
- 01 June 1997 Identifier Assignment of the silver cup donated by Martin Doerr (E15) *assigned attribute to* silver cup 232 (E19)

In First Order Logic:

$P140(x,y) \supset E13(x)$
 $P140(x,y) \supset E1(y)$

P141 assigned (was assigned by)

Domain: [E13](#) Attribute Assignment

Range: [E1](#) CRM Entity

Superproperty of: [E14](#) Condition Assessment. [P35](#) has identified (identified by): [E3](#) Condition State
[E15](#) Identifier Assignment. [P37](#) assigned (was assigned by): [E42](#) Identifier
[E15](#) Identifier Assignment. [P38](#) deassigned (was deassigned by): [E42](#) Identifier
[E16](#) Measurement. [P40](#) observed dimension (was observed in): [E54](#) Dimension
[E17](#) Type Assignment. [P42](#) assigned (was assigned by): [E55](#) Type

Quantification: many to many (0,n:0,n)

Scope note: This property indicates the attribute that was assigned or the item that was related to the item denoted by a property *P140* assigned attribute to in an instance of *E13* Attribute Assignment.

Examples:

- February 1997 Current Ownership Assessment of Martin Doerr’s silver cup (E13) *assigned* Martin Doerr (E21)
- 01 June 1997 Identifier Assignment of the silver cup donated by Martin Doerr (E15) *assigned* object identifier 232

In First Order Logic:

$P141(x,y) \supset E13(x)$
 $P141(x,y) \supset E1(y)$

P142 used constituent (was used in)

Domain: [E15](#) Identifier Assignment
Range: [E90](#) Symbolic Object
Subproperty of: [E7](#) Activity. [P16](#) used specific object (was used for): [E70](#) Thing

Quantification: (0:n,0:n)

Scope note: This property associates the event of assigning an instance of E42 Identifier with the instances of E90 Symbolic Object that were used as constituents of the identifier.

Examples:

- On June 1, 2001 assigning the personal name identifier “Guillaume, de Machaut, ca. 1300-1377” (E15) *used constituent* “ca. 1300-1377” (E41)
- Assigning a uniform title to the anonymous textual work known as ‘The Adoration of the Shepherds’(E15) *used constituent* ‘Coventry’ (E41)
- Assigning a uniform title to Pina Bausch’s choreographic work entitled ‘Rite of spring’ (E15) *used constituent* ‘(Choreographic Work: Bausch)’(E90)
- Assigning a uniform title to the motion picture directed in 1933 by Merian C. Cooper and Ernest B. Schoedsack and entitled ‘King Kong’ (E15) *used constituent* ‘1933’ (E41)
- Assigning the corporate name identifier ‘Univerza v Ljubljani. Oddelek za bibliotekarstvo’ to The Department for library science of the University of Ljubljana (E15) *used constituent* ‘Univerza v Ljubljani’ (E42)

In First Order Logic:

$P142(x,y) \supset E15(x)$
 $P142(x,y) \supset E90(y)$
 $P142(x,y) \supset P16(x,y)$

P143 joined (was joined by)

Domain: [E85](#) Joining
Range: [E39](#) Actor
Subproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E39 Actor that becomes member of an instance of E74 Group in an instance of E85 Joining.

Joining events allow for describing people becoming members of a group with the more detailed path E74 Group, *P144i gained member by*, E85 Joining, *P143 joined*, E39 Actor, compared to the shortcut offered by *P107 has current or former member (is current or former member of)*.

Examples:

- The election of Sir Isaac Newton as Member of Parliament to the Convention Parliament of 1689 (E85) *joined* Sir Isaac Newton (E21)
- The inauguration of Mikhail Sergeyevich Gorbachev as leader of the Union of Soviet Socialist Republics (USSR) in 1985 (E85) *joined* Mikhail Sergeyevich Gorbachev (E21)
- The implementation of the membership treaty January 1. 1973 between EU and Denmark (E85) *joined* Denmark (E74)

In First Order Logic:

$P143(x,y) \supset E85(x)$
 $P143(x,y) \supset E39(y)$
 $P143(x,y) \supset P11(x,y)$

P144 joined with (gained member by)

Domain: [E85](#) Joining
Range: [E74](#) Group

Subproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E74 Group of which an instance of E39 Actor becomes a member through an instance of E85 Joining.

Although a Joining activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which becoming member of one Group implies becoming member of another Group as well.

Joining events allow for describing people becoming members of a group with a more detailed path from E74 Group through, P144i gained member by, E85 Joining, P143 joined, E39 Actor, compared to the shortcut offered by P107 has current or former member (is current or former member of).

The property P144.1 *kind of member* can be used to specify the type of membership or the role the member has in the group.

Examples:

- The election of Sir Isaac Newton as Member of Parliament to the Convention Parliament of 1689 ([E85](#)) *joined with* the Convention Parliament (E74)
- The inauguration of Mikhail Sergeyevich Gorbachev as Leader of the Union of Soviet Socialist Republics (USSR) in 1985 (E85) *joined with* the office of Leader of the Union of Soviet Socialist Republics (USSR) (E74) with *P144.1 kind of member* President (E55)
- The implementation of the membership treaty January 1. 1973 between EU and Denmark (E85) *joined with* EU (E74)

In First Order Logic:

$P144(x,y) \supset E85(x)$
 $P144(x,y) \supset E74(y)$
 $P144(x,y,z) \supset [P144(x,y) \wedge E55(z)]$
 $P144(x,y) \supset P11(x,y)$

Properties: P144.1 *kind of member*: [E55](#) Type

P145 separated (left by)

Domain: [E86](#) Leaving
Range: [E39](#) Actor
Subproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E39 Actor that leaves an instance of E74 Group through an instance of E86 Leaving.

Examples:

- The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702 *separated* Sir Isaac Newton
- George Washington's leaving office in 1797 *separated* George Washington
- The implementation of the treaty regulating the termination of Greenland membership in EU between EU, Denmark and Greenland February 1. 1985 (E86) *separated* Greenland (E74 [E40](#))

In First Order Logic:

$P145(x,y) \supset E86(x)$
 $P145(x,y) \supset E39(y)$
 $P145(x,y) \supset P11(x,y)$

P146 separated from (lost member by)

Domain: [E86](#) Leaving
Range: [E74](#) Group
Subproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor
Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E74 Group an instance of E39 Actor leaves through an instance of E86 Leaving.

Although a Leaving activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which leaving one E74 Group implies leaving another E74 Group as well.

Examples:

- The end of Sir Isaac Newton’s duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702 *separated from* the Convention Parliament
- George Washington’s leaving office in 1797 *separated from* the office of President of the United States
- The implementation of the treaty regulating the termination of Greenland membership in EU between EU, Denmark and Greenland February 1. 1985 *separated from* EU (E74)

In First Order Logic:

$P146(x,y) \supset E86(x)$

$P146(x,y) \supset E74(y)$

$P146(x,y) \supset P11(x,y)$

P147 curated (was curated by)

Domain: [E87](#) Curation Activity

Range: [E78](#) Curated Holding

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property associates an instance of E87 Curation Activity with the instance of E78 Collection or collections with that is subject of that curation activity following some implicit or explicit curation plan.

Examples:

- The activities (E87) by the Benaki Museum *curated* the acquisition of dolls and games of urban and folk manufacture dating from the 17th to the 20th century, from England, France and Germany for the “Toys, Games and Childhood Collection (E78) of the Museum
- The activities (E87) of the Historical Museum of Crete, Heraklion, Crete, *curated* the development of the permanent Numismatic Collection (E78)
- The activities (E87) by Mikael Heggelund Foslie *curated* the Mikael Heggelund Foslie’s coralline red algae Herbarium

In First Order Logic:

$P147(x,y) \supset E87(x)$

$P147(x,y) \supset E78(y)$

P148 has component (is component of)

Domain: [E89](#) Propositional Object

Range: [E89](#) Propositional Object

Quantification: (0:n,0:n)

Scope note: This property associates an instance of E89 Propositional Object with a structural part of it that is by itself an instance of E89 Propositional Object.
This property is transitive

Examples:

- Dante’s “Divine Comedy” (E89) *has component* Dante’s “Hell” (E89)

In First Order Logic:

$P148(x,y) \supset E89(x)$

$P148(x,y) \supset E89(y)$

P149 is identified by (identifies)

Deprecated, use P1 identified by (identifies)

P150 defines typical parts of (defines typical wholes for)

Domain: E55 Type
Range: E55 Type
Quantification: many to many (0,n:0,n)

Scope note: This property associates an instance of E55 Type “A” with an instance of E55 Type “B”, when items of type “A” typically form part of items of type “B”, such as “car motors” and “cars”. The property is in general not transitive.

It allows types to be organised into hierarchies based on one type describing a typical part of another. This property is equivalent to "broader term partitive (BTP)" as defined in ISO 2788 and “broaderPartitive” in SKOS.

Examples:

- Car motors (E55) *defines typical parts of* cars (E55)

In First Order Logic:

$P150(x,y) \supset E55(x)$

$P150(x,y) \supset E55(y)$

P151 was formed from (participated in)

Domain: [E66](#) Formation
Range: [E74](#) Group
Subproperty of: [E5](#) Event. [P11](#) had participant (participated in): [E39](#) Actor
Quantification: (0,n:0:n)

Scope note: This property associates an instance of E66 Formation with an instance of E74 Group from which the new group was formed preserving a sense of continuity such as in mission, membership or tradition.

Examples:

- The formation of the House of Bourbon-Conti in 1581 (E66) *was formed from* House of Condé (E74)

In First Order Logic:

$P151(x,y) \supset E66(x)$

$P151(x,y) \supset E74(y)$

$P151(x,y) \supset P11(x,y)$

P152 has parent (is parent of)

Domain: [E21](#) Person
Range: [E21](#) Person
Subproperty of:
Quantification: (2,n:0:n)

Scope note: This property associates an instance of E21 Person with another instance of E21 Person who plays the role of the first instance’s parent, regardless of whether the relationship is biological parenthood, assumed or pretended biological parenthood or an equivalent legal status of rights and obligations obtained by a social or legal act. This property is, among others, a shortcut of the fully developed paths from ‘E21Person’ through ‘P98i was born’, ‘E67 Birth’, ‘P96 by mother’ to ‘E21 Person’, and from ‘E21Person’ through ‘P98i was born’, ‘E67 Birth’, ‘P97 from father’ to ‘E21 Person’.

Examples:

- Gaius Octavius (E29) has parent Julius Caesar (E29)
- Steve Jobs (E29) has parent Joanne Simpson (biological mother)(E29)
- Steve Jobs (E29) has parent Clara Jobs (adoption mother) (E29)

In First Order Logic:

$P152(x,y) \supset E21(x)$

$P152(x,y) \supset E21(y)$

P156 occupies (is occupied by)

Domain: [E18](#) Physical Thing

Range: [E53](#) Place

Subproperty of: [E92](#) Spacetime Volume. [P161](#) has spatial projection: [E53](#) Place

Quantification: one to one (0,1:1,1)

Scope note: This property describes the largest volume in space, an instance of [E53](#) Place, that an instance of [E18](#) Physical Thing has occupied at any time during its existence, with respect to the reference space relative to itself. This allows you to describe the thing itself as a place that may contain other things, such as a box that may contain coins. In other words, it is the volume that contains all the points which the thing has covered at some time during its existence. In the case of an instance of [E26](#) Physical Feature the default reference space is the one in which the object that bears the feature or at least the surrounding matter of the feature is at rest. In this case there is a 1:1 relation of [E26](#) Feature and [E53](#) Place. For simplicity of implementation multiple inheritance ([E26](#) Physical Feature IsA [E53](#) Place) may be a practical approach.

For instances of [E19](#) Physical Objects the default reference space is the one which is at rest to the object itself, i.e. which moves together with the object. We include in the occupied space the space filled by the matter of the physical thing and all its inner spaces.

This property is a subproperty of [P161](#) has spatial projection because it refers to its own domain as reference space for its range, whereas [P161](#) has spatial projection may refer to a place in terms of any reference space. For some instances of [E18](#) Physical Object the relative stability of form may not be sufficient to define a useful local reference space, for instance for an amoeba. In such cases the fully developed path to an external reference space and using a temporal validity component may be adequate to determine the place they have occupied.

In contrast to [P156](#) occupies, the property [P53](#) has former or current location identifies an instance of [E53](#) Place at which a thing is or has been for some unspecified time span. Further it does not constrain the reference space of the referred instance of [P53](#) Place.

In First Order Logic:

$P156(x,y) = [E18(x) \wedge E53(y) \wedge P161(x,y) \wedge P157(y,x)]$

P157 is at rest relative to (provides reference space for)

Domain: [E53](#) Place

Range: [E18](#) Physical Thing

Superproperty of: [E53](#) Place. [P59i](#) is located on or within: [E18](#) Physical Thing

Quantification: many to many, necessary, dependent (1,n:0,n)

Scope note: This property associates an instance of [E53](#) Place with the instance of [E18](#) Physical Thing that determines a reference space for this instance of [E53](#) Place by being at rest with respect to this reference space. The relative stability of form of an instance of [E18](#) Physical Thing defines its default reference space. The reference space is not spatially limited to the referred thing. For example, a ship determines a reference space in terms of which other ships in its neighbourhood may be described. Larger constellations of matter, such as continental plates, may comprise many physical features that are at rest with them and define the same reference space.

Examples:

- The spatial extent of the municipality of Athens in 2014 (E53) *is at rest relative to* The Royal Observatory in Greenwich (E25)
- The place where Lord Nelson died on H.M.S. Victory (E53) *is at rest relative to* H.M.S. Victory (E22)

In First Order Logic:

$$P157(x,y) \supset E53(x)$$

$$P157(x,y) \supset E18(y)$$

P160 has temporal projection (is temporal projection of)

Domain: [E92](#) Spacetime Volume

Range: [E52](#) Time-Span

Superproperty of: [E93](#) Presence. [P164](#) during (was time-span of): [E52](#) Time-Span

Quantification: one to one (1,1:1,1)

Scope note: This property describes the temporal projection of an instance of E92 Spacetime Volume. The property P4 has time-span is the same as P160 has temporal projection if it is used to document an instance of E4 Period or any subclass of it.

Example:

In First Order Logic:

$$P160(x,y) \supset E92(x)$$

$$P160(x,y) \supset E52(y)$$

P161 has spatial projection (is spatial projection of)

Domain: [E92](#) Spacetime Volume

Range: [E53](#) Place

Superproperty of: [E18](#) Physical Thing. [P156](#) occupies (is occupied by): [E53](#) Place

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property associates an instance of an instance of E92 Spacetime Volume with an instance of E53 Place that is the result of the spatial projection of the instance of the E92 Spacetime Volume on a reference space.

In general there can be more than one useful reference space (for reference space see *p156 occupies* and *p157 is at rest relative to*) to describe the spatial projection of a spacetime volume, for example, in describing a sea battle, the difference between the battle ship and the seafloor as reference spaces. Thus it can be seen that the projection is not unique.

The spatial projection is the actual spatial coverage of a spacetime volume, which normally has fuzzy boundaries except for instances of E92 Spacetime Volumes which are geometrically defined in the same reference system as the range of this property are an exception to this and do not have fuzzy boundaries. Modelling explicitly fuzzy spatial projections serves therefore as a common topological reference of different spatial approximations rather than absolute geometric determination, for instance for relating outer or inner spatial boundaries for the respective spacetime volumes.

In case the domain of an instance of *P161 has spatial projection* is an instance of E4 Period, the spatial projection describes all areas that period was ever present at, for instance, the Roman Empire. In case the domain of an instance of *P161 has spatial projection* is an instance of E19 Physical Object, the spatial projection has to be understood as the complete path along which the object has or has been moved during its existence.

This property is part of the fully developed path from E4 Period through *P161 has spatial projection*, E53 Place, *P89 falls within (contains)* to E53 Place, which in turn is shortcut by *P7took place at*

(witnessed.)

Example:

The Roman Empire *P161* has spatial projection all areas ever claimed by Rome .

In First Order Logic:

$P161(x,y) \supset E92(x)$

$P161(x,y) \supset E53(y)$

P164 during (was time-span of)

Domain: [E93](#) Presence

Range: [E52](#) Time-Span

Subproperty of: [E92](#) Spacetime Volume. [P160](#) has temporal projection: [E52](#) Time-Span

Quantification: (1,1 :0,n)

Scope note: This property relates an instance of E93 Presence with the chosen instance of E52 Time-Span that defines the time-slice of the spacetime volume that this instance of E93 Presence is related to by the property *P166* was a presence of (had presence).

Examples:

2016-02-09 (E52) was time-span of the last day of the 2016 Carnival in Cologne (E93).

In First Order Logic:

$P164(x,y) \supset E93(x)$

$P164(x,y) \supset E52(y)$

$P164(x,y) \supset P160(x,y)$

P165 incorporates (is incorporated in)

Domain: [E73](#) Information Object

Range: [E90](#) Symbolic Object

Subproperty of: [E90](#) Symbolic Object. [P106](#) is composed of (forms part of): [E90](#) Symbolic Object

Quantification: (0,n :0,n)

Scope note: This property associates an instance of E73 Information Object with an instance of E90 Symbolic Object (or any of its subclasses) that was included in it.

This property makes it possible to recognise the autonomous status of the incorporated signs, which were created in a distinct context, and can be incorporated in many distinct self-contained expressions, and to highlight the difference between structural and accidental whole-part relationships between conceptual entities.

It accounts for many cultural facts that are quite frequent and significant: the inclusion of a poem in an anthology, the re-use of an operatic aria in a new opera, the use of a reproduction of a painting for a book cover or a CD booklet, the integration of textual quotations, the presence of lyrics in a song that sets those lyrics to music, the presence of the text of a play in a movie based on that play, etc.

In particular, this property allows for modelling relationships of different levels of symbolic specificity, such as the natural language words making up a particular text, the characters making up the words and punctuation, the choice of fonts and page layout for the characters.

When restricted to information objects, that is, seen as a property with E73 Information Object as domain and range the property is transitive.

A digital photograph of a manuscript page incorporates the text of a manuscript page, if the respective text is defined as a sequence of symbols of a particular type, such as Latin characters, and the resolution and quality of the digital image is sufficient to resolve these symbols so they are readable on the digital image.

Examples:

- The content of Charles-Moïse Briquet's 'Les Filigranes: dictionnaire historique des marques du papier' (E32) P165 incorporates the visual aspect of the watermark used around 1358-61 by some Spanish papermaker(s) and identified as 'Briquet 4019' (E37)
- The visual content of Jacopo Amigoni's painting known as 'The Singer Farinelli and friends' (E36) P165 incorporates the musical notation of Farinelli's musical work entitled 'La Partenza' (E73)
- The visual content of Nicolas Poussin's painting entitled 'Les Bergers d'Arcadie' (E36) P165 incorporates the Latin phrase 'Et in Arcadia ego' (E33)

In First Order Logic:

$P165(x,y) \supset E73(x)$
 $P165(x,y) \supset E90(y)$
 $P165(x,y) \supset P106(x,y)$

P166 was a presence of (had presence)

Domain: [E93](#) Presence

Range: [E92](#) Spacetime Volume

Subproperty of: [E92](#) Spacetime Volume. [P10](#) falls within (contains): [E92](#) Spacetime Volume

Quantification: (1,1 : 0,n)

Scope note: This property associates an instance of E93 Presence with the instance of E92 Spacetime Volume of which it represents a temporal restriction (i.e.: a time-slice). Instantiating this property constitutes a necessary part of the identity of the respective instance of E93 Presence.

In First Order Logic:

$P166(x,y) \supset E93(x)$,
 $P166(x,y) \supset E92(y)$,
 $P166(x,y) \supset P10(x,y)$

P167 at (was place of)

Domain: [E93](#) Presence

Range: [E53](#) Place

Quantification:

Scope note: This property associates an instance of E93 Presence with an instance of E53 Place that geometrically includes the spatial projection of the respective instance of E93 Presence. Besides others, this property may be used to state in which space an object has been for some known time, such as a room of a castle or in a drawer. It may also be used to describe a confinement of the spatial extent of some realm during a known time-span. It is a shortcut of the more fully developed path from E93 Presence through P161 has spatial projection, E53 Place, P89 falls within (contains) to E53 Place.

In First Order Logic:

$P167(x,y) \supset E93(x)$
 $P167(x,y) \supset E53(y)$
 $P167(x,y) \supset (\exists z)[E53(z) \wedge P161(x,z) \wedge P89(z,y)]$

P168 place is defined by (defines place)

Domain: [E53](#) Place

Range: [E94](#) Space Primitive

Quantification: (0,n:1,1)

Scope note: This property associates an instance of E53 Place with an instance of E94 Space Primitive that defines it. Syntactic variants or use of different scripts may result in multiple instances of E94 Space Primitive

defining exactly the same place. Transformations between different reference systems always result in new definitions of places approximating each other and not in alternative definitions.

In First Order Logic:

$$P168(x,y) \supset E53(x)$$
$$P168(x,y) \supset E94(y)$$

P169 defines spacetime volume (spacetime volume is defined by)

Domain: [E95](#) Spacetime Primitive

Range: [E92](#) Spacetime Volume

Scope note: This property associates an instance of E95 Spacetime Primitive with the instance of E92 Spacetime Volume it defines.

In First Order Logic:

$$P169(x,y) \supset E95(x)$$
$$P169(x,y) \supset E92(y)$$

P170 defines time (time is defined by)

Domain: [E61](#) Time Primitive

Range: [E52](#) Time Span

Scope note: This property associates an instance of E61 Time Primitive with the instance of [E52](#) Time Span it defines.

In First Order Logic:

$$P170(x,y) \supset E61(x)$$
$$P170(x,y) \supset E52(y)$$

P171 at some place within

Domain: [E53](#) Place

Range: [E94](#) Space Primitive

Scope note: This property describes the maximum spatial extent within which an instance of E53 Place falls. Since instances of E53 Places may not have precisely known spatial extents, the CIDOC CRM supports statements about maximum spatial extents of E53 Places. This property allows an instance of an instance of E53 Places's maximum spatial extent (i.e. its outer boundary) to be assigned an E94 Space Primitive value.

P171 at some place within is a shortcut of the fully developed path *E53 Place, P89 falls within, E53 Place, P168 place is defined by, E94 Space Primitive* through a not represented declarative Place as defined in CRMgeo (Doerr and Hiebel 2013) to a Space Primitive.

Examples:

the spatial extent of the Acropolis of Athens (E53) is *at some place within* POLYGON ((37.969172 23.720787, 37.973122 23.721495 37.972741 23.728994, 37.969299 23.729735, 37.969172 23.720787)) (E94)

In First Order Logic:

$$P171(x,y) \supset E53(x)$$
$$P171(x,y) \supset E94(y)$$

P172 contains

Domain: [E53](#) Place

Range: [E94](#) Space Primitive

Scope note: This property describes a minimum spatial extent which is contained within an instance of E53 Place. Since instances of E53 Place may not have precisely known spatial extents, the CIDOC CRM supports statements about minimum spatial extents of instances of E53 Place. This property allows an instance of E53 Places's minimum spatial extent (i.e. its inner boundary or a point being within a Place) to be assigned an instance of E94 Space Primitive value.

This property is a shortcut of the fully developed path: *E53 Place, P89i contains, E53 Place, P168 place is defined by, E94 Space Primitive*

Examples:

- the spatial extent of the Acropolis of Athens (E53) *contains* POINT (37.971431 23.725947) (E94)

In First Order Logic:

$P172(x,y) \supset E53(x)$

$P172(x,y) \supset E94(y)$

P173 starts before or with the end of (ends after or with the start of)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of:

Superproperty of: [E2](#) Temporal Entity. [P174](#) starts before the end of (ends after the start of): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P119i](#) is met in time by: [E2](#) Temporal Entity

Quantification: many to many (0,n;0,n)

Scope note: This property specifies that the temporal extent of the domain instance A of E2 Temporal Entity starts before or simultaneously with the end of the temporal extent of the range instance B of E2 Temporal Entity.

In other words, if $A = [A^{start}, A^{end}]$ and $B = [B^{start}, B^{end}]$, we mean $A^{start} \leq B^{end}$ is true.

This property is part of the set of temporal primitives P173 – P176, P182 – P185.

This property corresponds to the disjunction (logical OR) of the following Allen temporal relations [Allen, 1983]: {before, meets, met-by, overlaps, starts, started-by, contains, finishes, finished-by, equals, during, overlapped by}




Figure 1: Temporal entity A starts before or with the end of temporal entity B. Here A is longer than B



Figure 2: Temporal entity A starts before or with the end of temporal entity B. Here A is shorter than B

In First Order Logic:

$P173(x,y) \supset E2(x)$

$$P173(x,y) \supset E2(y)$$

P174 starts before the end of (ends after the start of)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity. [P173](#) starts before or at the end of (ends after or with the start of): [E2](#) Temporal Entity

Superproperty of: [E2](#) Temporal Entity. [P175](#) starts before or with the start of (starts after or with the start of): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P184](#) ends before or with the end of (ends with or after the end of): [E2](#) Temporal Entity

[E7](#) Activity. [P134](#) continued (was continued by): [E7](#) Activity

[E2](#) Temporal Entity. [P118i](#) is overlapped in time by: [E2](#) Temporal Entity

Quantification: many to many (0,n;0,n)

Scope note: This property specifies that the temporal extent of the domain instance A of [E2](#) Temporal Entity starts definitely before the end of the temporal extent of the range instance B of [E2](#) Temporal Entity. In other words, if $A = [A^{start}, A^{end}]$ and $B = [B^{start}, B^{end}]$, we mean $A^{start} < B^{end}$ is true.

This property is part of the set of temporal primitives P173 – P176, P182 – P185.

This property corresponds to a disjunction (logical OR) of the following Allen temporal relations [Allen, 1983] :{before, meets, overlaps, starts, started-by, contains, finishes, finished-by, equals, during, overlapped by}

Typically, this property is a consequence of a known influence of some event on another event or activity, such as a novel written by someone being continued by someone else, or the knowledge of a defeat on a distant battlefield causing people to end their ongoing activities




Figure 3: Temporal entity A starts before the end of temporal entity B. Here A is longer than B



Figure 4: Temporal entity A starts before the end of temporal entity B. Here A is shorter than B

In First Order Logic:

$$P174(x,y) \supset E2(x)$$

$$P174(x,y) \supset E2(y)$$

$$P174(x,y) \supset P173(x,y)$$

P175 starts before or with the start of (starts after or with the start of)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity. [P174](#) starts before the end of (ends after the start of): [E2](#) Temporal Entity

Superproperty of:

[E2 Temporal Entity](#). [P176](#) starts before the start of (starts after the start of): [E2 Temporal Entity](#)
[E2 Temporal Entity](#). [P116](#) starts (is started by): [E2 Temporal Entity](#)
[E2 Temporal Entity](#). [P116i](#) is started by: [E2 Temporal Entity](#)
[E2 Temporal Entity](#). [P114](#) is equal in time to: [E2 Temporal Entity](#)

Quantification: many to many (0,n:0,n)

Scope note: This property specifies that the temporal extent of the domain instance A of E2 Temporal Entity starts before or simultaneously with the start of the temporal extent of the range instance B of E2 Temporal Entity.

In other words, if $A = [A^{start}, A^{end}]$ and $B = [B^{start}, B^{end}]$, we mean $A^{start} \leq B^{start}$ is true.

This property is part of the set of temporal primitives P173 – P176, P182 – P185.

This property corresponds to a disjunction (logical OR) of the following Allen temporal relations [Allen, 1983]: {before, meets, overlaps, starts, started-by, contains, finished-by, equals}




Figure 5: Temporal entity A starts before or with the start of temporal entity B. Here A is longer than B



Figure 6: Temporal entity A starts before or with the start of temporal entity B. Here A is shorter than B

In First Order Logic:

$P175(x,y) \supset E2(x)$
 $P175(x,y) \supset E2(y)$
 $P175(x,y) \supset P174(x,y)$

P176 starts before the start of (starts after the start of)

Domain: [E2 Temporal Entity](#)

Range: [E2 Temporal Entity](#)

Subproperty of: [E2 Temporal Entity](#). [P175](#) starts before or with the start of (starts after or with the start of): [E2 Temporal Entity](#)

Superproperty of: [E2 Temporal Entity](#). [P182](#) ends before or at the start of (starts after or with the end of): [E2 Temporal Entity](#)

[E2 Temporal Entity](#). [P118](#) overlaps in time with (is overlapped in time by): [E2 Temporal Entity](#)

[E2 Temporal Entity](#). [P115i](#) is finished by: [E2 Temporal Entity](#)

[E2 Temporal Entity](#). [P117i](#) includes: [E2 Temporal Entity](#)

Quantification: many to many (0,n:0,n)

Scope note: This property specifies that the temporal extent of the domain instance A of E2 Temporal Entity starts definitely before the start of the temporal extent of the range instance B of E2 Temporal Entity.

In other words, if $A = [A^{start}, A^{end}]$ and $B = [B^{start}, B^{end}]$, we mean $A^{start} < B^{start}$ is true.

This property is part of the set of temporal primitives P173 – P176, P182 – P185.

This property corresponds to a disjunction (logical OR) of the following Allen temporal relations [Allen, 1983]: {before, meets, overlaps, contains, finished-by}



Figure 7: Temporal entity A starts before the start of temporal entity B. Here A is longer than B



Figure 8: Temporal entity A starts before the start of temporal entity B. Here A is shorter than B

In First Order Logic:

$P176(x,y) \supset E2(x)$
 $P176(x,y) \supset E2(y)$
 $P176(x,y) \supset P175(x,y)$

P177 assigned property type

Domain: E13 Attribute Assignment
 Range: E55 Type
 Subproperty of: E1 CRM Entity. P2 has type: E55 Type
 Quantification: many to many, necessary (1,n:0,n)

Scope note: This property associates an instance of E13 Attribute Assignment with the type of property or relation that this assignment maintains to hold between the item to which it assigns an attribute and the attribute itself. Note that the properties defined by the CIDOC CRM also constitute instances of E55 Type themselves. The direction of the assigned property type is understood to be from the attributed item (the range of property P140 assigned attribute to) to the attribute item (the range of the property P141 assigned). More than one property type may be assigned to hold between two items.

Examples:

- February 1997 Current Ownership Assessment of Martin Doerr's silver cup (E13) assigned property type P52 has former or current owner (is former or current keeper of) (E55)
- 01 June 1997 Identifier Assignment of the silver cup donated by Martin Doerr (E15) assigned property type P48 has preferred identifier (is preferred identifier of) (E55)

In First Order Logic:

$P177(x,y) \supset E13(x)$
 $P177(x,y) \supset E55(y)$

P178 ends after or with (ends before or at the end of)

Deprecated, use P184 ends before or with the end of (ends with or after the end of) instead

P179 had sales price (was sales price of)

Domain: [E96](#) Purchase
 Range: [E97](#) Monetary Amount
 Subproperty of:

Scope note: This property establishes the relationship between an instance of E96 Purchase and the instance of E97 Monetary Amount that forms the compensation for the transaction.

Examples:

- The sale of Vincent van Gogh's "Vase with Fifteen Sunflowers" on 1987/03/30 (E96) had sales price

Christies' hammer price for "Vase with Fifteen Sunflowers" (E97).

In First Order Logic:

$P179(x,y) \supset E96(x)$

$P179(x,y) \supset E97(y)$

P180 has currency (was currency of)

Domain: [E97](#) Monetary Amount

Range: [E98](#) Currency

Subproperty of: [E54](#) Dimension. [P91](#) has unit (is unit of): [E58](#) Measurement Unit

Scope note: This property establishes the relationship between an instance of E97 Monetary Amount and the currency that it is measured in.

Examples:

- Christies' hammer price for "Vase with Fifteen Sunflowers" (E97) has currency British Pounds (E98).

In First Order Logic:

$P180(x,y) \supset E97(x)$

$P180(x,y) \supset E98(y)$

$P180(x,y) \supset P91(x,y)$

P181 has amount

Domain: [E97](#) Monetary Amount

Range: [E60](#) Number

Subproperty of: [E54](#) Dimension. [P90](#) has value: [E60](#) Number

Scope note: This property establishes the relationship between an instance of E97 Monetary Amount and the amount of currency, an instance of E60 Number, that it consists of.

Examples:

- Christies hammer price for "Vase with Fifteen Sunflowers" (E97) *has amount* 24,750,000 (E60).

In First Order Logic:

$P181(x,y) \supset E97(x)$

$P181(x,y) \supset E60(y)$

$P181(x,y) \supset P90(x,y)$

P182 ends before or with the start of (starts after or with the end of)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity. [P176](#) starts before the start of (starts before or with the end of): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P185](#) ends before the end of (ends after the end of): [E2](#) Temporal Entity

Superproperty of: [E2](#) Temporal Entity. [P183](#) ends before the start of (starts after the end of): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P119](#) meets in time with (is met in time by): [E2](#) Temporal Entity

Quantification: many to many (0,n;0,n)

Scope note: This property specifies that the temporal extent of the domain instance A of E2 Temporal Entity ends before or simultaneously with the start of the temporal extent of the range instance B of E2 Temporal Entity.

In other words, if $A = [A^{\text{start}}, A^{\text{end}}]$ and $B = [B^{\text{start}}, B^{\text{end}}]$, we mean $A^{\text{end}} \leq B^{\text{start}}$ is true.

This property is part of the set of temporal primitives P173 – P176, P182 – P185.

This property corresponds to a disjunction (logical OR) of the following Allen temporal relations [Allen, 1983]: {before, meets}




Figure 9: Temporal entity A ends before or with the start of temporal entity B. Here A is longer than B




Figure 10: Temporal entity A ends before or with the start of temporal entity B. Here A is shorter than B

In First Order Logic:

- $P182(x,y) \supset E2(x)$
- $P182(x,y) \supset E2(y)$
- $P182(x,y) \supset P176(x,y)$
- $P182(x,y) \supset P185(x,y)$

P183 ends before the start of (starts after the end of)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity. [P182](#) ends before or at the start of (starts after or with the end of): [E2](#) Temporal Entity

Superproperty of: [E2](#) Temporal Entity. [P120](#) occurs before (occurs after): [E2](#) Temporal Entity

Quantification: many to many (0,n;0,n)

Scope note: This property specifies that the temporal extent of the domain instance A of E2 Temporal Entity ends definitely before the start of the temporal extent of the range instance B of E2 Temporal Entity. In other words, if $A = [A^{start}, A^{end}]$ and $B = [B^{start}, B^{end}]$, we mean $A^{end} < B^{start}$ is true.

This property is part of the set of temporal primitives P173 – P176, P182 – P185.

This property corresponds to a disjunction (logical OR) of the following Allen temporal relations [Allen, 1983]: {before}




Figure 11: Temporal entity A ends before the start of temporal entity B. Here A is longer than B



Figure 12: Temporal entity A ends before the start of temporal entity B. Here A is shorter than B

In First Order Logic:

$P183(x,y) \supset E2(x)$
 $P183(x,y) \supset E2(y)$
 $P183(x,y) \supset P182(x,y)$

P184 ends before or with the end of (ends with or after the end of)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity. [P174](#) starts before the end of (ends after the start of): [E2](#) Temporal Entity

Superproperty of: [E2](#) Temporal Entity. [P185](#) ends before the end of (ends after the end of): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P114](#) is equal in time to: [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P115](#) finishes (is finished by): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P115i](#) is finished by: [E2](#) Temporal Entity

Quantification: many to many (0,n:0,n)

Scope note: This property specifies that the temporal extent of the domain instance A of [E2](#) Temporal Entity ends before or simultaneously with the end of the temporal extent of the range instance B of [E2](#) Temporal Entity.

In other words, if $A = [A^{start}, A^{end}]$ and $B = [B^{start}, B^{end}]$, we mean $A^{end} \leq B^{end}$ is true.

This property is part of the set of temporal primitives [P173](#) – [P176](#), [P182](#) – [P185](#).

This property corresponds to a disjunction (logical OR) of the following Allen temporal relations [Allen, 1983]: {before, meets, overlaps, finished by, start, equals, during, finishes}



Figure 13: Temporal entity A ends before or with the end of temporal entity B. Here A is longer than B



Figure 14: Temporal entity A ends before or with the end of temporal entity B. Here A is shorter than B

In First Order Logic:

$P184(x,y) \supset E2(x)$

$P184(x,y) \supset E2(y)$

$P184(x,y) \supset P174(x,y)$

P185 ends before the end of (ends after the end of)

Domain: [E2](#) Temporal Entity

Range: [E2](#) Temporal Entity

Subproperty of: [E2](#) Temporal Entity. [P184](#) ends before or with the end of (ends with or after the end of): [E2](#) Temporal Entity

Superproperty of:

[E2](#) Temporal Entity. [P182](#) ends before or at the start of (starts after or with the end of): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P116](#) starts (is started by): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P117](#) occurs during (includes): [E2](#) Temporal Entity

[E2](#) Temporal Entity. [P118](#) overlaps in time with (is overlapped in time by): [E2](#) Temporal Entity

Quantification: many to many (0,n:0,n)

Scope note: This property specifies that the temporal extent of the domain instance A of [E2](#) Temporal Entity ends

definitely before the end of the temporal extent of the range instance B of E2 Temporal Entity. In other words, if $A = [A^{start}, A^{end}]$ and $B = [B^{start}, B^{end}]$, we mean $A^{end} < B^{end}$ is true.

This property is part of the set of temporal primitives P173 – P176, P182 – P185.

This property corresponds to a disjunction (logical OR) of the following Allen temporal relations [Allen, 1983]: {before, meets, overlaps, starts, during}



Figure 15: Temporal entity A ends before the end of temporal entity B. Here A is longer than B




Figure 16: Temporal entity A ends before the end of temporal entity B. Here A is shorter than B

In First Order Logic:

$P185(x,y) \supset E2(x)$
 $P185(x,y) \supset E2(y)$
 $P185(x,y) \supset P184(x,y)$

P186 produced thing of product type (is produced by)

Domain: [E12](#) Production
 Range: [E99](#) Product Type
 Quantification: many to many (0,n:0,n)

Scope note: This property associates an instance of E12 Production with the instance of E99 Production Type, that is, the type of the things it produces.

Examples:

- The production activity of the Volkswagen factory during 1949-1953 (E12) *produced thing of product type* Volkswagen Type 11 (Beetle) (E99).

In First Order Logic:

$P186(x,y) \supset E12(x)$
 $P186(x,y) \supset E99(y)$

P187 has production plan (is production plan for)

Domain: [E99](#) Product Type
 Range: E29 Design or Procedure

Quantification: one to many (1,n:1,1)

Scope note: This property associates an instance of E99 Product Type with an instance of E29 Design or Procedure that completely determines the production of instances of E18 Physical Thing. The resulting instances of E18 Physical Thing are considered exemplars of this instance of E99 Product Type when the process specified is correctly executed. Note that the respective instance of E29 Design or Procedure may not necessarily be fixed in a written/graphical form, and may require the use of tools or models unique to the product type. The same E99 Product Type may be associated with several variant plans.

Examples:

- the production plans (E29) for Volkswagen Type 11 (Beetle) (E99)

In First Order Logic:

$P187(x,y) \supset E99(x)$

$P187(x,y) \supset E29(y)$

P188 requires production tool (is production tool for)

Domain: [E99](#) Product Type

Range: E19 Physical Object

Quantification: one to many (1,n:1,1)

Scope note: This property associates an instance of E99 Product Type with an instance of E19 Physical Object that is needed for the production of an instance of E18 Physical Thing. When the process of production is correctly executed in accordance with the plan and using the specified instance of E19 Physical Object, the resulting instance of E18 Physical Thing is considered an exemplar of this instance of E99 Product Type. The instance of E19 Physical Object may bear distinct features that are transformed into characteristic features of the resulting instance of E18 Physical Thing. Examples include models and moulds.

Examples:

- the luggage compartment lid mould (E19) for the Volkswagen Type 11 (Beetle) (E99)
([https://upload.wikimedia.org/wikipedia/commons/thumb/b/b5/Volkswagen_Type_1_\(Auto_classique_St._Lazare_%2710\).jpg/220px-Volkswagen_Type_1_\(Auto_classique_St._Lazare_%2710\).jpg](https://upload.wikimedia.org/wikipedia/commons/thumb/b/b5/Volkswagen_Type_1_(Auto_classique_St._Lazare_%2710).jpg/220px-Volkswagen_Type_1_(Auto_classique_St._Lazare_%2710).jpg))

In First Order Logic:

$P188(x,y) \supset E99(x)$

$P188(x,y) \supset E19(y)$

P189 approximates (is approximated by)

Domain: E53 Place

Range: E53 Place

Quantification: many to one (0,1:0,n)

Scope note: This property associates an instance of E53 Place with another instance of E53 Place, which is defined in the same reference space, and which is used to approximate the former. The property does not necessarily state the quality or accuracy of this approximation, but rather indicates the use of the first instance of place to approximate the second.

In common documentation practice, find or encounter spots e.g. in archaeology, botany or zoology are often related to the closest village, river or other named place without detailing the relation, e.g. if it is located within the village or in a certain distance of the specified place. In this case the stated “phenomenal” place found in the documentation can be seen as approximation of the actual encounter spot without more specific knowledge.

In more recent documentation often point coordinate information is provided that originates from GPS measurements or georeferencing from a map. This point coordinate information does not state the actual place of the encounter spot but tries to approximate it with a “declarative” place. The accuracy depends on the methodology used when creating the coordinates. It may be dependent on technical limitations like GPS accuracy but also on the method where the GPS location is taken in relation to the measured feature. If the methodology is known a maximum deviation from the measured point can be calculated and the encounter spot or feature may be related to the resulting circle using an instance of *P171 at some place within*.

Examples:

In First Order Logic:

$P189(x,y) \supset E53(x)$

$P189(x,y) \supset E53(y)$

$P189(x,y,z) \supset [P189(x,y) \wedge E55(z)]$

Properties: P189.1 has type: [E55](#) Type

P190 has symbolic content

Domain: E90 Symbolic Object

Range: E62 String

Subproperty of: [E1](#) CRM Entity. [P3](#) has note: [E62](#) String

Quantification: many to many (0,n:0,n)

Scope note: This property associates an instance of E90 Symbolic Object with a complete, identifying representation of its content in the form of an instance of E62 String.

This property only applies to instances of E90 Symbolic Object that can be represented completely in this form. The representation may be more specific than the symbolic level defining the identity condition of the represented. This depends on the type of the symbolic object represented. For instance, if a name has type "Modern Greek character sequence", it may be represented in a loss-free Latin transcription, meaning however the sequence of Greek letters.

As another example, if the represented object has type "English words sequence", American English or British English spelling variants may be chosen to represent the English word "colour" without defining a different symbolic object. If a name has type "European traditional name", no particular string may define its content..

Examples:

- The materials description (E33) of the painting *has symbolic content* "Oil, French Watercolors on Paper, Graphite and Ink on Canvas, with an Oak frame."
- The title (E35) of Einstein's 1915 text *has symbolic content* "Relativity, the Special and the General Theory"
- The story of Little Red Riding Hood (E33) *has symbolic content* "Once upon a time there lived in a certain village ..."
- The inscription (E34) on Rijksmuseum object SK-A-1601 *has symbolic content* "B"

In First Order Logic:

$P190(x,y) \supset E90(x)$

$P190(x,y) \supset E62(y)$

P191 had duration (was duration of)

Domain: E52 Time-Span

Range: E54 Dimension

Quantification: one to one (1,1:1,1)

Scope note: This property describes the length of time covered by an instance of E52 Time-Span. It allows an instance of E52 Time-Span to be associated with an instance of E54 Dimension representing duration independent from the actual beginning and end. Indeterminacy of the duration value can be expressed by assigning a numerical interval to the property P90 has value of E54 Dimension.

Examples:

- the time span of the Battle of Issos 333 B.C.E. (E52) had duration Battle of Issos duration (E54)

In First Order Logic:

$P191(x,y) \supset E52(x)$

$P191(x,y) \supset E54(y)$

References:

- Aczel, A. D., 2007. *The artist and the mathematician: the story of Nicolas Bourbaki, the genius mathematician who never existed*. London: High Stakes.
- Allen, J., 1983 Maintaining knowledge about temporal intervals. *Communications of the ACM*, **26**, pp. 832-843.
- Atlas, R.D., 2001. Enron's collapse: The Options; A Trend Toward Liquidation, Not Company Reorganization. *The New York Times*, 30 November.
- Barber, N., 1994. *World War II*. London: Evans Brothers.
- Barber, R. L. N. 1999. *Athens*. London: A.& C. Black.
- Barton, S. J., 1992. *The study of an electrically insulating resin for humid environments*. London: Kingston University Press.
- Beckman, O., 1998. Celsius, Linne and the Celsius Temperature Scale. *Bulletin of the Scientific Instrument Society*, no. 56, pp. 17-23.
- Berkoff, S., 2013. *Sturm und Drang*. London: Bloomsbury.
- Bortolatto, L. R., 1981. *Tout l'oeuvre peint de Monet, 1870-1899*. Paris.
- Braithwaite, A., 1977. *Bath from Roman time*. Cambridge: Dinosaur Publications for Bath City Council.
- British Museum. 1972. *Treasures of Tutankhamun, [Exhibition catalogue]*. London: British Museum.
- Brown, L., and Lenny, H., 1979. *Nelson Mandela*. London: Dorling Kindersley.
- Butson, T., 1986. *Mikhail Gorbachev*. New York: Chelsea House.
- Cali, J., and Dougil, J., 2012. *Shinto Shrines, A Guide to the Sacred Sites of Japan's Ancient Religion*. Honolulu: University of Hawaii Press.
- Camardo, D., 2013. Herculeum from the ad 79 eruption to the medieval period, analysis of the documentary, iconographic and archaeological sources, with new data on the beginning of exploration at the ancient town, *Papers of the British School at Rome*, **81**, pp.303-340
- Carroll, L. 1981. *Jabberwocky and Other Poems*. London: Macmillan Children's Books.
- Casson, S., 1942. *Greece*. London: Oxford University Press.
- Chan, H., 2011. *Ming Taizu (r. 1368-98) and the foundation of the Ming Dynasty in China*. Farnham: Ashgate Variorum.
- Chester, D.K., 2001. The 1755 Lisbon earthquake. *Progress in physical geography: an international review of geographical work in the natural and environmental sciences*, **25**(3), pp. 363-384.
- Childe, G.V., 1963. *The Bronze Age*. New York: Biblo & Tannen.
- Chipp, J. H., 1988. *Picasso's Guernica: history, transformations, meanings*. Berkeley: University of California Press.
- Clarke, J., 1992. London Town in the desert Famed bridge centrepiece of Brit-mania in Arizona lake Havasu City, Ariz. *Toronto Star*, 21 November 1992, p.G16
- Cooper, B.L., 2008. Blue Suede Shoes: A Rockabilly Session by Carl Perkins and friends. *Popular music and society*. **31** (3), pp. 398-399.
- Correll, J. Lee, 1972. *Welcome to the land of the Navajo. A Book of Information about the Navajo Indians*. 3rd edition. Watson, L. Editha, ed. Arizona: Window rock.
- Cox, N., 2000. *Cubism*. London: Phaidon.
- Craig, N. C. and Gislason, E. A., 2002. First Law of Thermodynamics; Irreversible and Reversible Processes. *Journal of chemical education*, (79) 2, p. 193.
- Crocker, B., 2012. *Betty Crocker vegetarian cooking*. Hoboken: Wiley.
- Dalrymple, W., 2017. *Koh-i-Noor: the history of the world's most infamous diamond*. London: Bloomsbury Publishing.
- Daniel, B. C., 2014. A graceful return of the drachma. *European economic review*, vol. 71, pp. 228-243.
- Dewey, D., 2003. *The Little Mermaid*. *Scandinavian Review*, **91** (1), p.34.
- Doerr M., Hiebel G., Eide Ø, CRMgeo: Linking the CRM to GeoSPARQL through a Spatiotemporal Refinement, TECHNICAL

- Dolan, J. W., 2005. The Bermuda Triangle. *LC GC North America*, **23** (4), pp. 370-375.
- Droste, M., Gössel, P., 2006. *The Bauhaus 1919-1933, reform and avant-garde*, Köln: Taschen.
- Edwards, I. E. S., 1979. *Tutankhamun: his tomb and its treasures*, London: Gollancz.
- Ellery Queen, 1964. *Ellery Queen's Book of Mystery Stories*. London.
- Evans, A., 1921-36. *The palace of Minos: a comparative account of the successive stages of the early Cretan civilization as illustrated by the discoveries at Knossos*. London: Macmillan & Co.
- Exxon Mobil Corp, 2006. Mergent's dividend achievers. **3** (3), pp. 97-97.
- Farnie, D. A., 1980. *The Manchester Ship Canal and the rise of the Port of Manchester, 1894-1975*. Manchester: Manchester University Press.
- Farrand, M., 1913. *The Framing of the constitution of the United States*. United States: Yale University Press.
- Gangemi, A., Guarino, N., Masolo, C., Oltramari, A., & Schneider, L. 2002. Sweetening ontologies with DOLCE. In A. Gómez-Pérez & V. R. Benjamins (eds), *Knowledge Engineering and Knowledge Management. Ontologies and the Semantic Web, 13th International Conference, EKAW 2002, October 1-4, 2002, Sigüenza, Spain, Proceedings*. Lecture Notes in Computer Science 2473 Springer 2002, ISBN 3-540-44268-5: pp.166-181.
- George, A. R., 2000. The final sack of Nineveh. The discovery, documentation, and destruction of King Sennacherib's throne room at Nineveh, Iraq. *Journal of the Royal Asiatic Society*, **10** (1), pp.84-85.
- Georgoula, E., eds., 2005. *Greek treasures from the Benaki Museum in Athens*. Sydney: Powerhous Pub. in association with Benaki Museum.
- Gergatsoulis, M. et al., 2010. Mapping Cultural Metadata Schemas to CIDOC Conceptual Reference Model. In *Lecture Notes in Computers Science*, pp. 404-413
- Getty Trust J. P., 1990. *Art & architecture thesaurus*. New York: Oxford University Press.
- Gibson, J. L., 1986. *Ian McKellen*. London: Weidenfeld and Nicolson.
- Gleick, J., 2003. *Isaac Newton*. London: Fourth Estate.
- Gregor, H., 1971. *The S.S. Great Britain*. London: Published for the S.S. Great Britain Project by Macmillan,
- Gurcke, K., 1987. *Bricks and brickmaking: a handbook for historical archaeology*. Moscow, Idaho: University of Idaho Press.
- Håfors, B., 2010. Conservation of the wood of the Swedish warship Vasa of A.D. 1628, evaluation of polyethylene glycol conservation programmes. Göteborg: Acta Universitatis Gothoburgensis.
- Hagensen Boyer, M., 1959. *Japanese export lacquers from the seventeenth century in the National Museum of Denmark*. Copenhagen: National Museum.
- Hallam, A., 1975. *Jurassic environments*. Cambridge: Cambridge University Press.
- Harbutt, F., 2010. *Yalta 1945: Europe and America at the crossroads*. Cambridge: Cambridge University Press.
- Harrison, R.J. c2004. *Symbols and warriors, images of the European Bronze Age*. Bristol: Western Academic & Specialist Press.
- Hartle, J. B., 2003. *Gravity: an introduction to Einstein's general relativity*. San Francisco: Addison-Wesley.
- Hau, L. V., et al., 1999. Light speed reduction to 17 metres per second In an ultracold atomic gas. *Nature*, no 6720, pp. 594-597.
- Hawass, Z., 2000. *The mysteries of Abu Simbel, Ramesses II and the temples of the rising sun*. Cairo: American University in Cairo.
- Hegen, E., 1966. *Highways into the Upper Amazon Basin. Pioneer lands in Southern Colombia, Ecuador and Northern Peru*. Gainesville: University of Florida Press.
- Herbert, C. M., 1994. *The story of Webster's third, Philip Gove's controversial dictionary and its critics*. Cambridge: Cambridge University Press.
- Hershberger, A. J., Jenkins, T. M. and Robacker, C., 2015. Molecular Genetic Variability of *Spigelia marilandica* and *S. gentianoides*, *Journal of the American society for horticultural science*, **140** (2), pp. 120-128.
- Hilmo, M.A., 2004. *Medieval images, icons, and illustrated English literary texts, from the Ruthwell Cross to the Ellesmere Chauce*. Aldershot: Ashgate Publishing.
- Hind, A., M., 1923. *A Catalogue of Rembrandt's Etchings, chronologically arranged and completely illustrated*. London: Methuen

& Co.

- Holliday, I., Marcou, G., and Vickerman, R. W., 1991. *The Channel Tunnel, public policy, regional development, and European integration*. London; New York, Belhaven Press.
- Hopkins, K., and Beard, M., 2005. *The Colosseum*. London: Profile.
- Hoyt, E. P., 1993. *199 days: the battle of Stalingrad*. New York: Tor.
- Hufford, D. J., and Horwitz, P., 2005. Fixing the Hole in the Ozone Layer: A Success in the Making. *Natural resources & environment*, **19** (4), pp. 8-14.
- Huray, P.G., 2010. *Maxwell's equations*. Oxford: Wiley-Blackwell.
- Ingamells, J., 1990. *The Wallace collection*. London: Scala.
- International Organization for Standardization (ISO). "ISO 1000. SI units and recommendations for the use of their multiples and of certain other units." Reference number: ISO 1000:1992. Geneva: International Organization for Standardization.
- International Organization for Standardization (ISO). "ISO 639. Code for the Representation of Names of Languages". Reference number: ISO 639:1988 (E/F). Geneva: International Organization for Standardization, 1988. iii + 17 pages.
- Irwin, W. A., 1935. *The Julius Caesar Murder Case*. New York, London: D. Appleton-Century Co.
- ISO 21127:2014 - Information and documentation — A reference ontology for the interchange of cultural heritage information.
- Jones, R. F., 1979. *George Washington*. Boston: Twayne Publishers.
- Kershaw, R., 1999. *Owed to joy: theme and 6 variations on Beethoven's Ode to joy, in the style of Bach, Mozart, Mendelssohn, Dvořák, Wagner and Scott Joplin: string orchestra*. Monmouth: Spartan Press.
- Kogan, H., 1958. *The great EB, the story of the Encyclopædia Britannica*. Chicago: University of Chicago Press; London: Cambridge University Press.
- Kousser, R., 2005. Creating the Past: The Vénus de Milo and the Hellenistic Reception of Classical Greece, *American Journal of Archaeology*, **109** (2), pp. 227-250.
- Kouwenhoven, A., 1997. Newsbriefs: World's Oldest Spears, *Archaeology*, **50** (3).
- Kozak, M., 1998. *Greenpeace*. Oxford: Heinemann Library.
- Lamb, R., 2005. Alexander The Great and Bucephalus, *Horse & Rider*, **44** (6), p.19.
- Lee, S.J., 1991. *The thirty years war*. London: Routledge.
- Lennon, J., 1967. *Lucy in the sky with diamonds*. Words and music by John Lennon and Paul McCartney. London: Northern Songs.
- Lockwood, L., 2015. *Beethoven's symphonies: an artistic vision*. New York: W. W. Norton & Company.
- Lovell, J., and Kluger, J., 1994. *Lost Moon: The Perilous Voyage of Apollo 13*, Boston: Houghton Mifflin Co.
- Lowe Fri, M., 2011. *The Minoan double axe, an experimental study of production and use*. Oxford: Archaeopress.
- Macdonald, F., 1992. *The Italian renaissance*, London: Collins Educational.
- Maddox, S., 2015. *Saving Stalin's Imperial City: Historic Preservation in Leningrad, 1930–1950*, Indiana: University Press.
- McCullough, C., 2005. *The merchant of Venice*. Basingstoke: Palgrave Macmillan.
- Mellen, J., 2002. *Seven samurai*. London: BFI Pub.
- Mhaske, S.T., 2011. Polycarbonate: Medical applications, *Chemical weekly*, **56** (30), pp. 201-204.
- Mohen, J. P., 2006. *Mona Lisa: inside the painting*. New York: Abrams.
- Monast**, J. Tao, B., 2003. In Memoriam: Senator Paul Wellstone. *Georgetown international environmental law review*, **15** (part 2), pp. 133-134.
- Nelson, A. H., (ed.), 1989. *Cambridge*. Toronto: University of Toronto Press.
- Norman, C. F. W., 1986. *Corrosion of aluminium*. University of Manchester Press.
- Nuessel, F., 2000. *The Esperanto language*. New York: Legas.
- Overy, R. J., 2012. *20th century*. London: Dorling Kindersley.

- Owen, J., 2009. *Forever Amber: The impact of the Amber Room on Russia's cultural stature then, now and in the future*, PhD Thesis, ProQuest Dissertations Publishing.
- Palmer, L., R., 1980. *The Greek language*. London: Faber.
- Paoletti, J. T., 2015. *Michelangelo's David: Florentine history and civic identity*. New York: Cambridge University Press.
- Pineda, I., 1993. *Spanish language*. London: University of London.
- Pipes, R., 1964. *The Formation of the Soviet Union: Communism and Nationalism 1917-1923*. Harvard University Press.
- Poe, E. A., 1869. *The Raven*. Glasgow.
- Pomeroy, S.B., 1984. *Women in Hellenistic Egypt, from Alexander to Cleopatra*. New York: Schocken Books.
- Psimenos, S., 2005. *Unexplored Peloponnese*. Greece: Road Editions.
- Reaney, G., 1974. *Guillaume de Machaut*. London: Oxford University Press.
- Richards, J., 2005. *Stonehenge*. Swindon: English Heritage.
- Rickard, P., 1974. *A history of the French language*. London: Hutchinson.
- Rose, H., 1978. *The US dollar and its role as a reserve currency*. London: British-North American Research Association.
- Scarratt K. and Shor R., 2006. The Cullinan Diamond Centennial: A History and Gemological Analysis of cullinans I And II. *Gem and Gemology*, **42** (2), pp.120-132.
- Shipway, J. S., Bouch, T. Sir., Baker B., and Fowler J. Sir., 1990. The Forth Railway Bridge centenary 1890-1990. *ICE Proceedings*, **88** (6), pp.1079-1107.
- Siegler, M. A., Smrekar, S. E., 2014. Lunar heat flow: Regional prospective of the Apollo landing sites. *Journal of Geophysical Research: Planets*. **119** (1), pp. 47.
- Sinkevicius, S., Narusevicius, V., 2002. Investigation of anaphase aberrations in Chaffinch (*Fringilla coelebs* Linnaeus, 1758) populations from different regions of Lithuania. *Acta zoologica Lituanica*, 12 (part 1), pp. 3-9.
- Smails, N. W., 1975. *Beautiful Lake Geneva, a collection of views of the many features, both natural and architectural, which lend attractiveness to this charming resort*. Washington: Library of Congress Photoduplication Service.
- Smith, B. & Varzi, A., 2000. Fiat and Bona Fide Boundaries. *Philosophy and Phenomenological Research*, **60** (2), pp. 401–420.
- Smith, W., 1844-49. *Dictionary of Greek and Roman biography and mythology*. London: Murray.
- Solomon, B., 2003. *Railway Masterpieces*. Newton Abbot: David & Charles.
- Steinbeck, J., 2000. *The Log from the Sea of Cortez*. Penguin Classics.
- Stevenson, R. L., 1909. *Doktoro Jekyll kaj Sinjoro Hyde*. Trans. Mann, W., Morrison, W.. London, W.C.: The British Esperado Association.
- Stoneman, A., 2004. *Alexander the Great*. London: Routledge.
- Strano, T., 1953. *Leonard da Vinci*. Milano.
- Strauss, W. L., 1974. *The complete drawings of Albrecht Dürer*. New York: Abaris Books.
- Temperton, P., 1997. *The euro*. Chichester: Wiley.
- Temple, R., 2009. *The Sphinx mystery, the forgotten origins of the sanctuary of Anubis*. Rochester, Vt., Inner Traditions.
- Thieberger, F., 1947. *King Solomon*. Oxford & London: East and West Library.
- Tingay, P., 2008. *Vienna*. London: New Holland.
- Tissandier, G., 1889. *The Eiffel Tower: a description of the monument*. London: Sampson Low.
- Trell, B., 1945. *The Temple of Artemis at Ephesos*. New York: American Numismatic Society.
- United Nations Security Council. 2002. Resolution 1441 (8 November 2002). [Online] Available from: <http://www.un.org/Depts/unmovic/documents/1441.pdf>
- Walker, K., 2007. *Geneva*. Peterborough: Thomas Cook Publishing.
- Walker, S., 2004. *The Portland vase*. London: British Museum.

- Watrous, V., 2012. *An Archaeological Survey of the Gournia Landscape, A Regional History of the Mirabello Bay, Crete, in Antiquity*. Philadelphia, Penn.: INSTAP Academic Press.
- Watson, M. J., 1990. *Cluster compounds of gold and the platinum metals*. University of Oxford Press.
- Whittington, H., 1964. *The Fall of the Roman Empire*. London: Frederick Muller.
- Wicks, R., 2014. *Heathrow Airport operations manual: 1929 onwards, designing, building and operating the world's busiest international airport*. Haynes Publishing.
- Williams, S. A., 1993. *The Greeks*. Wayland.
- Wilson, M., 1983. *The Impressionists*. Oxford Phaidon.
- Wilson, R. L., 1983. *English language*. London: Letts.
- Yakel, E., 2000. Museums, Management, Media, and Memory, Lessons from the Enola Gay Exhibition. *Libraries and Culture*, **35** (2), p.278.

APPENDIX

Editorial notes

Editors: Nick Crofts Martin Doerr, Tony Gill Stephen Stead, Matthew Stiff
City of Geneva, ICS-FORTH, RLG, Paveprime Ltd, English Heritage
Geneva, Heraklion-Crete, Mountain View, London Swindon,
Switzerland Greece CA, USA UK UK

Creation Date: 11-07-1998

Last Modified: 24-10-2003

The present version of the CIDOC CRM incorporates a series of amendments to version 3.2.1, submitted to ISO and accepted as Committee Draft ISO/CD 21127. These amendments were the result of a systematic exploration of the requirements for the intended scope of the CIDOC CRM as decided in summer 2001. This includes in particular documentation in Natural History, archaeology and the ability to communicate with traditional and Digital Libraries. These amendments have been developed and approved by the CIDOC CRM Special Interest Group, ISO/TC46/SC4/WG9 in a series of meetings together with various invited experts in the period from July 2001 to October 2003.

With this version, the cycle of amendments to extend the functionality of the CIDOC CRM ends. The development team felt that the task to cover the intended scope as outlined in July 2001 and the general functionality required by members of the team up to now has been successfully fulfilled. Further amendments should only concern editorial changes to improve the clarity of the text. Therefore, the modelling constructs of the CIDOC CRM are expected to undergo no changes from this version until the final International Standard.

With version 3.3.2, we have changed the format of the Definition of the CIDOC CRM. We present:

1. A general introduction to the model (as before)
2. The hierarchy of entities as an indented list (as before)
3. The hierarchy of properties as an indented list
4. The definition of each entity
5. The definition of each property.

We took out all cross-reference information, i.e. inherited properties, direct and inherited inverse references of properties at the range entity, as well as the indices to properties, alphabetically, by range and by domain. So this document remains the pure definition, whereas the full cross-referenced text will appear as an additional hypertext document, which will be semi-automatically generated. The reason for this change are: (1) the size of the cross-referenced document exceeds what one would normally print in one document. (2) the cross-referencing does not contribute to the definition. (3) Translators of the document are forced to manually trace the consistency of the cross-referencing, a nearly impossible task. The cross-referenced document is of course the only one, that allows for fully understanding the model by reading and for using it in conceptual modelling.

We further removed the references to the metamodel under which the CIDOC CRM was initially developed. Even though the use of this metamodel has contributed a lot to the rigidity of developing the CIDOC CRM, it seems to be of minor importance for the use of the Model itself. Moreover it needs reworking, and metamodeling is still not a standard procedure in conceptual modelling. Therefore the development team decided not to make it a part of the standard to become.

We present in the Annex the amendment history from version 3.2.1 on. This, together with the meeting minutes and the "issues list" on the CIDOC CRM home page, allows for tracing the correctness of this document with respect to the decisions of the development team.

Amendments

The amendments can be found in “Amendments of the CIDOC: Conceptual reference Model ver. 6.2.5: volume B”