

# Definition of the CIDOC Conceptual Reference Model

Produced by the ICOM/CIDOC
Documentation Standards Group,
Continued by the
CIDOC CRM Special Interest Group

Version 6.1

February 2015

Current Main Editors: Patrick Le Boeuf, Martin Doerr, Christian Emil Ore, Stephen Stead

Contributors: Trond Aalberg, Detlev Balzer, Chryssoula Bekiari, Lina Boudouri, Nick Crofts, Gordon Dunsire, Øyvind Eide, Tony Gill, Günther Goerz, Monika Hagedorn-Saupe, Gerald Hiebel, Jon Holmen, Juha Inkari, Dolores Iorizzo, Juha Kotipelto, Siegfried Krause, Karl Heinz Lampe, Carlos Lamsfus, Jutta Lindenthal, Mika Nyman, Pat Riva, Lene Rold, Richard Smiraglia, Regine Stein, Matthew Stiff, Maja Žumer

### **Table of Contents**

Introduction	i
Objectives of the CIDOC CRM	
Scope of the CIDOC CRM	
Compatibility with the CRM	
Utility of CRM compatibility	
The Information Integration Environment	
CRM-Compatible Form	
CRM Compatibility of Data Structure	
CRM Compatibility of Information Systems	
Compatibility claim declaration	
Applied Form	
Terminology	
Property Quantifiers.	
Naming Conventions	
Modelling principles	
Monotonicity	
•	
Minimality	
Shortcuts	
Disjointness	
About Types Extensions	
Coverage	
Examples Class & Property Wisconships	
Class & Property Hierarchies	
CIDOC CRM Class Hierarchy	
CIDOC CRM Property Hierarchy:	
CIDOC CRM Class Declarations.	
E1 CRM Entity	
E2 Temporal Entity	
E3 Condition State	
E4 Period	
E5 Event	
E6 Destruction	
E7 Activity	
E8 Acquisition	
E9 Move	
E10 Transfer of Custody	
E11 Modification	
E12 Production	
E13 Attribute Assignment	
E14 Condition Assessment	
E15 Identifier Assignment	
E16 Measurement	
E17 Type Assignment	
E18 Physical Thing	
E19 Physical Object	
E20 Biological Object	
E21 Person	
E22 Man-Made Object	
E24 Physical Man-Made Thing	
E25 Man-Made Feature	
E26 Physical Feature	
E27 Site	
E28 Conceptual Object	
E29 Design or Procedure	
E30 Right	16

E31 Document	
E32 Authority Document	
E33 Linguistic Object	16
E34 Inscription	
E35 Title	
E36 Visual Item	
E37 Mark	
E38 Image	
E39 Actor	
E40 Legal Body	
E41 Appellation	
E42 Identifier	
E44 Place Appellation	
E45 Address	
E46 Section Definition	
E47 Spatial Coordinates	
E48 Place Name	
E49 Time Appellation	
E50 Date	23
E51 Contact Point	23
E52 Time-Span	23
E53 Place	
E54 Dimension	
E55 Type	
E56 Language	
E57 Material	
E58 Measurement Unit	
E59 Primitive Value	
E60 Number	
E61 Time Primitive	
E62 String	
E63 Beginning of Existence	
E64 End of Existence	
E65 Creation	
E66 Formation	
E67 Birth	
E68 Dissolution	
E69 Death	
E70 Thing	
E71 Man-Made Thing	31
E72 Legal Object	31
E73 Information Object	
E74 Group	
E75 Conceptual Object Appellation	
E77 Persistent Item	
E78 Collection	
E79 Part Addition	
E80 Part Removal	
E81 Transformation	
E82 Actor Appellation	
* *	
E83 Type Creation	
E84 Information Carrier	
E85 Joining	
E86 Leaving	
E87 Curation Activity	
E89 Propositional Object	
E90 Symbolic Object	38
E92 Spacetime Volume	39
E93 Spacetime Snapshot	
OOC CRM Property Declarations	

P1 is identified by (identifies)	
P2 has type (is type of)	42
P3 has note	
P4 has time-span (is time-span of)	43
P5 consists of (forms part of)	43
P7 took place at (witnessed)	44
P8 took place on or within (witnessed)	44
P9 consists of (forms part of)	
P10 falls within (contains)	
P11 had participant (participated in)	45
P12 occurred in the presence of (was present at)	
P13 destroyed (was destroyed by)	
P14 carried out by (performed).	
P15 was influenced by (influenced)	
P16 used specific object (was used for)	47
P17 was motivated by (motivated)	48
P19 was intended use of (was made for):	
P20 had specific purpose (was purpose of)	
P21 had general purpose (was purpose of)	40
P22 transferred title to (acquired title through)	
P23 transferred title from (surrendered title through)	
P24 transferred title of (changed ownership through)	
P25 moved (moved by)	
P26 moved to (was destination of)	50
P27 moved from (was origin of)	
P28 custody surrendered by (surrendered custody through)	
P29 custody received by (received custody through)	51
P30 transferred custody of (custody transferred through)	
P31 has modified (was modified by)	
P32 used general technique (was technique of)	
P33 used specific technique (was used by)	53
P34 concerned (was assessed by)	53
P35 has identified (was identified by)	54
P37 assigned (was assigned by)	54
P38 deassigned (was deassigned by)	54
P39 measured (was measured by)	55
P40 observed dimension (was observed in)	
P41 classified (was classified by)	
P42 assigned (was assigned by)	
P43 has dimension (is dimension of)	
P44 has condition (is condition of)	
P45 consists of (is incorporated in)	
P46 is composed of (forms part of)	
P48 has preferred identifier (is preferred identifier of)	
P49 has former or current keeper (is former or current keeper of)	
P50 has current keeper (is current keeper of)	
P51 has former or current owner (is former or current owner of)	
P52 has current owner (is current owner of)	
P53 has former or current location (is former or current location of)	
P54 has current permanent location (is current permanent location of)	
P55 has current location (currently holds)	
P56 bears feature (is found on)	
P57 has number of parts	
P58 has section definition (defines section)	
P59 has section (is located on or within)	
P62 depicts (is depicted by)	62
P65 shows visual item (is shown by)	63
P67 refers to (is referred to by)	
P68 foresees use of (use foreseen by)	
P69 has association with (is associated with)	

P70 documents (is documented in)	
P71 lists (is listed in)	65
P72 has language (is language of)	65
P73 has translation (is translation of)	
P74 has current or former residence (is current or former residence of)	66
P75 possesses (is possessed by)	
P76 has contact point (provides access to)	
P78 is identified by (identifies)	
P79 beginning is qualified by	
P80 end is qualified by	
P81 ongoing throughout	67
P82 at some time within	
P83 had at least duration (was minimum duration of)	
P84 had at most duration (was maximum duration of)	68
P86 falls within (contains)	69
P87 is identified by (identifies)	69
P89 falls within (contains)	69
P90 has value	
P91 has unit (is unit of)	70
P92 brought into existence (was brought into existence by)	70
P93 took out of existence (was taken out of existence by)	70
P94 has created (was created by)	71
P95 has formed (was formed by)	71
P96 by mother (gave birth)	71
P97 from father (was father for)	72
P98 brought into life (was born)	72
P99 dissolved (was dissolved by)	73
P100 was death of (died in)	73
P101 had as general use (was use of)	73
P102 has title (is title of)	
P103 was intended for (was intention of)	74
P104 is subject to (applies to)	
P105 right held by (has right on)	
P106 is composed of (forms part of)	
P107 has current or former member (is current or former member of)	
P108 has produced (was produced by)	
P109 has current or former curator (is current or former curator of)	
P110 augmented (was augmented by)	
P111 added (was added by)	
P112 diminished (was diminished by)	
P113 removed (was removed by)	
P114 is equal in time to	
P115 finishes (is finished by)	
P116 starts (is started by)	
P117 occurs during (includes)	
P118 overlaps in time with (is overlapped in time by)	
P119 meets in time with (is met in time by)	
P120 occurs before (occurs after)	
P121 overlaps with	
P122 borders with	
P123 resulted in (resulted from)	
P124 transformed (was transformed by)	
P125 used object of type (was type of object used in)	
P126 employed (was employed in)	
P127 has broader term (has narrower term)	
P128 carries (is carried by)	
P129 is about (is subject of)	
P130 shows features of (features are also found on)	
P131 is identified by (identifies)	
P132 overlaps with	
1 128 O 1911ups Willi	∪+

P133 is separated from	
P134 continued (was continued by)	84
P135 created type (was created by)	85
P136 was based on (supported type creation)	85
P137 exemplifies (is exemplified by)	
P138 represents (has representation)	
P139 has alternative form	
P140 assigned attribute to (was attributed by)	
P141 assigned (was assigned by)	
P142 used constituent (was used in)	
P143 joined (was joined by)	
P144 joined with (gained member by)	
P145 separated (left by)	
P146 separated from (lost member by)	
P147 curated (was curated by)	
P148 has component (is component of)	
P149 is identified by (identifies)	
P150 defines typical parts of (defines typical wholes for)	91
P151 was formed from (participated in)	91
P152 has parent (is parent of)	91
P156 occupies	
P157 is at rest relative to (provides reference space for)	
P160 has temporal projection	
P161 has spatial projection	03
P164 is restricted by	
P165 incorporates (is incorporated in)	
References:	
Editorial notes	
Amendments to version 3.3	
Amendments to version 3.3.1	
Amendments to version 3.3.2.	
Amendments to version 3.4	103
Amendments to version 3.4.1	106
Amendments to version 3.4.2	106
Amendments to version 3.4.9.	
Amendments to version 4.2.	
Amendments to version 4.2.1.	
P16 used specific object (was used for)	
P32 used general technique (was technique of)	
P33 used specific technique (was used by)	100
P35 has identified (identified by)	
Amendments to version 4.2.2	
E1 CRM Entity	
E3 Condition State	
E4 Period	
E15 Identifier Assignment	110
E29 Design or Procedure	111
E33 Linguistic Object	111
E41 Appellation	
E42 Identifier	
E51 Contact Point.	
E54 Dimension	
E74 Group	
<u> •</u>	
E85, E80 have been added	
E85 Joining	
E80 Leaving	
P3 has note	
P36	
P37 assigned (was assigned by)	
P38 deassigned (was deassigned by)	114

P47 is identified by(identifies)	115
P48 has preferred identifier (is preferred identifier of	115
P69 is associated with	115
P139 has alternative form	115
P142, P143, P144, P145, P146, P148	116
P142 used constituent (was used in)	116
P143 joined (was joined by)	116
P144 joined with (gained member by)	117
P145 separated (left by)	
P146 separated from (lost member by)	117
P148 is identified by (identifies)	
Amendments to version 4.2.4.	
Delete the word "domain"	
E15	
E42	
E85 and E86	
Amendments to version 4.2.5.	
Changes in the terminology.	
E89, E90 have been added:	
E89 Propositional Object	
E90 Symbolic Object	
P148 has been changed	
P67, P129 changed domain	
P106 changed domain and range	
Changes in the scope note of E7 Activity P16	
P16 used specific object (was used for)	123
Changes to E54	
Changes to the text of E28	
E28 Conceptual Object	
E28 Conceptual Object	
Changes in the domain, range and superproperty of P137	
P137 is exemplified by (exemplifies) (old)	
P137 exemplifies (is exemplified by) (NEW)	
P39	
P39 measured (was measured by):	
P39 measured (was measured by):	
Amendments to version 4.2.5a	
The range and the scope note of P20 has been changed	
P20 had specific purpose (was purpose of)	
The scope note of P21 has been changed and an example is added	
P21 had general purpose (was purpose of)	
P105 has been superproperty of P52	
1	
P105 right held by (has right on)	
Proofreading:	
Amendments to version 4.3	
P68 usually employs (is usually employed by)	
Compatibility	
About Types	
E55 Type	
E66 Formation	
P143 joined was joined by)	
P144 joined with (gained member by)	
P5 consists of	
E78 Collection	
E87 Curation Activity	
P147 curated (was curated by)	
P109 has current or former curator (is current or former curator of)	
Amendments to version 5.0	
Compatibility claim declaration	142

E78 Collection	
P107 has current or former member (is current or former member of)	142
P144 joined with (gained member by)	
Proofreading:	
Amendments to version 5.01	144
Proofreading:	
Amendments to version 5.02	144
E5 Event, E6 Destruction	
E12 Production	
E29 Design or Procedure	145
E35 Title	145
E70 Thing	145
E75 Conceptual Object Appellation	
E81 Transformation – issue 165	146
P4 has time-span (is time-span of)	146
P5 consists of (forms part of)	146
P14 carried out by (performed) – issue 170	146
P44 has condition (is condition of) – issue 144	147
P62 depicts (is depicted by)	
P65 shows visual item (is shown by) – issue 169	147
P107 has current or former member (is current or former member of)	147
P148 has component (is component of)	147
Proofreading:	147
Amendments to version 5.0.3	149
E11 Modification	149
E51 Contact Point	149
E89 Propositional Object	149
P2 has type (is type of)	149
P33 used specific technique (was used by)	149
P68 foresees use of (use foreseen by)	150
P69 is associated with	150
P71 lists (is listed in)	150
P101 had as general use (was use of)	150
P111 added (was added by)	
P113 removed (was removed by)	150
P128 carries (is carried by)	150
P149 is identified by (identifies)	151
Proofreading:	151
Amendments to version 5.0.4	
Change the text in objectives of the CIDOC CRM	152
P109 is subproperty of P49	152
P111 is subproperty of P16	152
Proofreading:	
Amendments to draft version 5.1 (November 2012)	153
Change the authors list in the first page of CIDOC-CRM	153
Change in the scope note of E41	
New property P151 has been added	
Changes in the scope note of E90 Symbolic Object	
Changes in the scope note of P50, P52, P55, P54	
P88 consists of (forms part of) has been deleted	
The range of P142 used constituent (was used in) is changed	156
New property P150 has been added	157
New property P152 has been added	157
Proofreading:	
Amendments to draft version 5.1.1	
Addition to the monotonicity text in page xvi	
The range of P8 took place on or within (witnessed)	
The name of the property P69 is associated with	159
Examples in E28 Conceptual Object	
The scope note of E90 Symbolic Object	159

New property for E55 Type about narrower term partitive	
The range of P142 used constituent (was used in)	160
Examples have been added to E7 Activity	
Proofreading	161
Amendments 5.1.2	161
The scope note of E74 is changed	161
Multiple Instantiation	161
P138 represents (has representation)	162
P69 has association with (is associated with)	162
P56 bears feature (is found on)	163
Co reference statement	164
Scope note of P32 used general technique (was technique of)	164
Spatiotemporal Entities and Properties	165
Proofreading	168
Amendments 6.0	168
Inverse of a property	168
E2 Temporal Entity	169
E4 Period	169
E39 Actor	171
E74 Group	171
P134 continued (was continued by)	171
P69 has association with (is associated with)	
E75 Conceptual Object Appellation	172
P138 represents (has representation)	
P152 has parent (is parent of)	172
P165 incorporates (is incorporated in)	173
E93 Spacetime Snapshot	174
P157 is at rest relative to (occupied)	
P158 occupied	
P159 occupied	177
P161 has spatial projection	
P9 consists of (forms part of)	
P89 falls within (contains)	
E31 Document	
E73 Information Object	
E70 Thing	
Inverse Subproperties of P130	
E84 Information Carrier	
P128 carries (is carried by)	
Proofreading:	
Amendments 6.1	
FOL representation	
E73 Information Object	
P150 defines typical parts of (defines typical wholes for)	
E59 Primitive Value	
E91 Co-Reference Assignment	
P158 occupied, P159 occupied	
P152 has parent	
P165 incorporates (is incorporated in)	
P72 has language (is language of)	183

# **Definition of the CIDOC Conceptual Reference Model**

## Introduction

This document is the formal definition of the CIDOC Conceptual Reference Model ("CRM"), a formal ontology intended to facilitate the integration, mediation and interchange of heterogeneous cultural heritage information. The CRM is the culmination of more than a decade of standards development work by the International Committee for Documentation (CIDOC) of the International Council of Museums (ICOM). Work on the CRM itself began in 1996 under the auspices of the ICOM-CIDOC Documentation Standards Working Group. Since 2000, development of the CRM has been officially delegated by ICOM-CIDOC to the CIDOC CRM Special Interest Group, which collaborates with the ISO working group ISO/TC46/SC4/WG9 to bring the CRM to the form and status of an International Standard.

# **Objectives of the CIDOC CRM**

The primary role of the CRM is to enable information exchange and integration between heterogeneous sources of cultural heritage information. It aims at providing the semantic definitions and clarifications needed to transform disparate, localised information sources into a coherent global resource, be it within a larger institution, in intranets or on the Internet.

Its perspective is supra-institutional and abstracted from any specific local context. This goal determines the constructs and level of detail of the CRM.

More specifically, it defines and is restricted to the **underlying semantics** of database schemata and document **structures** used in cultural heritage and museum documentation in terms of a formal ontology. It does **not** define any of the **terminology** appearing typically as data in the respective data structures; however it foresees the characteristic relationships for its use. It does **not** aim at proposing what cultural institutions **should** document. Rather it explains the logic of what they actually currently document, and thereby enables **semantic interoperability.** 

It intends to provide a model of the intellectual structure of cultural documentation in logical terms. As such, it is not optimised for implementation-specific storage and processing aspects. Implementations may lead to solutions where elements and links between relevant elements of our conceptualizations are no longer explicit in a database or other structured storage system. For instance the birth event that connects elements such as father, mother, birth date, birth place may not appear in the database, in order to save storage space or response time of the system. The CRM allows us to explain how such apparently disparate entities are intellectually interconnected, and how the ability of the database to answer certain intellectual questions is affected by the omission of such elements and links.

The CRM aims to support the following specific functionalities:

- Inform developers of information systems as a guide to good practice in conceptual modelling, in order to effectively structure and relate information assets of cultural documentation.
- Serve as a common language for domain experts and IT developers to formulate requirements and to agree on system functionalities with respect to the correct handling of cultural contents.
- To serve as a formal language for the identification of common information contents in different data formats; in particular to support the implementation of automatic data transformation algorithms from local to global data structures without loss of meaning. The latter being useful for data exchange, data migration from legacy systems, data information integration and mediation of heterogeneous sources.
- To support associative queries against integrated resources by providing a global model of the basic classes and their associations to formulate such queries.
- It is further believed, that advanced natural language algorithms and case-specific heuristics can take significant advantage of the CRM to resolve free text information into a formal logical form, if that is regarded beneficial. The CRM is however not thought to be a means to replace scholarly text, rich in meaning, by logical forms, but only a means to identify related data.

Users of the CRM should be aware that the definition of data entry systems requires support of community-specific terminology, guidance to what should be documented and in which sequence, and application-specific consistency controls. The CRM does not provide such notions.

By its very structure and formalism, the CRM is extensible and users are encouraged to create extensions for the needs of more specialized communities and applications.

# Scope of the CIDOC CRM

The overall scope of the CIDOC CRM can be summarised in simple terms as the curated knowledge of museums.

However, a more detailed and useful definition can be articulated by defining both the Intended Scope, a broad and maximally-inclusive definition of general application principles, and the Practical Scope, which is expressed by the overall scope of a

reference set of specific identifiable museum documentation standards and practices that the CRM aims to encompass, however restricted in its details to the limitations of the Intended Scope.

The Intended Scope of the CRM may be defined as all information required for the exchange and integration of heterogeneous scientific documentation of museum collections. This definition requires further elaboration:

- The term "scientific documentation" is intended to convey the requirement that the depth and quality of descriptive information that can be handled by the CRM should be sufficient for serious academic research. This does not mean that information intended for presentation to members of the general public is excluded, but rather that the CRM is intended to provide the level of detail and precision expected and required by museum professionals and researchers in the field.
- The term "museum collections" is intended to cover all types of material collected and displayed by museums and related institutions, as defined by ICOM<sup>1</sup>. This includes collections, sites and monuments relating to fields such as social history, ethnography, archaeology, fine and applied arts, natural history, history of sciences and technology.
- The documentation of collections includes the detailed description of individual items within collections, groups of items and collections as a whole. The CRM is specifically intended to cover contextual information: the historical, geographical and theoretical background that gives museum collections much of their cultural significance and value.
- The exchange of relevant information with libraries and archives, and the harmonisation of the CRM with their models, falls within the Intended Scope of the CRM.
- Information required solely for the administration and management of cultural institutions, such as information relating to personnel, accounting, and visitor statistics, falls outside the Intended Scope of the CRM.

The Practical Scope<sup>2</sup> of the CRM is expressed in terms of the current reference standards for museum documentation that have been used to guide and validate the CRM's development. The CRM covers the same domain of discourse as the union of these reference standards; this means that data correctly encoded according to these museum documentation standards there can be a CRM-compatible expression that conveys the same meaning.

# Compatibility with the CRM

## **Utility of CRM compatibility**

The goal of the CRM is to enable the integration of the largest number of information resources. Therefore it aims to provide the greatest flexibility of systems to become compatible, rather than imposing one particular solution.

Users intending to take advantage of the semantic interoperability offered by the CRM may want to make parts of their data structures compatible with the CRM. Compatibility may pertain either to the associations by which users would like their data to be accessible in an integrated environment, or to the contents intended for transport to other environments, allowing encoded meaning to be preserved in a target system.

The CRM does not require complete matching of all user documentation structures with the CRM, nor that systems should always implement all CRM concepts and associations; instead it leaves room both for extensions, needed to capture the full richness of cultural information, and for simplifications, required for reasons of economy.

Furthermore, the CRM provides a means of interpreting structured information so that large amounts of data can be transformed or mediated automatically. It does not require unstructured or semi-structured free text information to be analysed into a formal logical representation. In other words, it does not aim to provide more structure than users have previously provided. The interpretation of information in the form of free text falls outside the scope of compatibility considerations. The CRM does, however, allow free text information to be integrated with structured information.

# The Information Integration Environment

The notion of CRM compatibility is based on *interoperability*. Interoperability is best defined on the basis of specific communication practices between *information systems*. Following current practice, we distinguish the following types of information integration environments pertaining to information systems:

1. Local information systems. These are either collection management systems or content management systems that constitute institutional memories and are maintained by an institution. They are used for primary data entry, i.e. a relevant part of the information, be it data or metadata, is primary information in digital form that fulfils

<sup>&</sup>lt;sup>1</sup> The ICOM Statutes provide a definition of the term "museum" at http://icom.museum/statutes.html#2

<sup>&</sup>lt;sup>2</sup> The Practical Scope of the CIDOC CRM, including a list of the relevant museum documentation standards, is discussed in more detail on the CIDOC CRM website at http://cidoc.ics.forth.gr/scope.html

institutional needs.

- 2. *Integrated access systems*. These provide an homogeneous access layer to multiple local systems. The information they manage resides primarily on local systems. We distinguish between:
  - a. *Materialized access systems*, which physically *import* data provided by local systems, using a data warehouse approach. Such systems may employ so-called metadata harvesting techniques or rely on data submission. Data may be transformed to respect the schema of the access system before being merged.
  - b. *Mediation systems*, [Gio Wiederholt] which send out queries, formulated according to a virtual global schema, to multiple local systems and then collect and integrate the answers. The queries may be transformed to a local schema either by the mediation system or by the receiving local system itself.

Local systems may also *import* data from other systems, in order to complement collections, or to merge information from other systems. An information system may *export* information for migration and preservation.

Compatibility with the CRM pertains to one or more of the following data communication capabilities or use cases:

- 1. data falling within the scope of the CRM can be *exported* from an information system into an encoded form without loss of meaning with respect to CRM concepts;
- 2. data falling within the scope of the CRM can be *transformed* into another encoded form without loss of meaning with respect to CRM concepts;
- 3. data falling within the scope of the CRM can be *imported* from an encoded form into an information system without loss of meaning with respect to CRM concepts;
- 4. data falling within the scope of the CRM that is contained in an information system can be *queried and retrieved exhaustively* in terms of CRM concepts, subject to the expressive power of a particular query language.

Any declaration of CRM compatibility must specify one or more of the above use cases. System and data structure providers shall not declare their products as "CRM compatible" without specifying the appropriate use cases as detailed below.

In the context of this chapter, the expression "without loss of meaning with respect to the CRM concepts" means the following: The CRM concepts are used to classify items of discourse and their relationships. By virtue of this classification, data can be understood as propositions of a kind declared by the CRM about real world facts, such as "Object x. forms part of: Object y". In case the encoding, i.e. the language used to describe a fact, is changed, only an expert conversant with both languages can assess if the two propositions do indeed describe the same fact. If this is the case, then there is no loss of meaning with respect to CRM concepts. Communities of practice requiring fewer concepts than the CRM declares may restrict CRM compatibility with respect to an explicitly declared subset of the CRM.

Users of this standard may communicate CRM compatible data, as detailed below, with data structures and systems that are either more detailed and specialized than the CRM or whose scope extends beyond that of the CRM. In such cases, the standard guarantees only the preservation of meaning with respect to CRM concepts. However, additional information that can be regarded as extending CRM concepts may be communicated and preserved in CRM compatible systems through the appropriate use of controlled terminology. The specification of the latter techniques does not fall under the scope of this standard. Communities of practice requiring extensions to the CRM are encouraged to declare their extensions as CRM-compatible standards.

# CRM-Compatible Form

The CRM is a formal ontology which can be expressed in terms of logic or a suitable knowledge representation language. Its concepts can be instantiated as sets of statements that provide a model of reality. We call any encoding of such CRM instances in a formal language that preserves the relations between the CRM *classes*, *properties* and *inheritance rules* a "CRM-compatible form". Hence data expressed in any CRM-compatible form can be automatically transformed into any other CRM-compatible form without loss of meaning. Classes and properties of the CRM are identified by their initial codes, such as "E55" or "P12". The names of classes and properties of a CRM-compatible form *may be translated into any local language*, but the identifying codes must be preserved. A CRM-compatible form *should not implement the quantifiers* of CRM properties as cardinality constraints for the encoded instances. Quantifiers may be implemented in an informative way, or not at all. Statements that violate quantifiers should be treated as *alternative knowledge*.

Any encoding of CRM instances in a formal language that preserves the relations within a consistent *subset* of CRM *classes*, *properties* and *inheritance rules* is regarded a "reduced CRM-compatible form", if:

- all the conditions applicable to a *CRM compatible form* are respected;
- the subset does not violate the rules of subsumption and inheritance;
- any instance of the reduced CRM-compatible form is also a valid instance of a (full) CRM compatible form
- the subset contains at least the following concepts:

```
CRM Entity
E1
E2
             Temporal Entity
                 Period
E4
E5
                     Event
E7
                         Activity
E11
                             Modification
                                Production
E12
                             Attribute Assignment
E13
                             Creation
E65
                         Beginning of Existence
E63
                             Production
E12
E65
                             Creation
E64
                         End of Existence
E77
             Persistent Item
E70
                 Thing
E72
                     Legal Object
E18
                         Physical Thing
E24
                            Physical Man-Made Thing
E90
                         Symbolic Object
                     Man-Made Thing
E71
                         Physical Man-Made Thing
E24
                         Conceptual Object
E28
                             Propositional Object
E89
                                 Right
E30
E73
                                 Information Object
E90
                             Symbolic Object
E41
                                 Appellation
                                 Information Object
E73
E55
                             Type
                 Actor
E39
E74
                     Group
             Time-Span
E52
             Place
E53
             Dimension
E54
        Primitive Value
E59
             Time Primitive
E61
             String
E62
```

Prope	Property Name	Entity – Domain	Entity - Range
rty id			
P1	is identified by (identifies)	E1 CRM Entity	E41 Appellation
P2	has type (is type of)	E1 CRM Entity	E55 Type
P3	has note	E1 CRM Entity	E62 String
P4	has time-span (is time-span of)	E2 Temporal Entity	E52 Time-Span
P7	took place at (witnessed)	E4 Period	E53 Place
P10	falls within (contains)	E4 Period	E4 Period
P12	occurred in the presence of (was present at)	E5 Event	E77 Persistent Item
P11	<ul> <li>had participant (participated in)</li> </ul>	E5 Event	E39 Actor
P14	carried out by (performed)	E7 Activity	E39 Actor
P16	<ul> <li>used specific object (was used for)</li> </ul>	E7 Activity	E70 Thing
P31	<ul> <li>has modified (was modified by)</li> </ul>	E11 Modification	E24 Physical Man-Made Thing
P108	has produced (was produced by)	E12 Production	E24 Physical Man-Made Thing
P92	- brought into existence (was brought into existence by)	E63 Beginning of Existence	E77 Persistent Item
P108	has produced (was produced by)	E12 Production	E24 Physical Man-Made Thing
P94	<ul> <li>- has created (was created by)</li> </ul>	E65 Creation	E28 Conceptual Object
P93	<ul> <li>took out of existence (was taken out of existence by)</li> </ul>	E64 End of Existence	E77 Persistent Item
P15	was influenced by (influenced)	E7 Activity	E1 CRM Entity
P16	<ul> <li>used specific object (was used for)</li> </ul>	E7 Activity	E70 Thing
P20	had specific purpose (was purpose of)	E7 Activity	E5 Event
P43	has dimension (is dimension of)	E70 Thing	E54 Dimension
P46	is composed of (forms part of)	E18 Physical Thing	E18 Physical Thing
P59	has section (is located on or within)	E18 Physical Thing	E53 Place
P67	refers to ( is referred to by)	E89 Propositional Object	E1 CRM Entity
P75	possesses (is possessed by)	E39 Actor	E30 Right
P81	ongoing throughout	E52 Time-Span	E61 Time Primitive
P82	at some time within	E52 Time-Span	E61 Time Primitive
P89	falls within (contains)	E53 Place	E53 Place
P104	is subject to (applies to)	E72 Legal Object	E30 Right
P106	is composed of (forms part of)	E90 Symbolic Object	E90 Symbolic Object
P107	has current or former member (is current or former member	E74 Group	E39 Actor

Prope rty id	Property Name	Entity – Domain	Entity - Range	
	of)			
P127	has broader term (has narrower term)	E55 Type	E55 Type	
P128	carries (is carried by)	E18 Physical Thing	E90 Symbolic Object	
P130	shows features of (features are also found on)	E70 Thing	E70 Thing	
P140	assigned attribute to (was attributed by)	E13 Attribute Assignment	E1 CRM Entity	
P141	assigned (was assigned by)	E13 Attribute Assignement	E1 CRM Entity	
P148	has component (is component of)	E89 Propositional Object	E89 Propositional Object	

## CRM Compatibility of Data Structure

A data structure is *export-compatible* with the CRM if it is possible to transform any data from this data structure into a CRM-compatible form *without loss of meaning*. Implicit concepts may be present in elements of the data structure that are not supported by the CRM. As long as these concepts can be encoded as instances of E55 Type (i.e. as terminology) and attached unambiguously to their respective data items with suitable properties, the data structure is *still regarded as* export compatible.

Note that not all CRM concepts may be represented by elements of an export-compatible data structure. All data from export-compatible data structures can be transported in a CRM-compatible form. In particular any CRM compatible form or *reduced CRM-compatible form* is export-compatible with the CRM.

A data structure is *import-compatible* with the CRM if it is possible to automatically transform any data from a CRM-compatible form into this data structure *without loss of meaning*, simply on the basis of knowledge about the data structure elements being used. This implies that a data record transformed into this data structure from a CRM-compatible form can be transformed back into the CRM-compatible form *without loss of meaning*. Note that the back-transformation into a CRM-compatible form may result in a data record that is semantically equivalent but not identical with the original.

Any CRM-compatible form is automatically import-compatible with the CRM. Note that an import-compatible data structure may be semantically richer than the CRM. It may contain elements that, through the use of a transformation algorithm, can be made to correspond to CRM concepts or specializations thereof or that contain elements with meanings that fall outside the scope of the CRM. However, it must not contain elements that overlap in meaning with CRM concepts and which cannot be subsumed via transformation by a CRM concept other than E1 CRM Entity and E77 Persistent Item.

Import-compatible data structures may be used to transport data for applications that require concepts that lie beyond the scope of the CRM, as well as data from any export-compatible data structure. Note that, in general, applications may *make use* of data from a CRM import-compatible data structure that has been exported into a CRM compatible form by semantic reduction to CRM concepts, i.e. by generalizing all subsumed concepts to the most specific CRM concept applicable, and by discarding elements that fall outside the scope of the CRM.

A data structure is *partially import-compatible* with the CRM if the above holds for a reduced CRM-compatible form.

# CRM Compatibility of Information Systems

**An information system is** *export-compatible* **with the CRM** if it is possible to export all user data from this information system into an import-compatible data structure. This capability is the recommended kind of CRM-compatibility for *local information systems*.

An information system is *partially export compatible* if it is possible to export all user data from this information system into a partially import-compatible data structure. This is not the recommended kind of CRM-compatibility, but it may not be feasible for legacy systems to acquire a higher level of CRM compatibility without unreasonable effort. This reduced level of CRM compatibility is nonetheless highly useful.

Note that there is no minimum requirement for the classes and properties that must be present in the exported user data. Therefore it is possible that the data may pertain to instances of just a single property, such as E21 Person. *P131 is identified by*: E82 Actor Appellation.

An information system is *import-compatible* with the CRM if it is possible to import data encoded in a CRM-compatible form and to access the data in a manner equivalent to and homogeneous with all generic data of this system that fall under the same concepts. This capability is considered as the normal kind of CRM compatibility for *integrated* 

access systems that physically copy source data in a data warehouse style (materialized access systems).

An information system is *partially import-compatible* with the CRM if it is possible to import data encoded in a reduced CRM-compatible form and to access the data in a manner equivalent to and homogeneous with all generic data of this system that fall under the same concepts. Depending on the functional requirements, it makes sense for integrated access systems to offer access services of reduced complexity by being only partially import-compatible with the CRM.

Note that it makes sense for integrated access systems to import data from extended data structures by semantic reduction to CRM defined concepts.

Note that local information system providers may choose to make their systems import-compatible with the CRM in order to exchange data, for example in the case of museum object loans or for system migration purposes. Communities of practice may choose to agree on import compatibility for extended data structures.

Some local information systems are likely to focus on specialized subject areas, such as inscriptions. For these specialized systems, the ability to import a specific data structure is recommended. This should be export-compatible with the CRM, and encompass the concepts that are required by the subject matter ("dedicated import compatibility").

An information system is *access-compatible* with the CRM if it is possible to access the user data in the information system by querying with CRM classes and properties so that the meaning of the answers to the queries corresponds to the query terms used. It is not regarded as a reduction of compatibility if access is limited to data deemed to be exchanged.

An information system is *partially access-compatible* with the CRM if it is possible to access the user data in the information system by querying with a consistent subset of CRM classes and properties, corresponding to a reduced CRM-compatible form, so that the meaning of the answers to the queries corresponds to the query terms used.

An access-compatible system may be *export-compatible* with respect to the query answers. Note that it may make sense for an access-compatible content management system to return only content items in response to queries rather than being export compatible.




fig. 1: Possible data flow between different kinds of CRM-compatible systems and data structures

Fig. 1 shows a symbolic representation of some of the data flow patterns defined above between different kinds of CRM-compatible systems and data structures. In this figure it is assumed that the Local System B exports data into a CRM export-compatible data structure, which implies that it can be exported into a CRM-compatible form or any other CRM import-compatible data structure. Therefore Local System B is export-compatible with the CRM. For Local System A,

the figure symbolizes the case where the exported data contain elements that correspond to specializations of the CRM or fall out of its scope.

## Compatibility claim declaration

A provider of a data structure or information system claiming compatibility with the CRM has to provide a declaration that describes the kind of compatibility and, depending on the kind, the following additional information:

- For export-compatible data structures:
  - The subset of CRM concepts directly instantiated by any possible data in this data structure after transformation into a CRM-compatible form.
- For export-compatible systems:
  - a. A declaration of configurable user data elements, if any, that are not semantically restricted to a CRM Concept (other than E1 CRM Entity or E77 Persistent Item).
  - b. User data elements or units that are not exported.
  - c. The subset of CRM concepts directly instantiated by any possible data exported from the system after transformation into a CRM-compatible form.
- For partially or dedicated import-compatible systems:
  - The subset of CRM concepts under which data can be imported into the system.
- For access-compatible systems:
  - a. The query language by which the system can be queried.
  - b. The subset of CRM concepts directly instantiated by any possible query answers exported from the system after transformation into a CRM-compatible form.
  - c. For partially access-compatible systems, the subset of CRM concepts by which the system can be queried.

The provider should be able to demonstrate the claim with suitable test data. The provider should be able to demonstrate its claim according to certain procedures included in any applicable certificate practice related statement.

The provider should either make evidence of these procedures publicly available on the Internet on a site nominated by the ISO community of use, so that any third party is able to verify the claim with suitable test data, or acquire a certificate by a certification authority (CA).

A trusted third party recognised and authorised by a competent regulatory authority to act as a CA in this practice area, should be able to verify the credentials of the provider applying for such certificate and thus, of its claim with suitable test data, before issuing the certificate so that the users can trust the information in the CA certificates.

The CA will grant the provider of the certified system the right to use the "CRM compatible" logo..

# **Applied Form**

The CRM is an ontology in the sense used in computer science. It has been expressed as an object-oriented semantic model, in the hope that this formulation will be comprehensible to both documentation experts and information scientists alike, while at the same time being readily converted to machine-readable formats such as RDF Schema, KIF, DAML+OIL, OWL, STEP, etc. It can be implemented in any Relational or object-oriented schema. CRM instances can also be encoded in RDF, XML, DAML+OIL, OWL and others.

Although the definition of the CRM provided here is complete, it is an intentionally compact and concise presentation of the CRM's 89 classes and 151 unique properties. It does not attempt to articulate the inheritance of properties by subclasses throughout the class hierarchy (this would require the declaration of several thousand properties, as opposed to 137). However, this definition does contain all of the information necessary to infer and automatically generate a full declaration of all properties, including inherited properties.

#### **Terminology**

The following definitions of key terminology used in this document are provided both as an aid to readers unfamiliar with object-oriented modelling terminology, and to specify the precise usage of terms that are sometimes applied inconsistently across the object oriented modelling community for the purpose of this document. Where applicable, the editors have tried to consistently use terminology that is compatible with that of the Resource Description Framework (RDF)<sup>3</sup>, a recommendation of the World Wide Web Consortium. The editors have tried to find a language which is comprehensible to the non-computer expert and precise enough for the computer expert so that both understand the intended meaning.

Class A class is a category of items that share one or more common traits serving as criteria to

<sup>&</sup>lt;sup>3</sup> Information about the Resource Description Framework (RDF) can be found at http://www.w3.org/RDF/ *Definition of the CIDOC Conceptual Reference Model* 

identify the items belonging to the class. These **properties** need not be explicitly formulated in logical terms, but may be described in a text (here called a **scope note**) that refers to a common conceptualisation of domain experts. The sum of these traits is called the **intension** of the class. A class may be the **domain** or **range** of none, one or more properties formally defined in a model. The formally defined properties need not be part of the intension of their domains or ranges: such properties are optional. An item that belongs to a class is called an **instance** of this class. A class is associated with an open set of real life instances, known as the **extension** of the class. Here "open" is used in the sense that it is generally beyond our capabilities to know all instances of a class in the world and indeed that the future may bring new instances about at any time (**Open World**). Therefore a class cannot be defined by enumerating its instances. A class plays a role analogous to a grammatical noun, and can be completely defined without reference to any other construct (unlike properties, which must have an unambiguously defined domain and range). In some contexts, the terms individual class, entity or node are used synonymously with class. For example:

Person is a class. To be a Person may actually be determined by DNA characteristics, but we all know what a Person is. A Person may have the property of being a member of a Group, but it is not necessary to be member of a Group in order to be a Person. We shall never know all Persons of the past. There will be more Persons in the future.

subclass

A subclass is a **class** that is a specialization of another class (its **superclass**). Specialization or the IsA relationship means that:

- 1. all **instances** of the subclass are also instances of its superclass,
- 2. the **intension** of the subclass extends the intension of its superclass, i.e. its traits are more restrictive than that of its superclass and
- 3. the subclass inherits the definition of all of the **properties** declared for its superclass without exceptions (**strict inheritance**), in addition to having none, one or more properties of its own.

A subclass can have more than one immediate superclass and consequently inherits the properties of all of its superclasses (**multiple inheritance**). The IsA relationship or specialization between two or more classes gives rise to a structure known as a class hierarchy. The IsA relationship is transitive and may not be cyclic. In some contexts (e.g. the programming language C++) the term derived class is used synonymously with subclass.

#### For example:

Every Person IsA Biological Object, or Person is a subclass of Biological Object.

Also, every Person IsA Actor. A Person may die. However other kinds of Actors, such as companies, don't die (c.f. 2).

Every Biological Object IsA Physical Object. A Physical Object can be moved. Hence a Person can be moved also (c.f. 3).

superclass

A superclass is a **class** that is a generalization of one or more other classes (its **subclasses**), which means that it subsumes all **instances** of its subclasses, and that it can also have additional instances that do not belong to any of its subclasses. The **intension** of the superclass is less restrictive than any of its subclasses. This subsumption relationship or generalization is the inverse of the IsA relationship or specialization.

In some contexts (e.g. the programming language C++) the term parent class is used synonymously with superclass.

#### For example:

"Biological Object subsumes Person" is synonymous with "Biological Object is a superclass of Person". It needs fewer traits to identify an item as a Biological Object than to identify it as a Person.

intension

The intension of a **class** or **property** is its intended meaning. It consists of one or more common traits shared by all **instances** of the class or property. These traits need not be explicitly formulated in logical terms, but may just be described in a text (here called a **scope note**) that refers to a conceptualisation common to domain experts. In particular the so-called **primitive** concepts, which make up most of the CRM, cannot be further reduced to other concepts by logical terms.

extension

The extension of a **class** is the set of all real life **instances** belonging to the class that fulfil

the criteria of its **intension**. This set is "open" in the sense that it is generally beyond our capabilities to know all instances of a class in the world and indeed that the future may bring new instances about at any time (**Open World**). An information system may at any point in time refer to some instances of a class, which form a subset of its extension.

scope note

A scope note is a textual description of the **intension** of a **class** or **property.** 

Scope notes are not formal modelling constructs, but are provided to help explain the intended meaning and application of the CRM's classes and properties. Basically, they refer to a conceptualisation common to domain experts and disambiguate between different possible interpretations. Illustrative example **instances** of classes and properties are also regularly provided in the scope notes for explanatory purposes.

instance

An instance of a **class** is a real world item that fulfils the criteria of the **intension** of the class. Note, that the number of **instances** declared for a class in an information system is typically less than the total in the real world. For example, you are an instance of Person, but you are not mentioned in all information systems describing Persons.

For example:

The painting known as the "The Mona Lisa" is an instance of the class Man Made Object.

An instance of a **property** is a factual relation between an instance of the **domain** and an instance of the **range** of the property that matches the criteria of the **intension** of the property.

For example:

"The Louvre is current owner of The Mona Lisa" is an instance of the property "is current owner of".

property

A property serves to define a relationship of a specific kind between two **classes.** The property is characterized by an **intension**, which is conveyed by a **scope note.** A property plays a role analogous to a grammatical verb, in that it must be defined with reference to both its **domain** and **range**, which are analogous to the subject and object in grammar (unlike classes, which can be defined independently). It is arbitrary, which class is selected as the domain, just as the choice between active and passive voice in grammar is arbitrary. In other words, a property can be interpreted in both directions, with two distinct, but related interpretations. Properties may themselves have properties that relate to other classes (This feature is used in this model only in order to describe dynamic subtyping of properties). Properties can also be specialized in the same manner as classes, resulting in IsA relationships between **subproperties** and their **superproperties**.

In some contexts, the terms attribute, reference, link, role or slot are used synonymously with property.

For example:

"Physical Man-Made Thing *depicts* CRM Entity" is equivalent to "CRM Entity *is depicted* by Physical Man-Made Thing".

inverse of

The inverse of a property is the reinterpretation of a **property** from **range** to **domain** without more general or more specific meaning, similar to the choice between active and passive voice in some languages. In contrast to some knowledge representation languages, such as RDF and OWL, we regard that the inverse of a property is not a property in its own right that needs an explicit declaration of being inverse of another, but an interpretation implicitly existing for any property. The inverse of the inverse of a property is identical to the property itself, i.e. its primary sense of direction.

For example:

"CRM Entity is depicted by Physical Man-Made Thing" is the inverse of "Physical Man-Made Thing depicts CRM Entity"

subproperty

A subproperty is a **property** that is a specialization of another property (its **superproperty**). Specialization or IsA relationship means that:

- 1. all **instances** of the subproperty are also instances of its superproperty,
- 2. the **intension** of the subproperty extends the intension of the superproperty, i.e. its traits are more restrictive than that of its superproperty,
- the domain of the subproperty is the same as the domain of its superproperty or a subclass of that domain,
- 4. the **range** of the subproperty is the same as the range of its superproperty or a

- subclass of that range,
- 5. the subproperty inherits the definition of all of the properties declared for its superproperty without exceptions (**strict inheritance**), in addition to having none, one or more properties of its own.

A subproperty can have more than one immediate superproperty and consequently inherits the properties of all of its superproperties (**multiple inheritance**). The IsA relationship or specialization between two or more properties gives rise to the structure we call a property hierarchy. The IsA relationship is transitive and may not be cyclic.

Some object-oriented programming languages, such as C++, do not contain constructs that allow for the expression of the specialization of properties as sub-properties.

Alternatively, a property may be subproperty of the **inverse of** another property, i.e. reading the property from range to domain. In that case,

- 1. all instances of the subproperty are also instances of the inverse of the other property,
- 2. the intension of the subproperty extends the intension of the inverse of the other property, i.e. its traits are more restrictive than that of the inverse of the other property,
- 3. the domain of the subproperty is the same as the range of the other property or a subclass of that range,
- the range of the subproperty is the same as the domain of the other property or a subclass of that domain.
- 5. the subproperty inherits the definition of all of the properties declared for the other property without exceptions (strict inheritance), in addition to having none, one or more properties of its own. The definitions of inherited properties have to be interpreted in the inverse sense of direction of the subproperty, i.e., from range to domain.

superproperty

A superproperty is a **property** that is a generalization of one or more other properties (its **subproperties**), which means that it subsumes all **instances** of its subproperties, and that it can also have additional instances that do not belong to any of its subproperties. The **intension** of the superproperty is less restrictive than any of its subproperties. The subsumption relationship or generalization is the inverse of the IsA relationship or specialization. A superproperty may be a generalization of the **inverse of** another property

domain

The domain is the **class** for which a **property** is formally defined. This means that **instances** of the property are applicable to instances of its domain class. A property must have exactly one domain, although the domain class may always contain instances for which the property is not instantiated. The domain class is analogous to the grammatical subject of the phrase for which the property is analogous to the verb. It is arbitrary, which class is selected as the domain and which as the **range**, just as the choice between active and passive voice in grammar is arbitrary. Property names in the CRM are designed to be semantically meaningful and grammatically correct when read from domain to range. In addition, the inverse property name, normally given in parentheses, is also designed to be semantically meaningful and grammatically correct when read from range to domain.

range

The range is the **class** that comprises all potential values of a **property**. That means that **instances** of the property can link only to instances of its range class. A property must have exactly one range, although the range class may always contain instances that are not the value of the property. The range class is analogous to the grammatical object of a phrase for which the property is analogous to the verb. It is arbitrary, which class is selected as **domain** and which as range, just as the choice between active and passive voice in grammar is arbitrary. Property names in the CRM are designed to be semantically meaningful and grammatically correct when read from domain to range. In addition the inverse property name, normally given in parentheses, is also designed to be semantically meaningful and grammatically correct when read from range to domain.

inheritance

Inheritance of **properties** from **superclasses** to **subclasses** means that if an item x is an **instance** of a **class** A, then

1. all properties that must hold for the instances of any of the superclasses of A must also hold for item x, and

all optional properties that may hold for the instances of any of the superclasses of A may also hold for item x.

strict inheritance

Strict **inheritance** means that there are no exceptions to the inheritance of **properties** from **superclasses** to **subclasses**. For instance, some systems may declare that elephants are grey, and regard a white elephant as an exception. Under strict inheritance it would hold that: if all elephants were grey, then a white elephant could not be an elephant. Obviously not all elephants are grey. To be grey is not part of the **intension** of the concept elephant but an optional property. The CRM applies strict inheritance as a normalization principle.

multiple inheritance

Multiple **inheritance** means that a **class** A may have more than one immediate **superclass**. The **extension** of a class with multiple immediate superclasses is a subset of the intersection of all extensions of its superclasses. The **intension** of a class with multiple immediate superclasses extends the intensions of all its superclasses, i.e. its traits are more restrictive than any of its superclasses. If multiple inheritance is used, the resulting "class hierarchy" is a directed graph and not a tree structure. If it is represented as an indented list, there are necessarily repetitions of the same class at different positions in the list. For example, Person is both, an Actor and a Biological Object.

Multiple Instantiation Multiple **Instantiation** is the term that describes the case that an instance of class A is also regarded as an instance of one or more other classes B1...n at the same time. When multiple instantiation is used, it has the effect that the properties of all these classes become available to describe this instance. For instance, some particular cases of destruction may also be activities (e.g., Herostratos' deed), but not all destructions are activities (e.g., destruction of Herculaneum). In comparison, multiple inheritance describes the case that all instances of a class A are implicitly instances of all superclasses of A, by virtue of the definition of the class A, whereas the combination of classes used for multiple instantiation is a characteristic of particular instances only. It is important to note that multiple instantiation is not allowed using combinations of disjoint classes.

endurant, perdurant "The difference between enduring and perduring entities (which we shall also call endurants and perdurants) is related to their behaviour in time. Endurants are wholly present (i.e., all their proper parts are present) at any time they are present. Perdurants, on the other hand, just extend in time by accumulating different temporal parts, so that, at any time they are present, they are only partially present, in the sense that some of their proper temporal parts (e.g., their previous or future phases) may be not present. E.g., the piece of paper you are reading now is wholly present, while some temporal parts of your reading are not present any more. Philosophers say that endurants are entities that are in time, while lacking however temporal parts (so to speak, all their parts flow with them in time). Perdurants, on the other hand, are entities that happen in time, and can have temporal parts (all their parts are fixed in time)." (Gangemi et al. 2002, pp. 166-181).

shortcut

A shortcut is a formally defined single **property** that represents a deduction or join of a data path in the CRM. The **scope notes** of all properties characterized as shortcuts describe in words the equivalent deduction. Shortcuts are introduced for the cases where common documentation practice refers only to the deduction rather than to the fully developed path. For example, museums often only record the dimension of an object without documenting the Measurement that observed it. The CRM declares shortcuts explicitly as single properties in order to allow the user to describe cases in which he has less detailed knowledge than the full data path would need to be described. For each shortcut, the CRM contains in its schema the properties of the full data path explaining the shortcut.

monotonic reasoning

Monotonic reasoning is a term from knowledge representation. A reasoning form is monotonic if an addition to the set of propositions making up the knowledge base never determines a decrement in the set of conclusions that may be derived from the knowledge base via inference rules. In practical terms, if experts enter subsequently correct statements to an information system, the system should not regard any results from those statements as invalid, when a new one is entered. The CRM is designed for monotonic reasoning and so enables conflict-free merging of huge stores of knowledge.

disjoint

**Classes** are disjoint if the intersection of their **extensions** is an empty set. In other words, they have no common **instances** in any possible world.

primitive

The term primitive as used in knowledge representation characterizes a concept that is declared and its meaning is agreed upon, but that is not defined by a logical deduction from other concepts. For example, mother may be described as a female human with child. Then mother is not a primitive concept. Event however is a primitive concept. Most of the CRM is made up of primitive concepts.

Wost of the CRW is made up of prini

#### Open World

The "Open World Assumption" is a term from knowledge base systems. It characterizes knowledge base systems that assume the information stored is incomplete relative to the universe of discourse they intend to describe. This incompleteness may be due to the inability of the maintainer to provide sufficient information or due to more fundamental problems of cognition in the system's domain. Such problems are characteristic of cultural information systems. Our records about the past are necessarily incomplete. In addition, there may be items that cannot be clearly assigned to a given **class**.

In particular, absence of a certain **property** for an item described in the system does not mean that this item does not have this property. For example, if one item is described as Biological Object and another as Physical Object, this does not imply that the latter may not be a Biological Object as well. Therefore **complements** of a class with respect to a **superclass** cannot be concluded in general from an information system using the Open World Assumption. For example, one cannot list "all Physical Objects known to the system that are not Biological Objects in the real world", but one may of course list "all items known to the system as Physical Objects but that are not known to the system as Biological Objects".

#### complement

The complement of a class A with respect to one of its **superclasses** B is the set of all **instances** of B that are not instances of A. Formally, it is the set-theoretic difference of the **extension** of B minus the extension of A. Compatible extensions of the CRM should not declare any **class** with the **intension** of them being the complement of one or more other classes. To do so will normally violate the desire to describe an **Open World**. For example, for all possible cases of human gender, male should not be declared as the complement of female or vice versa. What if someone is both or even of another kind?

#### query containment

Query containment is a problem from database theory: A query X contains another query Y, if for each possible population of a database the answer set to query X contains also the answer set to query Y. If query X and Y were classes, then X would be **superclass** of Y.

#### interoperability

Interoperability means the capability of different information systems to communicate some of their contents. In particular, it may mean that

- 1. two systems can exchange information, and/or
- 2. multiple systems can be accessed with a single method.

Generally, syntactic interoperability is distinguished from **semantic interoperability**. Syntactic interoperability means that the information encoding of the involved systems and the access protocols are compatible, so that information can be processed as described above without error. However, this does not mean that each system processes the data in a manner consistent with the intended meaning. For example, one system may use a table called "Actor" and another one called "Agent". With syntactic interoperability, data from both tables may only be retrieved as distinct, even though they may have exactly the same meaning. To overcome this situation, semantic interoperability has to be added. The CRM relies on existing syntactic interoperability and is concerned only with adding *semantic interoperability*.

# semantic interoperability

Semantic **interoperability** means the capability of different information systems to communicate information consistent with the intended meaning. In more detail, the intended meaning encompasses

- 1. the data structure elements involved,
- 2. the terminology appearing as data and
- 3. the identifiers used in the data for factual items such as places, people, objects etc.

Obviously communication about data structure must be resolved first. In this case consistent communication means that data can be transferred between data structure elements with the same intended meaning or that data from elements with the same intended meaning can be merged. In practice, the different levels of generalization in different systems do not allow the achievement of this ideal. Therefore semantic interoperability is regarded as achieved if elements can be found that provide a reasonably close generalization for the transfer or merge. This problem is being studied theoretically as the **query containment** problem. The CRM is only concerned with semantic interoperability on the level of data structure elements.

#### property

We use the term "property quantifiers" for the declaration of the allowed number of

quantifiers

**instances** of a certain **property** that can refer to a particular instance of the **range** class or the **domain** class of that property. These declarations are ontological, i.e. they refer to the nature of the real world described and not to our current knowledge. For example, each person has exactly one father, but collected knowledge may refer to none, one or many.

universal

The fundamental ontological distinction between universals and particulars can be informally understood by considering their relationship with instantiation: particulars are entities that have no **instances** in any possible world; universals are entities that do have instances. **Classes** and **properties** (corresponding to predicates in a logical language) are usually considered to be universals. (after Gangemi et al. 2002, pp. 166-181).

#### **Property Quantifiers**

Quantifiers for properties are provided for the purpose of semantic clarification only, and should **not** be treated as implementation recommendations. The CRM has been designed to accommodate alternative opinions and incomplete information, and therefore **all** properties should be implemented as optional and repeatable for their domain and range ("many to many (0,n:0,n)"). Therefore the term "cardinality constraints" is avoided here, as it typically pertains to implementations.

The following table lists all possible property quantifiers occurring in this document by their notation, together with an explanation in plain words. In order to provide optimal clarity, two widely accepted notations are used redundantly in this document, a verbal and a numeric one. The verbal notation uses phrases such as "one to many", and the numeric one, expressions such as "(0,n:0,1)". While the terms "one", "many" and "necessary" are quite intuitive, the term "dependent" denotes a situation where a range instance cannot exist without an instance of the respective property. In other words, the property is "necessary" for its range.

many to many (0,n:0,n)

Unconstrained: An individual domain instance and range instance of this property can have zero, one or more instances of this property. In other words, this property is optional and repeatable for its domain and range.

one to many (0,n:0,1)

An individual domain instance of this property can have zero, one or more instances of this property, but an individual range instance cannot be referenced by more than one instance of this property. In other words, this property is optional for its domain and range, but repeatable for its domain only. In some contexts this situation is called a "fan-out".

many to one (0,1:0,n)

An individual domain instance of this property can have zero or one instance of this property, but an individual range instance can be referenced by zero, one or more instances of this property. In other words, this property is optional for its domain and range, but repeatable for its range only. In some contexts this situation is called a "fan-in".

many to many, necessary (1,n:0,n)

An individual domain instance of this property can have one or more instances of this property, but an individual range instance can have zero, one or more instances of this property. In other words, this property is necessary and repeatable for its domain, and optional and repeatable for its range.

one to many, necessary (1,n:0,1)

An individual domain instance of this property can have one or more instances of this property, but an individual range instance cannot be referenced by more than one instance of this property. In other words, this property is necessary and repeatable for its domain, and optional but not repeatable for its range. In some contexts this situation is called a "fan-out".

many to one, necessary (1,1:0,n)

An individual domain instance of this property must have exactly one instance of this property, but an individual range instance can be referenced by zero, one or more instances of this property. In other words, this property is necessary and not repeatable for its domain, and optional and repeatable for its range. In some contexts this situation is called a "fan-in".

one to many, dependent (0,n:1,1)

An individual domain instance of this property can have zero, one or more instances of this property, but an individual range instance must be referenced by exactly one instance of this property. In other words, this property is optional and repeatable for its domain, but necessary and not repeatable for its range. In some contexts this situation is called a "fan-out".

one to many, necessary, dependent (1,n:1,1) An individual domain instance of this property can have one or more instances of this property, but an individual range instance must be referenced by exactly one instance of this property. In other words, this property is necessary and repeatable for its domain, and necessary but not repeatable for its range. In some contexts this situation is called a "fan-out".

**many to one,** An individual domain instance of this property must have exactly one instance of this *Definition of the CIDOC Conceptual Reference Model* 

necessary, dependent (1,1:1,n)	property, but an individual range instance can be referenced by one or more instances of this property. In other words, this property is necessary and not repeatable for its domain, and necessary and repeatable for its range. In some contexts this situation is called a "fan-in".
one to one (1,1:1,1)	An individual domain instance and range instance of this property must have exactly one instance of this property. In other words, this property is necessary and not repeatable for its domain and for its range.

The CRM defines some dependencies between properties and the classes that are their domains or ranges. These can be one or both of the following:

- A) the property is necessary for the domain
- B) the property is necessary for the range, or, in other words, the range is dependent on the property.

The possible kinds of dependencies are defined in the table above. Note that if a dependent property is not specified for an instance of the respective domain or range, it means that the property exists, but the value on one side of the property is unknown. In the case of optional properties, the methodology proposed by the CRM does not distinguish between a value being unknown or the property not being applicable at all. For example, one may know that an object has an owner, but the owner is unknown. In a CRM instance this case cannot be distinguished from the fact that the object has no owner at all. Of course, such details can always be specified by a textual note.

#### **Naming Conventions**

The following naming conventions have been applied throughout the CRM:

- Classes are identified by numbers preceded by the letter "E" (historically classes were sometimes referred to as "Entities"), and are named using noun phrases (nominal groups) using title case (initial capitals). For example, E63 Beginning of Existence.
- Properties are identified by numbers preceded by the letter "P," and are named in both directions using verbal phrases in lower case. Properties with the character of states are named in the present tense, such as "has type", whereas properties related to events are named in past tense, such as "carried out." For example, *P126 employed (was employed in)*.
- Property names should be read in their non-parenthetical form for the domain-to-range direction, and in parenthetical form for the range-to-domain direction. Reading a property in range-to-domain direction is equivalent to the inverse of that property. Following a current notational practice in OWL knowledge representation language, we represent inverse properties in this text by adding a letter "i" following the identification number and the parenthetical form of the full property name, such as P59i is located on or within, which is the inverse of P59 has section (is located on or within).
- Properties with a range that is a subclass of E59 Primitive Value (such as E1 CRM Entity. P3 has note: E62 String, for example) have no parenthetical name form, because reading the property name in the range-to-domain direction is not regarded as meaningful.
- Properties that have identical domain and range are either symmetric or transitive. Instantiating a symmetric property implies that the same relation holds for both the domain-to-range and the range-to-domain directions. An example of this is E53 Place. P122 borders with: E53 Place. The names of symmetric properties have no parenthetical form, because reading in the range-to-domain direction is the same as the domain-to-range reading. Transitive asymmetric properties, such as E4 Period. P9 consist of (forms part of): E4 Period, have a parenthetical form that relates to the meaning of the inverse direction.
- The choice of the domain of properties, and hence the order of their names, are established in accordance with the following priority list:
  - Temporal Entity and its subclasses
  - Thing and its subclasses
  - Actor and its subclasses
  - Other

# Modelling principles

The following modelling principles have guided and informed the development of the CIDOC CRM.

#### Monotonicity

Because the CRM's primary role is the meaningful integration of information in an Open World, it aims to be monotonic in the sense of Domain Theory. That is, the existing CRM constructs and the deductions made from them must always remain valid and well-formed, even as new constructs are added by extensions to the CRM.

#### For example:

One may add a subclass of E7 Activity to describe the practice of an instance of group to use a certain name for a place over a certain time-span. By this extension, no existing IsA Relationships or property inheritances are compromised.

In addition, the CRM aims to enable the formal preservation of monotonicity when augmenting a particular CRM compatible system. That is, existing CRM instances, their properties and deductions made from them, should always remain valid and well-formed, even as new instances, regarded as consistent by the domain expert, are added to the system.

#### For example:

If someone describes correctly that an item is an instance of E19 Physical Object, and later it is correctly characterized as an instance of E20 Biological Object, the system should not stop treating it as an instance of E19 Physical Object.

In order to formally preserve monotonicity for the frequent cases of alternative opinions, all formally defined properties should be implemented as unconstrained (**many: many**) so that conflicting instances of properties are merely accumulated. Thus knowledge integrated following the CRM serves as a research base, accumulating relevant alternative opinions around well-defined entities, whereas conclusions about the truth are the task of open-ended scientific or scholarly hypothesis building.

#### For example:

El Greco and even King Arthur should always remain an instance of E21 Person and be dealt with as existing within the sense of our discourse, once they are entered into our knowledge base. Alternative opinions about properties, such as their birthplaces and their living places, should be accumulated without validity decisions being made during data compilation.

Properties, such as having a part, an owner or a location, may change many times for a single item during its existence. Stating instances of such properties for an item in terms of the CRM only means that these properties existed during some particular time-span. Therefore, one item may have multiple instances of the same property reflecting an aggregation of these instances over the time-span of its existence. If more temporal details are required, the CRM recommends explicitly describing the events of acquiring or losing such property instances, such as by E9 Move etc. By virtue of this principle, the CRM achieves monotonicity with respect to an increase of knowledge about the states of an item at different times, regardless of their temporal order.

However, for some of these properties many collection databases describe the "current" state, such as "current location" or "current owner". Using such a "current" state means, that the database manager is able to verify the respective reality at the latest date of validity of the database. Obviously, this information is non-monotonic, i.e., it requires deletion when the state changes. In order to preserve a reduced monotonicity, these properties have time-neutral superproperties by which respective instances can be reclassified if the validity becomes unknown or no longer holds. Therefore the use of such properties in the CRM is only recommended if they can be maintained consistently. Otherwise, they should be reclassified by their time-neutral superproperties. This holds in particular if data is exported to another repository.

#### **Minimality**

Although the scope of the CRM is very broad, the model itself is constructed as economically as possible.

- A class is not declared unless it is required as the domain or range of a property not appropriate to its superclass, or it is a key concept in the practical scope.
- CRM classes and properties that share a superclass are non-exclusive by default. For example, an object may be both an instance of E20 Biological Object and E22 Man-made Object.
- CRM classes and properties are either primitive, or they are key concepts in the practical scope.
- Complements of CRM classes are not declared.

#### **Shortcuts**

Some properties are declared as shortcuts of longer, more comprehensively articulated paths that connect the same domain and range classes as the shortcut property via one or more intermediate classes. For example, the property E18 Physical Thing. P52 has current owner (is current owner of): E39 Actor, is a shortcut for a fully articulated path from E18 Physical Thing through E8 Acquisition to E39 Actor. An instance of the fully-articulated path always implies an instance of the shortcut property. However, the inverse may not be true; an instance of the fully-articulated path cannot always be inferred from an instance of the shortcut property.

The class E13 Attribute Assignment allows for the documentation of how the assignment of any property came about, and whose opinion it was, even in cases of properties not explicitly characterized as "shortcuts".

#### Disjointness

Classes are disjoint if they share no common instances in any possible world. That implies that it is not possible to instantiate an item using a combination of classes that are mutually disjoint or with subclasses of them (see "multiple instantiation" in section "Terminology"). There are many examples of disjoint classes in the CRM.

A comprehensive declaration of all possible disjoint class combinations afforded by the CRM has not been provided here; it would be of questionable practical utility, and may easily become inconsistent with the goal of providing a concise definition. However, there are two key examples of disjoint class pairs that are fundamental to effective comprehension of the CRM:

- **E2 Temporal Entity is disjoint from E77 Persistent Item.** Instances of the class E2 Temporal Entity are perdurants, whereas instances of the class E77 Persistent Item are endurants. Even though instances of E77 Persistent Item have a limited existence in time, they are fundamentally different in nature from instances of E2 Temporal Entity, because they preserve their identity between events. Declaring endurants and perdurants as disjoint classes is consistent with the distinctions made in data structures that fall within the CRM's practical scope.
- E18 Physical Thing is disjoint from E28 Conceptual Object. The distinction is between material and immaterial items, the latter being exclusively man-made. Instances of E18 Physical Thing and E28 Conceptual Object differ in many fundamental ways; for example, the production of instances of E18 Physical Thing implies the incorporation of physical material, whereas the production of instances of E28 Conceptual Object does not. Similarly, instances of E18 Physical Thing cease to exist when destroyed, whereas an instance of E28 Conceptual Object perishes when it is forgotten or its last physical carrier is destroyed.

#### **About Types**

Virtually all structured descriptions of museum objects begin with a unique object identifier and information about the "type" of the object, often in a set of fields with names like "Classification", "Category", "Object Type", "Object Name", etc. All these fields are used for terms that declare that the object belongs to a particular category of items. In the CRM the class E55 Type comprises such terms from thesauri and controlled vocabularies used to characterize and classify instances of CRM classes. Instances of E55 Type represent concepts (universals) in contrast to instances of E41 Appellation which are used to name instances of CRM classes.

E55 Type is the CRM's interface to domain specific ontologies and thesauri. These can be represented in the CRM as subclasses of E55 Type, forming hierarchies of terms, i.e. instances of E55 Type linked via P127 has broader term (has narrower term). Such hierarchies may be extended with additional properties.

For this purpose the CRM provides two basic properties that describe classification with terminology, corresponding to what is the current practice in the majority of information systems. The class E1 CRM Entity is the domain of the property P2 has type (is type of), which has the range E55 Type. Consequently, every class in the CRM, with the exception of E59 Primitive Value, inherits the property P2 has type (is type of). This provides a general mechanism for simulating a specialization of the classification of CRM instances to any level of detail, by linking to external vocabulary sources, thesauri, classification schema or ontologies.

Analogous to the function of the P2 has type (is type of) property, some properties in the CRM are associated with an additional property. These are numbered in the CRM documentation with a '.1' extension. The range of these properties of properties always falls under E55 Type. Their purpose is to simulate a specialization of their parent property through the use of property subtypes declared as instances of E55 Type. They do not appear in the property hierarchy list but are included as part of the property declarations and referred to in the class declarations. For example, P62.1 mode of depiction: E55 Type is associated with E24 Physical Man-made Thing. P62 depicts (is depicted by): E1 CRM Entity.

The class E55 Type also serves as the range of properties that relate to categorical knowledge commonly found in cultural documentation. For example, the property P125 used object of type (was type of object used in) enables the CRM to express statements such as "this casting was produced using a mould", meaning that there has been an unknown or unmentioned object, a mould, that was actually used. This enables the specific instance of the casting to be associated with the entire type of manufacturing devices known as moulds. Further, the objects of type "mould" would be related via P2 has type (is type of) to this term. This indirect relationship may actually help in detecting the unknown object in an integrated environment. On the other side, some casting may refer directly to a known mould via P16 used specific object (was used for). So a statistical question to how many objects in a certain collection are made with moulds could be answered correctly (following both paths through P16 used specific object (was used for) - P2 has type (is type of) and P125 used object of type (was type of object used in). This consistent treatment of categorical knowledge enhances the CRM's ability to integrate cultural knowledge.

In addition to being an interface to external thesauri and classification systems E55 Type is an ordinary class in the CRM and a subclass of E28 Conceptual Object. E55 Type and its subclasses inherit all properties from this superclass. Thus together with the CRM class E83 Type Creation the rigorous scholarly or scientific process that ensures a type is exhaustively described and appropriately named can be modelled inside the CRM. In some cases, particularly in archaeology and the life sciences, E83 Type Creation requires the identification of an exemplary specimen and the publication of the type definition in an appropriate scholarly forum. This is very central to research in the life sciences, where a type would be referred to as a "taxon," the type description as a "protologue," and the exemplary specimens as "original element" or "holotype".

Finally, types, that is, instances of E55 Type and its subclasses, are used to characterize the instances of a CRM class and hence refine the meaning of the class. A type 'artist' can be used to characterize persons through *P2 has type (is type of)*. On the other hand, in an art history application of the CRM it can be adequate to extend the CRM class E21 Person with a subclass *E21.xx* Artist. What is the difference of the type 'artist' and the class Artist? From an everyday conceptual point of view there is no difference. Both denote the concept 'artist' and identify the same set of persons. Thus in this setting a type could be seen as a class and the class of types may be seen as a metaclass. Since current systems do not provide an adequate control of user defined

metaclasses, the CRM prefers to model instances of E55 Type as if they were particulars, with the relationships described in the previous paragraphs.

Users may decide to implement a concept either as a subclass extending the CRM class system or as an instance of E55 Type. A new subclass should only be created in case the concept is sufficiently stable and associated with additional explicitly modelled properties specific to it. Otherwise, an instance of E55 Type provides more flexibility of use. Users that may want to describe a discourse not only using a concept extending the CRM but also describing the history of this concept itself, may chose to model the same concept both as subclass and as an instance of E55 Type with the same name. Similarly it should be regarded as good practice to foresee for each term hierarchy refining a CRM class a term equivalent of this class as top term. For instance, a term hierarchy for instances of E21 Person may begin with "Person".

#### **Extensions**

Since the intended scope of the CRM is a subset of the "real" world and is therefore potentially infinite, the model has been designed to be extensible through the linkage of compatible external type hierarchies.

Compatibility of extensions with the CRM means that data structured according to an extension must also remain valid as a CRM instance. In practical terms, this implies *query containment:* any queries based on CRM concepts should retrieve a result set that is correct according to the CRM's semantics, regardless of whether the knowledge base is structured according to the CRM's semantics alone, or according to the CRM plus compatible extensions. For example, a query such as "list all events" should recall 100% of the instances deemed to be events by the CRM, regardless of how they are classified by the extension.

A sufficient condition for the compatibility of an extension with the CRM is that CRM classes subsume all classes of the extension, and all properties of the extension are either subsumed by CRM properties, or are part of a path for which a CRM property is a shortcut. Obviously, such a condition can only be tested intellectually.

#### Coverage

Of necessity, some concepts covered by the CRM are less thoroughly elaborated than others: E39 Actor and E30 Right, for example. This is a natural consequence of staying within the CRM's clearly articulated practical scope in an intrinsically unlimited domain of discourse. These 'underdeveloped' concepts can be considered as hooks for compatible extensions.

The CRM provides a number of mechanisms to ensure that coverage of the intended scope is complete:

- 1. Existing high level classes can be extended, either structurally as subclasses or dynamically using the type hierarchy.
- 2. Existing high level properties can be extended, either structurally as subproperties, or in some cases, dynamically, using properties of properties which allow subtyping.
- 3. Additional information that falls outside the semantics formally defined by the CRM can be recorded as unstructured data using E1 CRM Entity. P3 has note: E62 String.

In mechanisms 1 and 2 the CRM concepts subsume and thereby cover the extensions.

In mechanism 3, the information is accessible at the appropriate point in the respective knowledge base. This approach is preferable when detailed, targeted queries are not expected; in general, only those concepts used for formal querying need to be explicitly modelled.

# **Examples**




fig. 2 reasoning about spatial information

The diagram above shows a partial view of the CRM, representing reasoning about spatial information. Five of the main hierarchy branches are included in this view: E39 Actor, E51 Contact Point, E41 Appellation, E53 Place and E70 Thing. All classes are shown as blue-white rectangles. Properties are shown as single arrows. In some cases the order of priority for property names has been reversed in order to facilitate reading the diagram from left to right. Double arrows indicate IsA relations between classes and their subclasses or between properties and their subproperties. 'Shortcuts' are indicated with light grey rectangles and their names are written in italics, such as the P59 has section (is located on or within) between E53 Place and E18 Physical Thing, which is a shortcut of the path through E46 Section Definition.

As can be seen, an instance of E53 Place *is identified by* an instance of E44 Place Appellation, which may be an instance of E45 Address, E47 Spatial Coordinates, E48 Place Name, or E46 Section Definition such as 'basement', 'prow', or 'lower left-hand corner.' An instance of E53 Place may *consist of* or *form part of* another instance of E53 Place, thereby allowing a hierarchy of geometric 'containers' to be constructed.

An instance of E45 Address can be considered both as an E44 Place Appellation—a way of referring to an E53 Place—and as an E51 Contact Point for an E39 Actor. An E39 Actor may have any number of instances of E51 Contact Point. E18 Physical Thing is found on locations as a consequence of being created there or being moved there. Therefore the properties *P53 has former or current location (is former or current location of)* (and *P55 has current location (currently holds)* are regarded as shortcuts of the fully articulated paths through the respective events. *P55 has current location (currently holds)* is a subproperty of *P53 has former or current location (is former or current location of)*. The latter is a container for location information in the absence of knowledge about time of validity and related events.

An interesting aspect of the model is the *P58 has section definition (defines section)* property between E46 Section Definition and E18 Physical Thing (and the corresponding shortcut from E53 Place to E19 Physical Object). This allows an instance of E53 Place to be defined as a section of an instance of E19 Physical Object. For example, we may know that Nelson fell at a particular spot on the deck of H.M.S. Victory, without knowing the exact position of the vessel in geospatial terms at the time of the fatal shooting of Nelson. Similarly, a signature or inscription can be located "in the lower right corner of" a painting, regardless of where the painting is hanging.




fig. 3 reasoning about temporal information

This second example shows how the CRM handles reasoning about temporal information. Four of the main hierarchy branches are included in this view: E2 Temporal Entity, E52 Time-Span, E77 Persistent Item and E53 Place.

The E2 Temporal Entity class is an abstract class (i.e. it has no direct instances) that serves to group together all classes with a temporal component, such as instances of E4 Period, E5 Event and E3 Condition State.

An instance of E52 Time-Span is simply a temporal interval that does not make any reference to cultural or geographical contexts (unlike instances of E4 Period, which *took place at* a particular instance of E53 Place). Instances of E52 Time-Span are sometimes identified by instances of E49 Time Appellation, often in the form of E50 Date.

Both E52 Time-Span and E4 Period have transitive properties. E52 Time-Span has the transitive property *P86 falls within* (*contains*), denoting a purely incidental inclusion; whereas E4 Period has the transitive property *P9 consists of (forms part of)* that supports the decomposition of instances of E4 Period into their constituent parts. For example, the E52 Time-Span during which a building is constructed might *falls within* the E52 Time-Span of a particular government, although there is no causal or contextual connection between the two instances of E52 Time-Span; conversely, the E4 Period of the Chinese Song Dynasty *consists of* the Northern Song Period and the Southern Song Period.

Instances of E52 Time-Span are related to their outer bounds (i.e. their indeterminacy interval) by the property *P82 at some time within*, and to their inner bounds via the property *P81 ongoing throughout*. The range of these properties is the E61 Time Primitive class, instances of which are treated by the CRM as application or system specific date intervals that are not further analysed.

# **Class & Property Hierarchies**

Although they do not provide comprehensive definitions, compact monohierarchical presentations of the class and property IsA hierarchies have been found to significantly aid comprehension and navigation of the CRM, and are therefore provided below.

The class hierarchy presented below has the following format:

- Each line begins with a unique class identifier, consisting of a number preceded by the letter "E" (originally denoting "entity," although now replaced by convention with the term "class").
- A series of hyphens ("-") follows the unique class identifier, indicating the hierarchical position of the class in the IsA hierarchy.
- The English name of the class appears to the right of the hyphens.

- The index is ordered by hierarchical level, in a "depth first" manner, from the smaller to the larger subhierarchies.
- Classes that appear in more than one position in the class hierarchy as a result of multiple inheritance are shown in an italic typeface.

The property hierarchy presented below has the following format:

- Each line begins with a unique property identifier, consisting of a number preceded by the letter "P" (for "property").
- A series of hyphens ("-") follows the unique property identifier, indicating the hierarchical position of the property in the IsA hierarchy.
- The English name of the property appears to the right of the hyphens, followed by its inverse name in parentheses for reading in the range to domain direction.
- The domain class for which the property is declared.
- The range class that the property references.
- The index is ordered by hierarchical level, in a "depth first" manner, from the smaller to the larger subhierarchies, and by property number between equal siblings.
- Properties that appear in more than one position in the property hierarchy as a result of multiple inheritance are shown in an italic typeface.

## CIDOC CRM Class Hierarchy

<u>E1</u>	CF	RM E				
<u>E2</u>	-	Te	mp	oral	Entity	7
<u>E3</u>	-	-	C	ondi	tion S	tate
<b>E</b> 4	-	-	Pe	erio	1	
E5	_	_	-	Ev	ent	
E7	_	_	_	_	Activ	vitv
<u>E8</u>	_	_	_	_		Acquisition Event
<u>E9</u>		_				Move
<u>E10</u>		_				Transfer of Custody
E11	_			_		Modification
	-	-		_		- Production
E12	-	-				1100000
E79	-			-		- Part Addition
E80	-	-	-	-	-	- Part Removal
<u>E13</u>	-	-	-	-		Attribute Assignment
<u>E14</u>	-	-	-	- - -	-	- Condition Assessment
<u>E15</u>	-	-	-	-	-	- Identifier Assignment
<u>E16</u>	-	-	-	-	-	<ul> <li>Measurement</li> </ul>
E17		-	-	-	-	<ul> <li>Type Assignment</li> </ul>
<u>E65</u>	-	-	-	-	-	Creation
E83	-	-	-	-	_	<ul> <li>Type Creation</li> </ul>
E66	_	_	_	_	_	Formation
E85		_				Joining
E86	_			-		Leaving
E87	_			_		Curation Activity
E63	_	_				nning of Existence
E67	_		_			Birth
		-				
E81	-	-	-		- '	Transformation
<u>E12</u>	-	-	-	-		Production
<u>E65</u>	-	-		-	-	Creation
<u>E83</u>	-	-		-	-	- Type Creation
<u>E66</u>	-			-		Formation
<u>E64</u>	-				End	of Existence
<u>E6</u>	-	-	-	-	- :	Destruction
<u>E68</u>	-	-	-	-	- ;	Dissolution
<u>E69</u>	-	-	-	-	- :	Death
E81	_	-	-	_	_	Transformation
E77	_	Pe	rsis	tent	Item	J
E70	_	_		ning		
E72	_	_	_	0	gal Ob	niect
E18	_	_	_			ical Thing
E19						Physical Object
E19 E20	-	-	-	-	- 1	
	-	-	-	-	-	- Biological Object
E21	-	-	-	-		Person
E22	-	-	-			- Man-Made Object
E84	-	-	-	-		Information Carrier
<u>E24</u>	-	-	-	-	- ]	Physical Man-Made Thing
<u>E22</u>	-	-	-	-	-	- Man-Made Object
<u>E84</u>	-	-	-	-		Information Carrier
<u>E25</u>	-	-	-	-	-	<ul> <li>Man-Made Feature</li> </ul>
E78	-	-	-	-	-	- Collection
E26	-	-	-	-	- ]	Physical Feature
E27	-	-	-	_		- Site
E25	_	_	_	_	_	- Man-Made Feature
E90	_	_	_	_	Syml	bolic Object
E73	_	_	_	_		Information Object
E29	_	_	_	_	_	Design or Procedure
E31	_	_	_	_		Document
E31 E32	_	_	_	-	_	
	-	-	-	-	-	- Authority Document
E33	-	-	-			
E34	-	-	-	-		I
<u>E35</u>		- C :1	-	- .D.		Title

E36	_	_	_	_	_		Visual Item
E37	_	_	_	_	_	_	- Mark
E34	_	_	_	_	_	_	Inscription
E38	_	_	_	_	_	_	· ·
<u>E41</u>	_	_					ppellation
E42	_	_			_		Identifier
E44	_	_	_	_			
E45	_	_	-	_	-	-	- Address
	-	-	-	-	-	-	
<u>E46</u>	-	-	-	-	-		~
<u>E47</u>	-	-	-	-	-	-	- Spatial Coordinates
<u>E48</u>	-	-	-	-	-	-	
<u>E49</u>	-	-	-	-	-	-	Time Appellation
E50	-	-	-	-	-	-	- Date
<u>E75</u>	-	-	-	-	-	-	Conceptual Object Appellation Actor Appellation
<u>E82</u>	-	-	-	-	-	-	
<u>E51</u>						-	Contact Point
<u>E45</u>	-	-	-	-	-	-	- Address
<u>E35</u>	-	-	-	-	-	-	Title
E71	-	-	-	M	an-N	Made	e Thing
E24		_					al Man-Made Thing
E22	_		_		-		an-Made Object
<u>E84</u>	_		_	_			- a
<u>E25</u>			_				an-Made Feature
	-	-	-	-			
<u>E78</u>	-	-					ollection
E28	-	-	-	-	Co	ncep	otual Object
<u>E90</u>	-	-	-	-	-	Syi	nbolic Object Information Object
<u>E73</u>	-	-	-	-	-	-	Information Object
<u>E29</u>		-		-	-	-	- Design or Procedure
<i>E31</i>	-	-	-	-	-	-	- Document
<i>E32</i>	-	-	-	-	-	-	Authority Document
E33	_	_	_	_			Linguistic Object
E34	_	_	_	_	_		Inscription
E35	_	_	_	_		-	_
<u>E36</u>	_	_		_			Visual Item
<u>E37</u>						-	
	-					-	
<u>E34</u>		-	-		-	-	Inscription
<u>E38</u>	-	-	-		-		Image
<u>E41</u>	-	-	-	-	-	-	Appellation
<u>E42</u>	-	-	-	-	-	-	- Identifier
<u>E44</u>	-	-	-	-	-	-	- Place Appellation
<i>E45</i>	-	-	-	-	-	-	Address
<u>E46</u>	-	-	-	-	-	-	Section Definition
E47	-	_	_	_	_	_	Spatial Coordinates
E48	_	_	_	_	_	_	Place Name
<u>E49</u>	_	_	_	_	_		- Time Appellation
<u>E50</u>	_	_		_	_	_	- Date
<u>E75</u>	_	_	-	_	_	_	
	-	-	-	-	-	-	- Conceptual Object Appellation
<u>E82</u>	-	-	-	-	-	-	- Actor Appellation
<u>E51</u>	-	-	-	-	-	-	- Contact Point
<u>E45</u>	-	-	-	-	-	-	Address
<u>E35</u>	-	-	-	-			- Title
E89	-	-	-	-	-	Pro	opositional Object
<i>E73</i>	-	-	-	-	-	-	Information Object
E29	_	_	_	_	_	-	- Design or Procedure
E31	_	_	_	_	_	_	- Document
E32	_	_	_	_	_	_	- Authority Document
<u>E32</u> <u>E33</u>	_	_	_	_	_	_	- Linguistic Object
	-	-	-	-	-	-	
E34	-	-	-	-	-	-	- Inscription
<u>E35</u>	-	-	-	-	-	-	- Title
<u>E36</u>	-	-	-	-	-	-	- Visual Item
<u>E37</u>	-	-	-	-	-	-	Mark
<u>E34</u>	-	-	-	-	-	-	Inscription
<u>E38</u>	-	-	-	-	-	-	Image
<u>E30</u>	-	-	-	-	-	-	Right

- Type
- Language
- Material Measurement Unit
- E58 E39 - Actor
- E74 - - Group
- - Lega - Person E40 - Legal Body
- E21
- Time-Span
- E53 Place
- Dimension
- E54 E92 Spacetime Volume
- E93 - Spacetime Snapshot
- E59 Primitive Value
- Number <u>E60</u>
- E61 Time Primitive
- <u>E62</u> String

## CIDOC CRM Property Hierarchy:

Proper ty id	Property Name	Entity – Domain	Entity - Range
P1	is identified by (identifies)	E1 CRM Entity	E41 Appellation
P48	- has preferred identifier (is preferred identifier of)	E1 CRM Entity	E42 Identifier
<u>P78</u>	- is identified by (identifies)	E52 Time-Span	E49 Time Appellation
P87	- is identified by (identifies)	E53 Place	E44 Place Appellation
P102 P131	<ul><li>has title (is title of)</li><li>is identified by (identifies)</li></ul>	E71 Man-Made Thing E39 Actor	E35 Title E82 Actor Appellation
P149	- is identified by (identifies)	E28 Conceptual Object	E75 Conceptual Object Appellation
<u>P2</u>	has type (is type of)	E1 CRM Entity	E55 Type
P137	- exemplifies (is exemplified by)	E1 CRM Entity	E55 Type
<u>P3</u>	has note	E1 CRM Entity	E62 String
<u>P79</u>	- beginning is qualified by	E52 Time-Span	E62 String
<u>P80</u> <u>P4</u>	- end is qualified by has time-span (is time-span of)	E52 Time-Span E2 Temporal Entity	E62 String E52 Time-Span
P5	consists of (forms part of)	E3 Condition State	E32 Time-Span E3 Condition State
<u>P7</u>	took place at (witnessed)	E4 Period	E53 Place
P26	- moved to (was destination of)	E9 Move	E53 Place
<u>P27</u>	- moved from (was origin of)	E9 Move	E53 Place
<u>P8</u>	took place on or within (witnessed)	E4 Period	E18 Physical Thing
<u>P9</u>	consists of (forms part of)	E4 Period	E4 Period
P10 P12	falls within (contains) occurred in the presence of (was present at)	E4 Period E5 Event	E4 Period E77 Persistent Item
P111	- added (was added by)	E79 Part Addition	E18 Physical Thing
P113	- removed (was removed by)	E80 Part Removal	E18 Physical Thing
P11	- had participant (participated in)	E5 Event	E39 Actor
<u>P14</u>	carried out by (performed)	E7 Activity	E39 Actor
P22	transferred title to (acquired title through)	E8 Acquisition	E39 Actor
<u>P23</u> <u>P28</u>	<ul> <li> transferred title from (surrendered title through)</li> <li> custody surrendered by (surrendered custody through)</li> </ul>	E8 Acquisition E10 Transfer of Custody	E39 Actor E39 Actor
P29	custody surrendered by (surrendered custody through)	E10 Transfer of Custody	E39 Actor
P96	by mother (gave birth)	E67 Birth	E21 Person
P99	dissolved (was dissolved by)	E68 Dissolution	E74 Group
<u>P143</u>	joined (was joined by)	E85 Joining	E39 Actor
<u>P144</u>	joined with (gained member by)	E85 Joining	E74 Group
P145	separated (left by)	E86 Leaving	E39 Actor
P146 P151	<ul><li>- separated from (lost member by)</li><li>- was formed from (participated in)</li></ul>	E86 Leaving E66 Formation	E74 Group E74 Group
P16	- used specific object (was used for)	E7 Activity	E70 Thing
P33	used specific technique (was used by)	E7 Activity	E29 Design or Procedure
<u>P111</u>	added (was added by)	E79 Part Addition	E18 Physical Thing
P142	used constituent (was used in)	E15 Identifier Assignment	E90 Symbolic Object
<u>P25</u> P31	<ul><li>moved (moved by)</li><li>has modified (was modified by)</li></ul>	E9 Move	E19 Physical Object E24 Physical Man-Made Thing
P108	- has produced (was modified by) - has produced (was produced by)	E11 Modification E12 Production	E24 Physical Man-Made Thing
P110	augmented (was augmented by)	E79 Part Addition	E24 Physical Man-Made Thing
P112	diminished (was diminished by)	E80 Part Removal	E24 Physical Man-Made Thing
<u>P92</u>	- brought into existence (was brought into existence by)	E63 Beginning of Existence	E77 Persistent Item
<u>P94</u>	has created (was created by)	E65 Creation	E28 Conceptual Object
P135 P95	<ul><li>- created type (was created by)</li><li>- has formed (was formed by)</li></ul>	E83 Type Creation	E55 Type
P98	brought into life (was born)	E66 Formation E67 Birth	E74 Group E21 Person
<u>P108</u>	has produced (was produced by)	E12 Production	E24 Physical Man-Made Thing
P123	resulted in (resulted from)	E81 Transformation	E77 Persistent Item
<u>P93</u>	- took out of existence (was taken out of existence by)	E64 End of Existence	E77 Persistent Item
P13	destroyed (was destroyed by)	E6 Destruction	E18 Physical Thing
<u>P99</u> P100	<ul><li>- dissolved (was dissolved by)</li><li>- was death of (died in)</li></ul>	E68 Dissolution E69 Death	E74 Group E21 Person
P124	transformed (was transformed by)	E81 Transformation	E77 Persistent Item
P142	used constituent (was used in)	E15 Identifier Assignment	E90 Symbolic Object
P15	was influenced by (influenced)	E7 Activity	E1 CRM Entity
<u>P16</u>	- used specific object (was used for)	E7 Activity	E70 Thing
<u>P33</u>	used specific technique (was used by)	E11 Modification	E29 Design or Procedure
<u>P111</u> <u>P142</u>	<ul><li>- added (was added by)</li><li>- used constituent (was used in)</li></ul>	E79 Part Addition E15 Identifier Assignment	<u>E18</u> Physical Thing <u>E90</u> Symbolic Object
P17	- was motivated by (motivated)	E7 Activity	E1 CRM Entity
P134	- continued (was continued by)	E7 Activity	E7 Activity
P136	- was based on (supported type creation)	E83 Type Creation	E1 CRM Entity
<u>P19</u>	was intended use of (was made for)	E7 Activity	E71 Man-Made Thing
P20	had specific purpose (was purpose of)	E7 Activity	E5 Event
<u>P21</u> <u>P24</u>	had general purpose (was purpose of) transferred title of (changed ownership through)	E7 Activity E8 Acquisition	E55 Type E18 Physical Thing
P30	transferred title of (changed ownership through) transferred custody of (custody transferred through)	E10 Transfer of Custody	E18 Physical Thing E18 Physical Thing
P43	has dimension (is dimension of)	E70 Thing	E54 Dimension
P44	has condition (is condition of)	E18 Physical Thing	E3 Condition State
<u>P45</u>	consists of (is incorporated in)	E18 Physical Thing	E57 Material

Proper ty id	Property Name	Entity – Domain	Entity - Range
1y 1a <u>P46</u>	is composed of (forms part of)	E18 Physical Thing	E18 Physical Thing
P56	- bears feature (is found on)	E19 Physical Object	E26 Physical Feature
P49	has former or current keeper (is former or current keeper of)	E18 Physical Thing	E39 Actor
<u>P50</u>	- has current keeper (is current keeper of)	E18 Physical Thing	E39 Actor
P109	- has current or former curator (is current or former curator of)	E78 Collection	E39 Actor
P51	has former or current owner (is former or current owner of)	E18 Physical Thing	E39 Actor
P52 P53	<ul> <li>has current owner (is current owner of)</li> <li>has former or current location (is former or current location of)</li> </ul>	E18 Physical Thing	E39 Actor E53 Place
P55 P55	- has current location (currently holds)	E18 Physical Thing E19 Physical Object	E53 Place
P54	has current permanent location (is current permanent location of)	E19 Physical Object	E53 Place
P57	has number of parts	E19 Physical Object	E60 Number
P58	has section definition (defines section)	E18 Physical Thing	<b>E46</b> Section Definition
<u>P59</u>	has section (is located on or within)	E18 Physical Thing	E53 Place
P62	depicts (is depicted by)	E24 Physical Man-Made Thing	E1 CRM Entity
P67 P68	refers to ( is referred to by)	E89 Propositional Object	E1 CRM Entity
P70	<ul><li>foresees use of (use foreseen by)</li><li>documents (is documented in)</li></ul>	E29 Design or Procedure E31 Document	E57 Material E1 CRM Entity
P71	- lists (is listed in)	E32 Authority Document	E1 CRM Entity
P129	- is about (is subject of)	E89 Propositional Object	E1 CRM Entity
P138	- represents (has representation)	E36 Visual Item	E1 CRM Entity
<u>P69</u>	has association with (is associated with)	E29 Design or Procedure	E29 Design or Procedure
<u>P72</u>	has language (is language of)	E33 Linguistic Object	E56 Language
<u>P74</u>	has current or former residence (is current or former residence of)	E39 Actor	E53 Place
<u>P75</u> P76	possesses (is possessed by) has contact point (provides access to)	E39 Actor E39 Actor	E30 Right E51 Contact Point
P81	ongoing throughout	E52 Time-Span	E61 Time Primitive
P82	at some time within	E52 Time-Span	E61 Time Primitive
P83	had at least duration (was minimum duration of)	E52 Time-Span	E54 Dimension
P84	had at most duration (was maximum duration of)	E52 Time-Span	E54 Dimension
<u>P86</u>	falls within (contains)	E52 Time-Span	E52 Time-Span
<u>P89</u>	falls within (contains)	E53 Place	E53 Place
<u>P90</u>	has value	E54 Dimension	E60 Number
P91	has unit (is unit of)	E54 Dimension	E58 Measurement Unit
<u>P97</u> P101	from father (was father for) had as general use (was use of)	E67 Birth E70 Thing	E21 Person E55 Type
P103	was intended for (was intention of)	E71 Man-Made Thing	<u>E55</u> Type
P104	is subject to (applies to)	E72 Legal Object	E30 Right
P105	right held by (has right on)	E72 Legal Object	E39 Actor
P52	- has current owner (is current owner of)	E18 Physical Thing	E39 Actor
<u>P106</u>	is composed of (forms part of)	E90 Symbolic Object	E90 Symbolic Object
P165	- incorporates (is incorporated in)	E73 Information Object	E90 Symbolic Object
P107	has current or former member (is current or former member of)	E74 Group	E39 Actor
<u>P114</u> <u>P115</u>	is equal in time to finishes (is finished by)	E2 Temporal Entity E2 Temporal Entity	E2 Temporal Entity E2 Temporal Entity
P116	starts (is started by)	E2 Temporal Entity	E2 Temporal Entity
P117	occurs during (includes)	E2 Temporal Entity	E2 Temporal Entity
P118	overlaps in time with (is overlapped in time by)	E2 Temporal Entity	E2 Temporal Entity
P119	meets in time with (is met in time by)	E2 Temporal Entity	E2 Temporal Entity
P120	occurs before (occurs after)	E2 Temporal Entity	E2 Temporal Entity
P121	overlaps with	E53 Place	E53 Place
P122 P125	borders with used object of type (was type of object used in)	E53 Place E7 Activity	E53 Place E55 Type
P32	- used general technique (was technique of)	E7 Activity	E55 Type
P126	employed (was employed in)	E11 Modification	E57 Material
P127	has broader term (has narrower term)	E55 Type	E55 Type
<u>P65</u>	- shows visual item (is shown by)	E24 Physical Man-Made Thing	E36 Visual Item
P130	shows features of (features are also found on)	E70 Thing	E70 Thing
<u>P73</u> i <u>P128</u>	<ul><li>is translation of</li><li>carries (is carried by)</li></ul>	E33 Linguistic Object E18 Physical Thing	E33 Linguistic Object E90 Symbolic Object
P65	- carries (is carried by) shows visual item (is shown by)	E24 Physical Man-Made Thing	E36 Visual Item
P132	overlaps with	E4 Period	E4 Period
P133	is separated from	E4 Period	E4 Period
P139	has alternative form	E41 Appellation	E41 Appellation
<u>P140</u>	assigned attribute to (was attributed by)	E13 Attribute Assignment	E1 CRM Entity
<u>P34</u>	- concerned (was assessed by)	E14 Condition Assessment	E18 Physical Thing
P39	- measured (was measured by)	E16 Measurement	E1 CRM Entity
<u>P41</u> P141	- classified (was classified by) assigned (was assigned by)	E17 Type Assignement E13 Attribute Assignement	E1 CRM Entity E1 CRM Entity
P35	- has identified (identified by)	E14 Condition Assessment	E3 Condition State
P37	- assigned (was assigned by)	E15 Identifier Assignment	E42 Identifier
P38	- deassigned (was deassigned by)	E15 Identifier Assignement	E42 Identifier
P40	- observed dimension (was observed in)	E16 Measurement	E54 Dimension
<u>P42</u>	- assigned (was assigned by)	E17 Type Assignment	E55 Type
P147	curated (was curated by)	E87 Curation Activity	E78 Collection
P148	has component (is component of)	E89 Propositional Object	E89 Propositional Object
P150 P152	defines typical parts of(defines typical wholes for) has parent(is parent of)	E55 Type E21 Person	E55 Type E21 Person
P156	occupies	E18 Physical Thing	E53 Place
<u>- 100</u>		<u></u>	

Proper	Property Name	Entity – Domain	Entity - Range
ty id			
P157	is at rest relative to (provides reference space for)	E53 Place	E18 Physical Thing
P59i	- is located on or within	E53 Place	E18 Physical Thing
P160	has temporal projection:	E92 Spacetime Volume	E52 Time-Span
P161	has spatial projection:	E92 Spacetime Volume	E53 Place
P164	is restricted by	E93 Spacetime Snapshot	E52 Time Span

## **CIDOC CRM Class Declarations**

The classes of the CRM are comprehensively declared in this section using the following format:

- Class names are presented as headings in bold face, preceded by the class' unique identifier;
- The line "Subclass of:" declares the superclass of the class from which it inherits properties;
- The line "Superclass of:" is a cross-reference to the subclasses of this class;
- The line "Scope note:" contains the textual definition of the concept the class represents;
- The line "Examples:" contains a bulleted list of examples of instances of this class. If the example is also instance of a subclass of this class, the unique identifier of the subclass is added in parenthesis. If the example instantiates two classes, the unique identifiers of both classes is added in parenthesis. Non-fictitious examples may be followed by an explanation in brackets.
- The line "Properties:" declares the list of the class' properties;
- Each property is represented by its unique identifier, its forward and reverse names, and the range class that it links to, separated by colons;
- Inherited properties are not represented;
- Properties of properties are provided indented and in parentheses beneath their respective domain property.

## **E1 CRM Entity**

Superclass of: <u>E2</u> Temporal Entity

E52 Time-Span E53 Place E54 Dimension E77 Persistent Item

E92 Spacetime Volume

Scope note:

This class comprises all things in the universe of discourse of the CIDOC Conceptual Reference Model.

It is an abstract concept providing for three general properties:

- 1. Identification by name or appellation, and in particular by a preferred identifier
- 2. Classification by type, allowing further refinement of the specific subclass an instance belongs to
- 3. Attachment of free text for the expression of anything not captured by formal properties

With the exception of E59 Primitive Value, all other classes within the CRM are directly or indirectly specialisations of E1 CRM Entity.

Examples:

• the earthquake in Lisbon 1755 (E5)

FOL:

Properties:

```
P1 is identified by (identifies): E41 Appellation
```

P2 has type (is type of): E55 Type

P3 has note: E62 String

(P3.1 has type: <u>E55</u> Type)

P48 has preferred identifier (is preferred identifier of): E42 Identifier

<u>P137</u> exemplifies (is exemplified by): <u>E55</u> Type (P137.1 in the taxonomic role: <u>E55</u> Type)

### **E2 Temporal Entity**

Subclass of: E1 CRM Entity
Superclass of: E3 Condition State

E4 Period

Scope note:

This class comprises all phenomena, such as the instances of E4 Periods, E5 Events and states, which happen over a limited extent in time. This extent in time must be contiguous, i.e., without gaps. In case the defining kinds of phenomena for an instance of E2 Temporal Entity cease to happen, and occur later again at another time, we regard that the former E2 Temporal Entity has ended and a new instance has come into existence. In more intuitive terms, the same event cannot happen twice.

In some contexts, these are also called perdurants. This class is disjoint from E77 Persistent Item. This is an abstract class and has no direct instances. E2 Temporal Entity is specialized into E4 Period, which applies to a particular geographic area (defined with a greater or lesser degree of precision), and E3 Condition State, which applies to instances of E18 Physical Thing.

Examples:

- Bronze Age (E4)
- the earthquake in Lisbon 1755 (E5)
- the Peterhof Palace near Saint Petersburg being in ruins from 1944 1946 (E3)

FOL:  $E2(x) \supset E1(x)$ 

Properties:

P4 has time-span (is time-span of): E52 Time-Span P114 is equal in time to: E2 Temporal Entity P115 finishes (is finished by): E2 Temporal Entity P116 starts (is started by): E2 Temporal Entity

```
<u>P117</u> occurs during (includes): <u>E2</u> Temporal Entity
```

P118 overlaps in time with (is overlapped in time by): E2 Temporal Entity

P119 meets in time with (is met in time by): E2 Temporal Entity

P120 occurs before (occurs after): E2 Temporal Entity

### **E3 Condition State**

Subclass of: <u>E2</u> Temporal Entity

Scope note: This class comprises the states of objects characterised by a certain condition over a time-span.

An instance of this class describes the prevailing physical condition of any material object or feature during a specific E52 Time Span. In general, the time-span for which a certain condition can be asserted may be shorter than the real time-span, for which this condition held.

The nature of that condition can be described using *P2 has type*. For example, the E3 Condition State "condition of the SS Great Britain between 22 September 1846 and 27 August 1847" can be characterized as E55 Type "wrecked".

#### Examples:

- the "Amber Room" in Tsarskoje Selo being completely reconstructed from summer 2003 until now
- the Peterhof Palace near Saint Petersburg being in ruins from 1944 1946
- the state of my turkey in the oven at 14:30 on 25 December, 2002 (*P2 has type: E55 Type* "still not cooked")

FOL:  $E3(x) \supset E2(x)$ 

Properties:

P5 consists of (forms part of): E3 Condition State

#### **E4 Period**

Subclass of: <u>E2</u> Temporal Entity

Superclass of: E5 Event

Scope note: This class comprises sets of coherent phenomena or cultural manifestations bounded in time and space.

It is the social or physical coherence of these phenomena that identify an E4 Period and not the associated spatiotemporal bounds. These bounds are a mere approximation of the actual process of growth, spread and retreat. Consequently, different periods can overlap and coexist in time and space, such as when a nomadic culture exists in the same area as a sedentary culture.

As the actual extent of an E4 Period in spacetime we regard the trajectories of the participating physical things during their participation in an instance of E4 Period, the open spaces via which they have interacted and the spaces by which they had the potential to interact during that period or event in the way defined by the type of the respective period or event, such as the air in a meeting room transferring the voices. Since these phenomena are fuzzy, we assume the spatiotemporal extent to be contiguous, except for cases of phenomena spreading out over islands or other separated areas. In these cases, the trajectories necessary for participants to travel between these areas are not regarded as part of the spatiotemporal extent. Consequently, instances of E4 Period may occupy each a limited number of disjoint spacetime volumes, however there must not be a discontinuity in the total timespan covered by these spacetime volumes.

Typically this class is used to describe prehistoric or historic periods such as the "Neolithic Period", the "Ming Dynasty" or the "McCarthy Era", but also geopolitical units and activities of settlements are regarded as special cases of E4 Period. Geopolitical units may be distributed over disconnected areas, such as islands or colonies. In such cases, the spatiotemporal extent is composed of more than one spacetime volume. One may argue that the activities to govern disconnected areas imply travelling through spaces connecting them and that these areas hence are spatially connected in a way, but it appears counterintuitive to consider for instance travel routes in international waters as extensions of geopolitical units. Nevertheless, an instance of E4 Period must be contiguous in time. I.e., if it has ended in all areas, it has ended as a whole, but it may involve one area after another, such as the Polynesian migration, as long as it is ongoing at least in one area.

There are no assumptions about the scale of the associated phenomena. In particular all events are seen as synthetic processes consisting of coherent phenomena. Therefore E4 Period is a superclass of E5 Event. For example, a modern clinical E67 Birth can be seen as both an atomic E5 Event and as an E4 Period that consists of multiple activities performed by multiple instances of E39 Actor.

There are two different conceptualisations of 'artistic style', defined either by physical features or by historical context. For example, "Impressionism" can be viewed as a period lasting from approximately 1870 to 1905 during which paintings with particular characteristics were produced by a group of artists that included (among others) Monet, Renoir, Pissarro, Sisley and Degas. Alternatively, it can be regarded as a style applicable to all paintings sharing the characteristics of the works produced by the Impressionist painters, regardless of historical context. The first interpretation is an E4 Period, and the second defines morphological object types that fall under E55 Type.

Another specific case of an E4 Period is the set of activities and phenomena associated with a settlement, such as the populated period of Nineveh.

#### Examples:

- Jurassic
- European Bronze Age
- Italian Renaissance
- Thirty Years War
- Sturm und Drang
- Cubism

FOL:  $E4(x) \supset E2(x)$ 

### Properties:

P7 took place at (witnessed): E53 Place

<u>P8</u> took place on or within (witnessed): <u>E18</u> Physical Thing

P9 consists of (forms part of): E4 Period P10 falls within (contains): E4 Period P132 overlaps with: E4 Period P133 is separated from: E4 Period

### E5 Event

Subclass of: <u>E4</u> Period Superclass of: <u>E7</u> Activity

> <u>E63</u> Beginning of Existence <u>E64</u> End of Existence

### Scope note:

This class comprises changes of states in cultural, social or physical systems, regardless of scale, brought about by a series or group of coherent physical, cultural, technological or legal phenomena. Such changes of state will affect instances of E77 Persistent Item or its subclasses.

The distinction between an E5 Event and an E4 Period is partly a question of the scale of observation. Viewed at a coarse level of detail, an E5 Event is an 'instantaneous' change of state. At a fine level, the E5 Event can be analysed into its component phenomena within a space and time frame, and as such can be seen as an E4 Period. The reverse is not necessarily the case: not all instances of E4 Period give rise to a noteworthy change of state.

- the birth of Cleopatra (E67)
- the destruction of Herculaneum by volcanic eruption in 79 AD (E6)
- World War II (E7)
- the Battle of Stalingrad (E7)
- the Yalta Conference (E7)
- my birthday celebration 28-6-1995 (E7)
- the falling of a tile from my roof last Sunday

• the CIDOC Conference 2003 (E7)

FOL:  $E5(x) \supset E4(x)$ 

Properties:

P11 had participant (participated in): E39 Actor

P12 occurred in the presence of (was present at): E77 Persistent Item

### **E6 Destruction**

Subclass of: E64 End of Existence

Scope note:

This class comprises events that destroy one or more instances of E18 Physical Thing such that they lose their identity as the subjects of documentation.

Some destruction events are intentional, while others are independent of human activity. Intentional destruction may be documented by classifying the event as both an E6 Destruction and E7 Activity.

The decision to document an object as destroyed, transformed or modified is context sensitive:

- 1. If the matter remaining from the destruction is not documented, the event is modelled solely as E6 Destruction.
- 2. An event should also be documented using E81 Transformation if it results in the destruction of one or more objects and the simultaneous production of others using parts or material from the original. In this case, the new items have separate identities. Matter is preserved, but identity is not.
- 3. When the initial identity of the changed instance of E18 Physical Thing is preserved, the event should be documented as E11 Modification.

## Examples:

- the destruction of Herculaneum by volcanic eruption in 79 AD
- the destruction of Nineveh (E6, E7)
- the breaking of a champagne glass yesterday by my dog

FOL:  $E6(x) \supset E64(x)$ 

Properties:

P13 destroyed (was destroyed by): E18 Physical Thing

### **E7 Activity**

Subclass of:

E5 Event

Superclass of:

**E8** Acquisition

E9 Move

E10 Transfer of Custody

E11 Modification

E13 Attribute Assignment

E65 Creation

E66 Formation

E85 Joining

E86 Leaving

**E87** Curation Activity

Scope note:

This class comprises actions intentionally carried out by instances of E39 Actor that result in changes of state in the cultural, social, or physical systems documented.

This notion includes complex, composite and long-lasting actions such as the building of a settlement or a war, as well as simple, short-lived actions such as the opening of a door.

- the Battle of Stalingrad
- the Yalta Conference
- my birthday celebration 28-6-1995
- the writing of "Faust" by Goethe (E65)
- the formation of the Bauhaus 1919 (E66)
- calling the place identified by TGN '7017998' 'Quyunjig' by the people of Iraq

- Kira Weber working in glass art from 1984 to 1993
- Kira Weber working in oil and pastel painting from 1993

FOL:  $E7(x) \supset E5(x)$ 

Properties:

```
P14 carried out by (performed): E39 Actor
(P14.1 in the role of: E55 Type)
P15 was influenced by (influenced): E1 CRM Entity
P16 used specific object (was used for): E70 Thing
(P16.1 mode of use: E55 Type)
P17 was motivated by (motivated): E1 CRM Entity
P19 was intended use of (was made for): E71 Man-Made Thing
(P19.1 mode of use: E55 Type)
P20 had specific purpose (was purpose of): E5 Event
P21 had general purpose (was purpose of): E55 Type
P32 used general technique (was technique of): E55 Type
P33 used specific technique (was used by): E29 Design or Procedure
P125 used object of type (was type of object used in): E55 Type
P134 continued (was continued by): E7 Activity
```

## **E8 Acquisition**

Subclass of: <u>E7</u> Activity

Scope note:

This class comprises transfers of legal ownership from one or more instances of E39 Actor to one or more other instances of E39 Actor.

The class also applies to the establishment or loss of ownership of instances of E18 Physical Thing. It does not, however, imply changes of any other kinds of right. The recording of the donor and/or recipient is optional. It is possible that in an instance of E8 Acquisition there is either no donor or no recipient. Depending on the circumstances, it may describe:

- 1. the beginning of ownership
- 2. the end of ownership
- 3. the transfer of ownership
- 4. the acquisition from an unknown source
- 5. the loss of title due to destruction of the item

It may also describe events where a collector appropriates legal title, for example by annexation or field collection. The interpretation of the museum notion of "accession" differs between institutions. The CRM therefore models legal ownership (E8 Acquisition) and physical custody (E10 Transfer of Custody) separately. Institutions will then model their specific notions of accession and deaccession as combinations of these.

# Examples

- the collection of a hammer-head shark of the genus *Sphyrna* (Carchariniformes) XXXtbc by John Steinbeck and Edward Ricketts at Puerto Escondido in the Gulf of Mexico on March 25th, 1940
- the acquisition of El Greco's painting entitled 'The Apostles Peter and Paul' by the State Hermitage in Saint Petersburg
- the loss of my stuffed chaffinch 'Fringilla coelebs Linnaeus, 1758' due to insect damage last year

FOL:  $E8(x) \supset E7(x)$ 

Properties:

<u>P22</u> transferred title to (acquired title through): <u>E39</u> Actor <u>P23</u> transferred title from (surrendered title through): <u>E39</u> Actor

P24 transferred title of (changed ownership through): E18 Physical Thing

## E9 Move

Subclass of: E7 Activity

Scope note: This class comprises changes of the physical location of the instances of E19 Physical Object.

Note, that the class E9 Move inherits the property P7 took place at (witnessed): E53 Place. This property should be used to describe the trajectory or a larger area within which a move takes place, whereas the properties P26 moved to (was destination of), P27 moved from (was origin of) describe the start and end points only. Moves may also be documented to consist of other moves (via P9 consists of (forms part of)), in order to describe intermediate stages on a trajectory. In that case, start and end points of the partial moves should match appropriately between each other and with the overall event.

Examples

- the relocation of London Bridge from the UK to the USA
- the movement of the exhibition "Treasures of Tut-Ankh-Amun" 1976-1979

FOL:  $E9(x) \supset E7(x)$ 

Properties:

<u>P25</u> moved (moved by): <u>E19</u> Physical Object <u>P26</u> moved to (was destination of): <u>E53</u> Place <u>P27</u> moved from (was origin of): <u>E53</u> Place

## **E10 Transfer of Custody**

Subclass of: <u>E7</u> Activity

Scope note: This class comprises transfers of physical custody of objects between instances of E39 Actor.

The recording of the donor and/or recipient is optional. It is possible that in an instance of E10 Transfer of Custody there is either no donor or no recipient. Depending on the circumstances it may describe:

- 1. the beginning of custody
- 2. the end of custody
- 3. the transfer of custody
- 4. the receipt of custody from an unknown source
- 5. the declared loss of an object

The distinction between the legal responsibility for custody and the actual physical possession of the object should be expressed using the property P2 has type (is type of). A specific case of transfer of custody is theft.

The interpretation of the museum notion of "accession" differs between institutions. The CRM therefore models legal ownership and physical custody separately. Institutions will then model their specific notions of accession and deaccession as combinations of these.

Examples:

- the delivery of the paintings by Secure Deliveries Inc. to the National Gallery
- the return of Picasso's "Guernica" to Madrid's Prado in 1981

FOL:  $E10(x) \supset E7(x)$ 

Properties:

P28 custody surrendered by (surrendered custody through): E39 Actor P29 custody received by (received custody through): E39 Actor

<u>P30</u> transferred custody of (custody transferred through): <u>E18</u> Physical Thing

#### **E11 Modification**

Subclass of: E7 Activity
Superclass of: E12 Production
E79 Part Addition

E/9 Part Addition E80 Part Removal

Scope note: This class comprises all instances of E7 Activity that create, alter or change E24 Physical Man-Made

Thing.

This class includes the production of an item from raw materials, and other so far undocumented objects, and the preventive treatment or restoration of an object for conservation.

Since the distinction between modification and production is not always clear, modification is regarded as the more generally applicable concept. This implies that some items may be consumed or destroyed in a Modification, and that others may be produced as a result of it. An event should also be documented using E81 Transformation if it results in the destruction of one or more objects and the simultaneous production of others using parts or material from the originals. In this case, the new items have separate identities.

If the instance of the E29 Design or Procedure utilized for the modification prescribes the use of specific materials, they should be documented using property *P68 foresees use of (use foreseen by):* E57 Material of E29 Design or Procedure, rather than via *P126 employed (was employed in)*: E57 Material.

# Examples:

- the construction of the SS Great Britain (E12)
- the impregnation of the Vasa warship in Stockholm for preservation after 1956
- the transformation of the Enola Gay into a museum exhibit by the National Air and Space Museum in Washington DC between 1993 and 1995 (E12, E81)
  - the last renewal of the gold coating of the Toshogu shrine in Nikko, Japan

FOL:  $E11(x) \supset E7(x)$ 

Properties:

P31 has modified (was modified by): E24 Physical Man-Made Thing

P126 employed (was employed in): E57 Material

### **E12 Production**

Subclass of: <u>E11</u> Modification

**E63** Beginning of Existence

Scope note: This class comprises activities that are designed to, and succeed in, creating one or more new items.

It specializes the notion of modification into production. The decision as to whether or not an object is regarded as new is context sensitive. Normally, items are considered "new" if there is no obvious overall similarity between them and the consumed items and material used in their production. In other cases, an item is considered "new" because it becomes relevant to documentation by a modification. For example, the scribbling of a name on a potsherd may make it a voting token. The original potsherd may not be worth documenting, in contrast to the inscribed one.

This entity can be collective: the printing of a thousand books, for example, would normally be considered a single event.

An event should also be documented using E81 Transformation if it results in the destruction of one or more objects and the simultaneous production of others using parts or material from the originals. In this case, the new items have separate identities and matter is preserved, but identity is not.

# Examples:

- the construction of the SS Great Britain
- the first casting of the Little Mermaid from the harbour of Copenhagen
- Rembrandt's creating of the seventh state of his etching "Woman sitting half dressed beside a stove", 1658, identified by Bartsch Number 197 (E12,E65,E81)

FOL:  $E12(x) \supset E11(x)$ 

 $E12(x) \supset E63(x)$ 

Properties:

P108 has produced (was produced by): E24 Physical Man-Made Thing

## **E13 Attribute Assignment**

Subclass of: <u>E7</u> Activity

Superclass of: <u>E14</u> Condition Assessment

E15 Identifier Assignment

E16 Measurement

**E17** Type Assignment

Scope note:

This class comprises the actions of making assertions about properties of an object or any relation between two items or concepts.

This class allows the documentation of how the respective assignment came about, and whose opinion it was. All the attributes or properties assigned in such an action can also be seen as directly attached to the respective item or concept, possibly as a collection of contradictory values. All cases of properties in this model that are also described indirectly through an action are characterised as "short cuts" of this action. This redundant modelling of two alternative views is preferred because many implementations may have good reasons to model either the action or the short cut, and the relation between both alternatives can be captured by simple rules.

In particular, the class describes the actions of people making propositions and statements during certain museum procedures, e.g. the person and date when a condition statement was made, an identifier was assigned, the museum object was measured, etc. Which kinds of such assignments and statements need to be documented explicitly in structures of a schema rather than free text, depends on if this information should be accessible by structured queries.

Examples:

the assessment of the current ownership of Martin Doerr's silver cup in February 1997

FOL:  $E13(x) \supset E7(x)$ 

Properties:

P140 assigned attribute to (was attributed by): E1 CRM Entity

P141 assigned (was assigned by): E1 CRM Entity

## **E14 Condition Assessment**

Subclass of: <u>E13</u> Attribute Assignment

Scope note: This class describes the act of assessing the state of preservation of an object during a particular period.

The condition assessment may be carried out by inspection, measurement or through historical research. This class is used to document circumstances of the respective assessment that may be relevant to interpret its quality at a later stage, or to continue research on related documents.

Examples:

last year's inspection of humidity damage to the frescos in the St. George chapel in our village

FOL:  $E14(x) \supset E13(x)$ 

Properties:

<u>P34</u> concerned (was assessed by): <u>E18</u> Physical Thing P35 has identified (identified by): E3 Condition State

## **E15 Identifier Assignment**

Subclass of: <u>E13</u> Attribute Assignment

Scope note: This class comprises activities that result in the allocation of an identifier to an instance of E1 CRM

Entity. An E15 Identifier Assignment may include the creation of the identifier from multiple constituents, which themselves may be instances of E41 Appellation. The syntax and kinds of constituents to be used may be declared in a rule constituting an instance of E29 Design or Procedure.

Examples of such identifiers include Find Numbers, Inventory Numbers, uniform titles in the sense of librarianship and Digital Object Identifiers (DOI). Documenting the act of identifier assignment and deassignment is especially useful when objects change custody or the identification system of an

organization is changed. In order to keep track of the identity of things in such cases, it is important to document by whom, when and for what purpose an identifier is assigned to an item.

The fact that an identifier is a preferred one for an organisation can be expressed by using the property E1 CRM Entity. P48 has preferred identifier (is preferred identifier of): E42 Identifier. It can better be expressed in a context independent form by assigning a suitable E55 Type, such as "preferred identifier assignment", to the respective instance of E15 Identifier Assignment via the P2 has type property.

## Examples:

- Replacement of the inventory number TA959a by GE34604 for a 17<sup>th</sup> century lament cloth at the Museum Benaki, Athens
- Assigning the author-uniform title heading "Goethe, Johann Wolfgang von, 1749-1832. Faust. 1. Theil." for a work (E28)
- On June 1, 2001 assigning the personal name heading "Guillaume, de Machaut, ca. 1300-1377" (E42,E82) to Guillaume de Machaut (E21)

FOL:  $E15(x) \supset E13(x)$ 

Properties:

P37 assigned (was assigned by): E42 Identifier
P38 deassigned (was deassigned by): E42 Identifier
P142 used constituent (was used in): E90 Symbolic Object

#### E16 Measurement

Subclass of: <u>E13</u> Attribute Assignment

Scope note: This class comprises actions measuring physical properties and other values that can be determined by a systematic procedure.

Examples include measuring the monetary value of a collection of coins or the running time of a specific video cassette.

The E16 Measurement may use simple counting or tools, such as yardsticks or radiation detection devices. The interest is in the method and care applied, so that the reliability of the result may be judged at a later stage, or research continued on the associated documents. The date of the event is important for dimensions, which may change value over time, such as the length of an object subject to shrinkage. Details of methods and devices are best handled as free text, whereas basic techniques such as "carbon 14 dating" should be encoded using *P2 has type (is type of:) E55 Type*.

## Examples:

- measurement of height of silver cup 232 on the 31<sup>st</sup> August 1997
- the carbon 14 dating of the "Schoeninger Speer II" in 1996 [an about 400.000 years old Palaeolithic complete wooden spear found in Schoeningen, Niedersachsen, Germany in 1995]

FOL:  $E16(x) \supset E13(x)$ 

Properties:

P39 measured (was measured by): E1 CRM Entity
P40 observed dimension (was observed in): E54 Dimension

# **E17 Type Assignment**

Subclass of: E13 Attribute Assignment

Scope note: This class comprises the actions of classifying items of whatever kind. Such items include objects, specimens, people, actions and concepts.

This class allows for the documentation of the context of classification acts in cases where the value of the classification depends on the personal opinion of the classifier, and the date that the classification was made. This class also encompasses the notion of "determination," i.e. the systematic and molecular identification of a specimen in biology.

- the first classification of object GE34604 as Lament Cloth, October 2<sup>nd</sup>
- the determination of a cactus in Martin Doerr's garden as 'Cereus hildmannianus K.Schumann', July 2003

FOL:  $E17(x) \supset E13(x)$ 

Properties:

<u>P41</u> classified (was classified by): <u>E1</u> CRM Entity <u>P42</u> assigned (was assigned by): <u>E55</u> Type

### E18 Physical Thing

Subclass of: <u>E72</u> Legal Object Superclass of: <u>E19</u> Physical Object

**E24** Physical Man-Made Thing

**E26** Physical Feature

Scope Note: This class comprises all persistent physical items with a relatively stable form, man-made or natural.

Depending on the existence of natural boundaries of such things, the CRM distinguishes the instances of E19 Physical Object from instances of E26 Physical Feature, such as holes, rivers, pieces of land etc. Most instances of E19 Physical Object can be moved (if not too heavy), whereas features are integral to the surrounding matter.

The CRM is generally not concerned with amounts of matter in fluid or gaseous states.

### Examples:

- the Cullinan Diamond (E19)
- the cave "Ideon Andron" in Crete (E26)
- the Mona Lisa (E22)

FOL:  $E18(x) \supset E72(x)$ 

Properties:

P44 has condition (is condition of): E3 Condition State P45 consists of (is incorporated in): E57 Material P46 is composed of (forms part of): E18 Physical Thing

P49 has former or current keeper (is former or current keeper of): E39 Actor

<u>P50</u> has current keeper (is current keeper of): <u>E39</u> Actor

P51 has former or current owner (is former or current owner of): E39 Actor

P52 has current owner (is current owner of): E39 Actor

P53 has former or current location (is former or current location of): E53 Place

P58 has section definition (defines section): E46 Section Definition

<u>P59</u> has section (is located on or within): <u>E53</u> Place <u>P128</u> carries (is carried by): <u>E90</u> Symbolic Object

P156 occupies: E53 Place

## E19 Physical Object

Subclass of: E18 Physical Thing
Superclass of: E20 Biological Object
E22 Man-Made Object

Scope note:

This class comprises items of a material nature that are units for documentation and have physical boundaries that separate them completely in an objective way from other objects.

The class also includes all aggregates of objects made for functional purposes of whatever kind, independent of physical coherence, such as a set of chessmen. Typically, instances of E19 Physical Object can be moved (if not too heavy).

In some contexts, such objects, except for aggregates, are also called "bona fide objects" (Smith & Varzi, 2000, pp.401-420), i.e. naturally defined objects.

The decision as to what is documented as a complete item, rather than by its parts or components, may be a purely administrative decision or may be a result of the order in which the item was acquired.

Examples:

John Smith

- Aphrodite of Milosthe Palace of Knossosthe Cullinan Diamond
- Apollo 13 at the time of launch

FOL:  $E19(x) \supset E18(x)$ 

Properties:

P54 has current permanent location (is current permanent location of): E53 Place

<u>P55</u> has current location (currently holds): <u>E53</u> Place <u>P56</u> bears feature (is found on): <u>E26</u> Physical Feature

P57 has number of parts: E60 Number

# **E20 Biological Object**

Subclass of: <u>E19</u> Physical Object

Superclass of: <u>E21</u> Person

Scope note: This class comprises individual items of a material nature, which live, have lived or are natural

products of or from living organisms.

Artificial objects that incorporate biological elements, such as Victorian butterfly frames, can be

documented as both instances of E20 Biological Object and E22 Man-Made Object.

Examples:

me

■ Tut-Ankh-Amun

Boukephalas [Horse of Alexander the Great]

petrified dinosaur excrement PA1906-344

FOL:  $E20(x) \supset E19(x)$ 

## **E21 Person**

Subclass of: <u>E20</u> Biological Object

E39 Actor

Scope note: This class comprises real persons who live or are assumed to have lived.

Legendary figures that may have existed, such as Ulysses and King Arthur, fall into this class if the documentation refers to them as historical figures. In cases where doubt exists as to whether several persons are in fact identical, multiple instances can be created and linked to indicate their relationship.

The CRM does not propose a specific form to support reasoning about possible identity.

Examples:

Tut-Ankh-AmunNelson Mandela

FOL:  $E21(x) \supset E20(x)$ 

 $E21(x) \supset E39(x)$ 

Properties:

P152 has parent (is parent of): E21 Person

## E22 Man-Made Object

Subclass of: <u>E19</u> Physical Object

**E24** Physical Man-Made Thing

Superclass of: **E84** Information Carrier

Scope note: This class comprises physical objects purposely created by human activity.

> No assumptions are made as to the extent of modification required to justify regarding an object as man-made. For example, an inscribed piece of rock or a preserved butterfly are both regarded as

instances of E22 Man-Made Object.

Examples:

Mallard (the World's fastest steam engine)

the Portland Vase the Coliseum

FOL:  $E22(x) \supset E19(x)$  $E22(x) \supset E24(x)$ 

# **E24 Physical Man-Made Thing**

Subclass of: **E18** Physical Thing

E71 Man-Made Thing

Superclass of: E22 Man-Made Object

E25 Man-Made Feature

E78 Collection

Scope Note: This class comprises all persistent physical items that are purposely created by human activity.

> This class comprises man-made objects, such as a swords, and man-made features, such as rock art. No assumptions are made as to the extent of modification required to justify regarding an object as manmade. For example, a "cup and ring" carving on bedrock is regarded as instance of E24 Physical Man-

Made Thing.

Examples:

the Forth Railway Bridge (E22)

the Channel Tunnel (E25)

the Historical Collection of the Museum Benaki in Athens (E78)

FOL:  $E24(x) \supset E18(x)$ 

 $E24(x) \supset E71(x)$ 

Properties:

P62 depicts (is depicted by): E1 CRM Entity (P62.1 mode of depiction: E55 Type)

P65 shows visual item (is shown by): E36 Visual Item

#### E25 Man-Made Feature

Subclass of: **E24** Physical Man-Made Thing

E26 Physical Feature

Scope Note: This class comprises physical features that are purposely created by human activity, such as scratches,

artificial caves, artificial water channels, etc.

No assumptions are made as to the extent of modification required to justify regarding a feature as man-made. For example, rock art or even "cup and ring" carvings on bedrock a regarded as types of

E25 Man-Made Feature.

Examples:

the Manchester Ship Canal

Michael Jackson's nose following plastic surgery

FOL:  $E25(x) \supset E26(x)$ 

 $E25(x) \supset E24(x)$ 

## **E26 Physical Feature**

Subclass of: <u>E18</u> Physical Thing Superclass of: <u>E25</u> Man-Made Feature

E27 Site

Scope Note:

This class comprises identifiable features that are physically attached in an integral way to particular physical objects.

Instances of E26 Physical Feature share many of the attributes of instances of E19 Physical Object. They may have a one-, two- or three-dimensional geometric extent, but there are no natural borders that separate them completely in an objective way from the carrier objects. For example, a doorway is a feature but the door itself, being attached by hinges, is not.

Instances of E26 Physical Feature can be features in a narrower sense, such as scratches, holes, reliefs, surface colours, reflection zones in an opal crystal or a density change in a piece of wood. In the wider sense, they are portions of particular objects with partially imaginary borders, such as the core of the Earth, an area of property on the surface of the Earth, a landscape or the head of a contiguous marble statue. They can be measured and dated, and it is sometimes possible to state who or what is or was responsible for them. They cannot be separated from the carrier object, but a segment of the carrier object may be identified (or sometimes removed) carrying the complete feature.

This definition coincides with the definition of "fiat objects" (Smith & Varzi, 2000, pp.401-420), with the exception of aggregates of "bona fide objects".

# Examples:

- the temple in Abu Simbel before its removal, which was carved out of solid rock
- Albrecht Duerer's signature on his painting of Charles the Great
- the damage to the nose of the Great Sphinx in Giza
- Michael Jackson's nose prior to plastic surgery

FOL:  $E26(x) \supset E18(x)$ 

## E27 Site

Subclass of: E26 Physical Feature

Scope Note: This class comprises pieces of land or sea floor.

In contrast to the purely geometric notion of E53 Place, this class describes constellations of matter on the surface of the Earth or other celestial body, which can be represented by photographs, paintings and maps.

Instances of E27 Site are composed of relatively immobile material items and features in a particular configuration at a particular location.

## Examples:

- the Amazon river basin
- Knossos
- the Apollo 11 landing site
- Heathrow Airport
- the submerged harbour of the Minoan settlement of Gournia, Crete

FOL:  $E27(x) \supset E26(x)$ 

## **E28 Conceptual Object**

Subclass of: E71 Man-Made Thing

Superclass of: <u>E55</u> Type

<u>E89</u> Propositional Object <u>E90</u> Symbolic Object

Scope note:

This class comprises non-material products of our minds and other human produced data that have become objects of a discourse about their identity, circumstances of creation or historical implication. The production of such information may have been supported by the use of technical devices such as cameras or computers.

Characteristically, instances of this class are created, invented or thought by someone, and then may be documented or communicated between persons. Instances of E28 Conceptual Object have the ability to exist on more than one particular carrier at the same time, such as paper, electronic signals, marks, audio media, paintings, photos, human memories, etc.

They cannot be destroyed. They exist as long as they can be found on at least one carrier or in at least one human memory. Their existence ends when the last carrier and the last memory are lost.

### Examples:

- Beethoven's "Ode an die Freude" (Ode to Joy) (E73)
- the definition of "ontology" in the Oxford English Dictionary
- the knowledge about the victory at Marathon carried by the famous runner
- 'Maxwell equations' [preferred subject access point from LCSH, http://lccn.loc.gov/sh85082387, as of 19 November 2012]
- 'Equations, Maxwell' [variant subject access point, from the same source]

FOL:  $E28(x) \supset E71(x)$ 

Properties: P149 is identified by (identifies): E75 Conceptual Object Appellation

#### **E29 Design or Procedure**

Subclass of: <u>E73</u> Information Object

Scope note:

This class comprises documented plans for the execution of actions in order to achieve a result of a specific quality, form or contents. In particular it comprises plans for deliberate human activities that may result in the modification or production of instances of E24 Physical Thing.

Instances of E29 Design or Procedure can be structured in parts and sequences or depend on others. This is modelled using P69 has association with (is associated with)..

Designs or procedures can be seen as one of the following:

- 1. A schema for the activities it describes
- 2. A schema of the products that result from their application.
- 3. An independent intellectual product that may have never been applied, such as Leonardo da Vinci's famous plans for flying machines.

Because designs or procedures may never be applied or only partially executed, the CRM models a loose relationship between the plan and the respective product.

### Examples:

- the ISO standardisation procedure
- the musical notation for Beethoven's "Ode to Joy"
- the architectural drawings for the Kölner Dom in Cologne, Germany
- The drawing on the folio 860 of the Codex Atlanticus from Leonardo da Vinci, 1486-1490, kept in the Biblioteca Ambrosiana in Milan

FOL:  $E29(x) \supset E73(x)$ 

Properties:

P68 foresees use of (use foreseen by): E57 Material

P69 has association with (is associated with): E29 Design or Procedure

(P69.1 has type: <u>E55</u> Type)

E30 Right

Subclass of: **E89** Propositional Object

Scope Note: This class comprises legal privileges concerning material and immaterial things or their derivatives.

These include reproduction and property rights.

Examples:

copyright held by ISO on ISO/CD 21127 ownership of the "Mona Lisa" by the Louvre

FOL:  $E30(x) \supset E89(x)$ 

#### E31 Document

Subclass of: **E73** Information Object **E32** Authority Document Superclass of:

This class comprises identifiable immaterial items that make propositions about reality. Scope note:

> These propositions may be expressed in text, graphics, images, audiograms, videograms or by other similar means. Documentation databases are regarded as a special case of E31 Document. This class should not be confused with the term "document" in Information Technology, which is compatible

with E73 Information Object.

Examples:

the Encyclopaedia Britannica (E32)

The image content of the photo of the Allied Leaders at Yalta published by UPI, 1945 (E38)

the Doomsday Book

FOL:  $E31(x) \supset E73(x)$ 

Properties:

P70 documents (is documented in): E1 CRM Entity

### **E32 Authority Document**

Subclass of: E31 Document

Scope note: This class comprises encyclopaedia, thesauri, authority lists and other documents that define

terminology or conceptual systems for consistent use.

Examples:

Webster's Dictionary

Getty Art and Architecture Thesaurus

the CIDOC Conceptual Reference Model

FOL:  $E32(x) \supset E31(x)$ 

Properties:

P71 lists (is listed in): E1 CRM Entity

# E33 Linguistic Object

Subclass of: E73 Information Object

Superclass of: E34 Inscription

E35 Title

Scope note: This class comprises identifiable expressions in natural language or languages.

Instances of E33 Linguistic Object can be expressed in many ways: e.g. as written texts, recorded

speech or sign language. However, the CRM treats instances of E33 Linguistic Object independently from the medium or method by which they are expressed. Expressions in formal languages, such as computer code or mathematical formulae, are not treated as instances of E33 Linguistic Object by the CRM. These should be modelled as instances of E73 Information Object.

The text of an instance of E33 Linguistic Object can be documented in a note by P3 has note: E62 String

## Examples:

- the text of the Ellesmere Chaucer manuscript
- the lyrics of the song "Blue Suede Shoes"
- the text of the Jabberwocky by Lewis Carroll
- the text of "Doktoro Jekyll kaj Sinjoro Hyde" (an Esperanto translation of Dr Jekyll and Mr Hyde)

FOL:  $E33(x) \supset E73(x)$ 

Properties:

P72 has language (is language of): E56 Language

P73 has translation (is translation of): E33 Linguistic Object

### **E34 Inscription**

Subclass of: <u>E33</u> Linguistic Object

E37 Mark

Scope note: This class comprises recognisable, short texts attached to instances of E24 Physical Man-Made Thing.

The transcription of the text can be documented in a note by *P3 has note: E62 String*. The alphabet used can be documented by *P2 has type: E55 Type*. This class does not intend to describe the idiosyncratic characteristics of an individual physical embodiment of an inscription, but the underlying prototype. The physical embodiment is modelled in the CRM as E24 Physical Man-Made Thing.

The relationship of a physical copy of a book to the text it contains is modelled using E84 Information Carrier. P128 carries (is carried by): E33 Linguistic Object.

## Examples:

- "keep off the grass" on a sign stuck in the lawn of the quad of Balliol College
- The text published in Corpus Inscriptionum Latinarum V 895
- Kilroy was here

FOL:  $E34(x) \supset E33(x)$ 

 $E34(x) \supset E37(x)$ 

#### E35 Title

Subclass of: <u>E33</u> Linguistic Object

E41 Appellation

Scope note: This class comprises the names assigned to works, such as texts, artworks or pieces of music.

Titles are proper noun phrases or verbal phrases, and should not be confused with generic object names such as "chair", "painting" or "book" (the latter are common nouns that stand for instances of E55 Type). Titles may be assigned by the creator of the work itself, or by a social group.

This class also comprises the translations of titles that are used as surrogates for the original titles in different social contexts.

- "The Merchant of Venice"
- "Mona Lisa"
- "La Pie or The Magpie"
- "Lucy in the Sky with Diamonds"

FOL:  $E35(x) \supset E33(x)$ 

 $E35(x) \supset E41(x)$ 

#### E36 Visual Item

Subclass of: <u>E73</u> Information Object

Superclass of: <u>E37</u> Mark

E38 Image

Scope Note: This class comprises the intellectual or conceptual aspects of recognisable marks and images.

This class does not intend to describe the idiosyncratic characteristics of an individual physical embodiment of a visual item, but the underlying prototype. For example, a mark such as the ICOM logo is generally considered to be the same logo when used on any number of publications. The size, orientation and colour may change, but the logo remains uniquely identifiable. The same is true of images that are reproduced many times. This means that visual items are independent of their physical support.

The class E36 Visual Item provides a means of identifying and linking together instances of E24 Physical Man-Made Thing that carry the same visual symbols, marks or images etc. The property *P62 depicts (is depicted by)* between E24 Physical Man-Made Thing and depicted subjects (E1 CRM Entity) can be regarded as a short-cut of the more fully developed path from E24 Physical Man-Made Thing through *P65 shows visual item (is shown by)*, E36 Visual Item, *P138 represents (has representation)* to E1CRM Entity, which in addition captures the optical features of the depiction.

## Examples:

- the visual appearance of Monet's "La Pie" (E38)
- the Coca-Cola logo (E34)
- the Chi-Rho (E37)
- the communist red star (E37)

FOL:  $E36(x) \supset E73(x)$ 

Properties:

P138 represents (has representation): E1 CRM Entity (P138.1 mode of representation: E55 Type)

#### E37 Mark

Subclass of: <u>E36</u> Visual Item Superclass of: <u>E34</u> Inscription

Scope note:

This class comprises symbols, signs, signatures or short texts applied to instances of E24 Physical Man-Made Thing by arbitrary techniques in order to indicate the creator, owner, dedications, purpose, etc.

This class specifically excludes features that have no semantic significance, such as scratches or tool marks. These should be documented as instances of E25 Man-Made Feature.

## Examples:

- Minoan double axe mark
- ©
- **■** ②

FOL:  $E37(x) \supset E36(x)$ 

## E38 Image

Subclass of: E36 Visual Item

Scope note:

This class comprises distributions of form, tone and colour that may be found on surfaces such as photos, paintings, prints and sculptures or directly on electronic media.

The degree to which variations in the distribution of form and colour affect the identity of an instance of E38 Image depends on a given purpose. The original painting of the Mona Lisa in the Louvre may be said to bear the same instance of E38 Image as reproductions in the form of transparencies, postcards, posters or T-shirts, even though they may differ in size and carrier and may vary in tone and colour. The images in a "spot the difference" competition are not the same with respect to their context, however similar they may at first appear.

Examples:

- the front side of all 20 Swiss Frs notes
- the image depicted on all reproductions of the Mona Lisa

FOL:  $E38(x) \supset E36(x)$ 

#### E39 Actor

Subclass of: E77 Persistent Item

Superclass of: <u>E21</u> Person

E74 Group

Scope note:

This class comprises people, either individually or in groups, who have the potential to perform intentional actions of kinds for which someone may be held responsible.

The CRM does not attempt to model the inadvertent actions of such actors. Individual people should be documented as instances of E21 Person, whereas groups should be documented as instances of either E74 Group or its subclass E40 Legal Body.

Examples:

- London and Continental Railways (E40)
- the Governor of the Bank of England in 1975 (E21)
- Sir Ian McKellan (E21)

FOL:  $E39(x) \supset E77(x)$ 

Properties:

P74 has current or former residence (is current or former residence of): E53 Place

P75 possesses (is possessed by): E30 Right

<u>P76</u> has contact point (provides access to): <u>E51</u> Contact Point <u>P131</u> is identified by (identifies): <u>E82</u> Actor Appellation

## **E40 Legal Body**

Subcass of: E74 Group

Scope Note: This class comprises institutions or groups of people that have obtained a legal recognition as a group and can act collectively as agents.

This means that they can perform actions, own property, create or destroy things and can be held collectively responsible for their actions like individual people. The term 'personne morale' is often used for this in French.

Examples

- Greenpeace
- Paveprime Ltd
- the National Museum of Denmark

FOL:  $E40(x) \supset E74(x)$ 

# **E41 Appellation**

Subclass of: <u>E90</u> Symbolic Object

Superclass of:

E35 Title E42 Identifier

E44 Place Appellation E49 Time Appellation E51 Contact Point

**E75** Conceptual Object Appellation

E82 Actor Appellation

#### Scope note:

This class comprises signs, either meaningful or not, or arrangements of signs following a specific syntax, that are used or can be used to refer to and identify a specific instance of some class or category within a certain context.

Instances of E41 Appellation do not identify things by their meaning, even if they happen to have one, but instead by convention, tradition, or agreement. Instances of E41 Appellation are cultural constructs; as such, they have a context, a history, and a use in time and space by some group of users. A given instance of E41 Appellation can have alternative forms, i.e., other instances of E41 Appellation that are always regarded as equivalent independent from the thing it denotes.

Specific subclasses of E41 Appellation should be used when instances of E41 Appellation of a characteristic form are used for particular objects. Instances of E49 Time Appellation, for example, which take the form of instances of E50 Date, can be easily recognised.

E41 Appellation should not be confused with the act of naming something. Cf. E15 Identifier Assignment

### Examples:

- "Martin"
- "the Forth Bridge"
- "the Merchant of Venice" (E35)
- "Spigelia marilandica (L.) L." [not the species, just the name]
- "information science" [not the science itself, but the name through which we refer to it in an English-speaking context]
  - "妄" [Chinese "an", meaning "peace"]

FOL:  $E41(x) \supset E90(x)$ 

Properties:

<u>P139</u> has alternative form: <u>E41</u> Appellation (P139.1 has type: <u>E55</u> Type)

#### **E42 Identifier**

Subclass of: <u>E41</u> Appellation

Scope note:

This class comprises strings or codes assigned to instances of E1 CRM Entity in order to identify them uniquely and permanently within the context of one or more organisations. Such codes are often known as inventory numbers, registration codes, etc. and are typically composed of alphanumeric sequences. The class E42 Identifier is not normally used for machine-generated identifiers used for automated processing unless these are also used by human agents.

- "MM.GE.195"
- **"**13.45.1976"
- "OXCMS: 1997.4.1"
- ISSN "0041-5278"
- ISRC "FIFIN8900116"
- Shelf mark "Res 8 P 10"
- "Guillaume de Machaut (1300?-1377)" [a controlled personal name heading that follows the French rules]

FOL:  $E42(x) \supset E41(x)$ 

### **E44 Place Appellation**

Subclass of: <u>E41</u> Appellation Superclass of <u>E45</u> Address

<u>E46</u> Section Definition<u>E47</u> Spatial Coordinates<u>E48</u> Place Name

E46 Flace Name

Scope Note: This class comprises any sort of identifier characteristically used to refer to an E53 Place.

Instances of E44 Place Appellation may vary in their degree of precision and their meaning may vary over time - the same instance of E44 Place Appellation may be used to refer to several places, either because of cultural shifts, or because objects used as reference points have moved around. Instances of E44 Place Appellation can be extremely varied in form: postal addresses, instances of E47 Spatial Coordinate, and parts of buildings can all be considered as instances of E44 Place Appellation.

### Examples:

■ "Vienna"

"CH-1211, Genève""Aquae Sulis Minerva"

■ "Bath"

"Cambridge"

"the Other Place"

"the City"

FOL:  $E44(x) \supset E41(x)$ 

#### E45 Address

Subclass of: <u>E44</u> Place Appellation

**E51** Contact Point

Scope Note: This class comprises identifiers expressed in coding systems for places, such as postal addresses used

for mailing.

An E45 Address can be considered both as the name of an E53 Place and as an E51 Contact Point for an E39 Actor. This dual aspect is reflected in the multiple inheritance. However, some forms of mailing addresses, such as a postal box, are only instances of E51 Contact Point, since they do not identify any particular Place. These should not be documented as instances of E45 Address.

## Examples:

"1-29-3 Otsuka, Bunkyo-ku, Tokyo, 121, Japan"

• "Rue David Dufour 5, CH-1211, Genève"

FOL:  $E45(x) \supset E44(x)$ 

 $E45(x) \supset E51(x)$ 

### **E46 Section Definition**

Subclass of: <u>E44</u> Place Appellation

Scope Note: This class comprises areas of objects referred to in terms specific to the general geometry or structure

of its kind.

The 'prow' of the boat, the 'frame' of the picture, the 'front' of the building are all instances of E46 Section Definition. The class highlights the fact that parts of objects can be treated as locations. This holds in particular for features without natural boundaries, such as the "head" of a marble statue made out of one block (cf. E53 Place). In answer to the question 'where is the signature?' one might reply 'on the lower left corner'. (Section Definition is closely related to the term "segment" in Gerstl, P.&

Pribbenow, S, 1996 "A conceptual theory of part – whole relations and its applications", Data & Knowledge Engineering 20 305-322, North Holland-Elsevier).

Examples:

- "the entrance lobby to the Ripley Center"
- "the poop deck of H.M.S Victory"
- "the Venus de Milo's left buttock"
- "left inner side of my box"

FOL:  $E46(x) \supset E44(x)$ 

## **E47 Spatial Coordinates**

Subclass of: E44 Place Appellation

Scope Note: This class comprises the textual or numeric information required to locate specific instances of E53

Place within schemes of spatial identification.

Coordinates are a specific form of E44 Place Appellation, that is, a means of referring to a particular E53 Place. Coordinates are not restricted to longitude, latitude and altitude. Any regular system of reference that maps onto an E19 Physical Object can be used to generate coordinates.

Examples:

• "6°5'29"N 45°12'13"W"

• "Black queen's bishop 4" [chess coordinate]

FOL:  $E47(x) \supset E44(x)$ 

#### **E48 Place Name**

Subclass of: <u>E44</u> Place Appellation

Scope Note: This class comprises particular and common forms of E44 Place Appellation.

Place Names may change their application over time: the name of an E53 Place may change, and a name may be reused for a different E53 Place. Instances of E48 Place Name are typically subject to place name gazetteers.

Examples:

• "Greece"

"Athens"

■ "Geneva"

"Lac Léman"

FOL:  $E48(x) \supset E44(x)$ 

### **E49 Time Appellation**

Subclass of: <u>E41</u> Appellation Superclass of <u>E50</u> Date

Scope Note: This class comprises all forms of names or codes, such as historical periods, and dates, which are

characteristically used to refer to a specific E52 Time-Span.

The instances of E49 Time Appellation may vary in their degree of precision, and they may be relative to other time frames, "Before Christ" for example. Instances of E52 Time-Span are often defined by reference to a cultural period or an event e.g. 'the duration of the Ming Dynasty'.

- "Meiji" [Japanese term for a specific time-span]
- "1st half of the XX century"
- "Quaternary"
- "1215 Hegira" [a date in the Islamic calendar]

"Last century"

FOL:  $E49(x) \supset E41(x)$ 

E50 Date

Subclass of: E49 Time Appellation

Scope Note: This class comprises specific forms of E49 Time Appellation.

Dates may vary in their degree of precision.

Examples:

"1900""4-4-1959""19-MAR-1922""19640604"

FOL:  $E50(x) \supset E49(x)$ 

### **E51 Contact Point**

Subcass of: <u>E41</u> Appellation Superclass of: <u>E45</u> Address

Scope Note:

This class comprises identifiers employed, or understood, by communication services to direct communications to an instance of E39 Actor. These include E-mail addresses, telephone numbers, post office boxes, Fax numbers, URLs etc. Most postal addresses can be considered both as instances of E44 Place Appellation and E51 Contact Point. In such cases the subclass E45 Address should be used. URLs are addresses used by machines to access another machine through an http request. Since the accessed machine acts on behalf of the E39 Actor providing the machine, URLs are considered as instances of E51 Contact Point to that E39 Actor.

Examples:

"+41 22 418 5571"weasel@paveprime.com

FOL:  $E51(x) \supset E41(x)$ 

## E52 Time-Span

Subclass of: <u>E1</u> CRM Entity

Scope note: Th

This class comprises abstract temporal extents, in the sense of Galilean physics, having a beginning, an end and a duration.

Time Span has no other semantic connotations. Time-Spans are used to define the temporal extent of instances of E4 Period, E5 Event and any other phenomena valid for a certain time. An E52 Time-Span may be identified by one or more instances of E49 Time Appellation.

Since our knowledge of history is imperfect, instances of E52 Time-Span can best be considered as approximations of the actual Time-Spans of temporal entities. The properties of E52 Time-Span are intended to allow these approximations to be expressed precisely. An extreme case of approximation, might, for example, define an E52 Time-Span having unknown beginning, end and duration. Used as a common E52 Time-Span for two events, it would nevertheless define them as being simultaneous, even if nothing else was known.

Automatic processing and querying of instances of E52 Time-Span is facilitated if data can be parsed into an E61 Time Primitive.

Examples:

1961

- From 12-17-1993 to 12-8-1996
- 14h30 16h22 4<sup>th</sup> July 1945
- 9.30 am 1.1.1999 to 2.00 pm 1.1.1999
- duration of the Ming Dynasty

FOL:  $E52(x) \supset E1(x)$ 

Properties:

P78 is identified by (identifies): E49 Time Appellation

P79 beginning is qualified by: E62 String

P80 end is qualified by: E62 String

<u>P81</u> ongoing throughout: <u>E61</u> Time Primitive P82 at some time within: <u>E61</u> Time Primitive

<u>P83</u> had at least duration (was minimum duration of): <u>E54</u> Dimension P84 had at most duration (was maximum duration of): <u>E54</u> Dimension

P86 falls within (contains): E52 Time-Span

#### E53 Place

Subclass of: <u>E1</u> CRM Entity

Scope note:

This class comprises extents in space, in particular on the surface of the earth, in the pure sense of physics: independent from temporal phenomena and matter.

The instances of E53 Place are usually determined by reference to the position of "immobile" objects such as buildings, cities, mountains, rivers, or dedicated geodetic marks. A Place can be determined by combining a frame of reference and a location with respect to this frame. It may be identified by one or more instances of E44 Place Appellation.

It is sometimes argued that instances of E53 Place are best identified by global coordinates or absolute reference systems. However, relative references are often more relevant in the context of cultural documentation and tend to be more precise. In particular, we are often interested in position in relation to large, mobile objects, such as ships. For example, the Place at which Nelson died is known with reference to a large mobile object – H.M.S Victory. A resolution of this Place in terms of absolute coordinates would require knowledge of the movements of the vessel and the precise time of death, either of which may be revised, and the result would lack historical and cultural relevance.

Any object can serve as a frame of reference for E53 Place determination. The model foresees the notion of a "section" of an E19 Physical Object as a valid E53 Place determination.

### Examples:

- the extent of the UK in the year 2003
- the position of the hallmark on the inside of my wedding ring
- the place referred to in the phrase: "Fish collected at three miles north of the confluence of the Arve and the Rhone"
- here -> <-

FOL:  $E53(x) \supset E1(x)$ 

Properties:

P87 is identified by (identifies): E44 Place Appellation

P89 falls within (contains): E53 Place P121 overlaps with: E53 Place

P122 borders with: E53 Place

<u>P157</u> is at rest relative to (provides reference space for): <u>E18</u> Physical Thing

#### **E54 Dimension**

Subclass of: <u>E1</u> CRM Entity

Scope note: This class comprises quantifiable properties that can be measured by some calibrated means and can be

approximated by values, i.e. points or regions in a mathematical or conceptual space, such as natural or

real numbers, RGB values etc.

An instance of E54 Dimension represents the true quantity, independent from its numerical approximation, e.g. in inches or in cm. The properties of the class E54 Dimension allow for expressing the numerical approximation of the values of an instance of E54 Dimension. If the true values belong to a non-discrete space, such as spatial distances, it is recommended to record them as approximations by intervals or regions of indeterminacy enclosing the assumed true values. For instance, a length of 5 cm may be recorded as 4.5-5.5 cm, according to the precision of the respective observation. Note, that interoperability of values described in different units depends critically on the representation as value regions.

Numerical approximations in archaic instances of E58 Measurement Unit used in historical records should be preserved. Equivalents corresponding to current knowledge should be recorded as additional instances of E54 Dimension as appropriate.

# Examples:

currency: £26.00
length: 3.9-4.1 cm
diameter 26 mm
weight 150 lbs
density: 0.85 gm/cc

• luminescence: 56 ISO lumens

tin content: 0.46 %taille au garot: 5 hands

calibrated C14 date: 2460-2720 years, etc

FOL:  $E54(x) \supset E1(x)$ 

Properties:

P90 has value: E60 Number

P91 has unit (is unit of): E58 Measurement Unit

### E55 Type

Subclass of: <u>E28</u> Conceptual Object

Superclass of: <u>E56</u> Language

E57 Material

E58 Measurement Unit

### Scope note:

This class comprises concepts denoted by terms from thesauri and controlled vocabularies used to characterize and classify instances of CRM classes. Instances of E55 Type represent concepts in contrast to instances of E41 Appellation which are used to name instances of CRM classes.

E55 Type is the CRM's interface to domain specific ontologies and thesauri. These can be represented in the CRM as subclasses of E55 Type, forming hierarchies of terms, i.e. instances of E55 Type linked via P127 has broader term (has narrower term). Such hierarchies may be extended with additional properties.

### Examples:

- weight, length, depth [types of E54]
- portrait, sketch, animation [types of E38]
- French, English, German [E56]
- excellent, good, poor [types of E3]
- Ford Model T, chop stick [types of E22]
- cave, doline, scratch [types of E26]
- poem, short story [types of E33]
- wedding, earthquake, skirmish [types of E5]

FOL:  $E55(x) \supset E28(x)$ 

Properties:

<u>P127</u> has broader term (has narrower term): <u>E55</u> Type

P150 defines typical parts of(define typical wholes for): E55 Type

## E56 Language

Subclass of: <u>E55</u> Type

Scope note: This class is a specialization of E55 Type and comprises the natural languages in the sense of concepts.

This type is used categorically in the model without reference to instances of it, i.e. the Model does not foresee the description of instances of instances of E56 Language, e.g.: "instances of Mandarin Chinese".

It is recommended that internationally or nationally agreed codes and terminology are used to denote instances of E56 Language, such as those defined in ISO 639:1988.

Examples:

el [Greek]
en [English]
eo [Esperanto]
es [Spanish]
fr [French]

FOL:  $E56(x) \supset E55(x)$ 

### E57 Material

Subclass of: <u>E55</u> Type

Scope note: This class is a specialization of E55 Type and comprises the concepts of materials.

Instances of E57 Material may denote properties of matter before its use, during its use, and as incorporated in an object, such as ultramarine powder, tempera paste, reinforced concrete. Discrete pieces of raw-materials kept in museums, such as bricks, sheets of fabric, pieces of metal, should be modelled individually in the same way as other objects. Discrete used or processed pieces, such as the stones from Nefer Titi's temple, should be modelled as parts (cf. *P46 is composed of*).

This type is used categorically in the model without reference to instances of it, i.e. the Model does not foresee the description of instances of instances of E57 Material, e.g.: "instances of gold".

It is recommended that internationally or nationally agreed codes and terminology are used.

Examples:

- brick
- gold
- aluminium
- polycarbonate
- resin

FOL:  $E57(x) \supset E55(x)$ 

## **E58 Measurement Unit**

Subclass of: <u>E55</u> Type

Scope Note: This class is a specialization of E55 Type and comprises the types of measurement units: feet, inches, centimetres, litres, lumens, etc.

This type is used categorically in the model without reference to instances of it, i.e. the Model does not foresee the description of instances of instances of E58 Measurement Unit, e.g.: "instances of cm".

Système International (SI) units or internationally recognized non-SI terms should be used whenever possible. (ISO 1000:1992). Archaic Measurement Units used in historical records should be preserved.

Examples:

cm [centimetre]

- km [kilometre]
- m [meter]
- m/s [meters per second]
- A [Ampere]
- GRD [Greek Drachme]
- °C [degrees centigrade]

FOL:  $E58(x) \supset E55(x)$ 

#### **E59 Primitive Value**

Superclass of: <u>E60</u> Number

**E61** Time Primitive

E62 String

Scope Note:

This class comprises values of primitive data types of programming languages or database management systems and data types composed of such values used as documentation elements, as well as their mathematical abstractions.

They are not considered as elements of the universe of discourse this model aims at defining and analysing. Rather, they play the role of a symbolic interface between the scope of this model and the world of mathematical and computational manipulations and the symbolic objects they define and handle.

In particular they comprise lexical forms encoded as "strings" or series of characters and symbols based on encoding schemes (characterised by being a limited subset of the respective mathematical abstractions) such as UNICODE and values of datatypes that can be encoded in a lexical form, including quantitative specifications of time-spans and geometry. They have in common that instances of E59 Primitive Value define themselves by virtue of their encoded value, regardless the nature of their mathematical abstractions.

Therefore they must not be represented in an implementation by a universal identifier associated with a content model of different identity. In a concrete application, it is recommended that the primitive value system from a chosen implementation platform and/or data definition language be used to substitute for this class and its subclasses.

# Examples:

- ABCDEFG (E62)
- 3.14 (E60)
- (
- 1921-01-01 (E61)

### E60 Number

Subclass of: <u>E59</u> Primitive Value

Scope Note:

This class comprises any encoding of computable (algebraic) values such as integers, real numbers, complex numbers, vectors, tensors etc., including intervals of these values to express limited precision.

Numbers are fundamentally distinct from identifiers in continua, such as instances of E50 Date and E47 Spatial Coordinate, even though their encoding may be similar. Instances of E60 Number can be combined with each other in algebraic operations to yield other instances of E60 Number, e.g., 1+1=2. Identifiers in continua may be combined with numbers expressing distances to yield new identifiers, e.g., 1924-01-31+2 days = 1924-02-02. Cf. E54 Dimension

Examples:

**5** 

■ 3+2i

■ 1.5e-04

 $\bullet$  (0.5, -0.7,88)

FOL:  $E60(x) \supset E59(x)$ 

### **E61 Time Primitive**

Subclass of: <u>E59</u> Primitive Value

Scope Note: This class comprises instances of E59 Primitive Value for time that should be implemented with

appropriate validation, precision and interval logic to express date ranges relevant to cultural

documentation.

E61 Time Primitive is not further elaborated upon within the model.

Examples:

1994 – 199713 May 1768

**2**000/01/01 00:00:59.7

85<sup>th</sup> century BC

FOL:  $E61(x) \supset E59(x)$ 

## E62 String

Subclass of: E59 Primitive Value

Scope Note: This class comprises the instances of E59 Primitive Values used for documentation such as free text

strings, bitmaps, vector graphics, etc.

E62 String is not further elaborated upon within the model

Examples:

• the Quick Brown Fox Jumps Over the Lazy Dog

• 6F 6E 54 79 70 31 0D 9E

FOL:  $E62(x) \supset E59(x)$ 

# **E63 Beginning of Existence**

Subclass of: <u>E5</u> Event

Superclass of: <u>E12</u> Production

E65 Creation E66 Formation E67 Birth

**E81** Transformation

Scope note: This class comprises events that bring into existence any E77 Persistent Item.

It may be used for temporal reasoning about things (intellectual products, physical items, groups of people, living beings) beginning to exist; it serves as a hook for determination of a terminus post quem

and ante quem.

Examples:

the birth of my child

• the birth of Snoopy, my dog

• the calving of the iceberg that sank the Titanic

the construction of the Eiffel Tower

FOL:  $E63(x) \supset E5(x)$ 

Properties:

P92 brought into existence (was brought into existence by): E77 Persistent Item

## E64 End of Existence

Subclass of: <u>E5</u> Event Superclass of: <u>E6</u> Destruction **E68** Dissolution E69 Death

**E81** Transformation

Scope note:

This class comprises events that end the existence of any E77 Persistent Item.

It may be used for temporal reasoning about things (physical items, groups of people, living beings) ceasing to exist; it serves as a hook for determination of a terminus postquem and antequem. In cases where substance from a Persistent Item continues to exist in a new form, the process would be

documented by E81 Transformation.

Examples:

the death of Snoopy, my dog the melting of the snowman

the burning of the Temple of Artemis in Ephesos by Herostratos in 356BC

FOL:  $E64(x) \supset E5(x)$ 

Properties:

P93 took out of existence (was taken out of existence by): E77 Persistent Item

#### **E65 Creation**

Subclass of: **E7** Activity

E63 Beginning of Existence

Superclass of: **E83** Type Creation

Scope note: This class comprises events that result in the creation of conceptual items or immaterial products, such

as legends, poems, texts, music, images, movies, laws, types etc.

Examples:

the framing of the U.S. Constitution the drafting of U.N. resolution 1441

FOL:  $E65(x) \supset E7(x)$ 

 $E65(x) \supset E63(x)$ 

Properties:

P94 has created (was created by): E28 Conceptual Object

# **E66 Formation**

Subclass of: **E7** Activity

**E63** Beginning of Existence

Scope note: This class comprises events that result in the formation of a formal or informal E74 Group of people,

such as a club, society, association, corporation or nation.

E66 Formation does not include the arbitrary aggregation of people who do not act as a collective. The formation of an instance of E74 Group does not mean that the group is populated with members at

the time of formation. In order to express the joining of members at the time of formation, the respective activity should be simultaneously an instance of both E66 Formation and E85 Joining.

Examples:

the formation of the CIDOC CRM Special Interest Group

the formation of the Soviet Union

the conspiring of the murderers of Caesar

FOL:  $E66(x) \supset E7(x)$ 

 $E66(x) \supset E63(x)$ 

Properties:

P95 has formed (was formed by): E74 Group

P151 was formed from: E74 Group

#### E67 Birth

Subclass of: <u>E63</u> Beginning of Existence

Scope note: This class comprises the births of human beings. E67 Birth is a biological event focussing on the

context of people coming into life. (E63 Beginning of Existence comprises the coming into life of any

living beings).

Twins, triplets etc. are brought into life by the same E67 Birth event. The introduction of the E67 Birth event as a documentation element allows the description of a range of family relationships in a simple model. Suitable extensions may describe more details and the complexity of motherhood with the intervention of modern medicine. In this model, the biological father is not seen as a necessary

participant in the E67 Birth event.

Examples:

the birth of Alexander the Great

FOL:  $E67(x) \supset E63(x)$ 

Properties:

P96 by mother (gave birth): E21 Person P97 from father (was father for): E21 Person P98 brought into life (was born): E21 Person

### **E68 Dissolution**

Subclass of: <u>E64</u> End of Existence

Scope note: This class comprises the events that result in the formal or informal termination of an E74 Group of

people.

If the dissolution was deliberate, the Dissolution event should also be instantiated as an E7 Activity.

Examples:

• the fall of the Roman Empire

• the liquidation of Enron Corporation

FOL:  $E68(x) \supset E64(x)$ 

Properties:

P99 dissolved (was dissolved by): E74 Group

E69 Death

Subclass of: <u>E64</u> End of Existence

Scope note: This class comprises the deaths of human beings.

If a person is killed, their death should be instantiated as E69 Death and as E7 Activity. The death or

perishing of other living beings should be documented using E64 End of Existence.

Examples:

• the murder of Julius Caesar (E69,E7)

the death of Senator Paul Wellstone

FOL:  $E69(x) \supset E64(x)$ 

Properties:

P100 was death of (died in): E21 Person

E70 Thing

Subclass of: <u>E77</u> Persistent Item Superclass of: <u>E71</u> Man-Made Thing E72 Legal Object

Scope note:

This general class comprises discrete, identifiable, instances of E77 Persistent Item that are documented as single units, that either consist of matter or depend on being carried by matter and are characterized by relative stability.

They may be intellectual products or physical things. They may for instance have a solid physical form, an electronic encoding, or they may be a logical concept or structure.

Examples:

- my photograph collection (E78)
- the bottle of milk in my refrigerator (E22)
- the plan of the Strassburger Muenster (E29)
- the thing on the top of Otto Hahn's desk (E19)
- the form of the no-smoking sign (E36)
- the cave of Dirou, Mani, Greece (E27)

FOL:  $E70(x) \supset E77(x)$ 

**Properties** 

<u>P43</u> has dimension (is dimension of): <u>E54</u> Dimension <u>P101</u> had as general use (was use of): <u>E55</u> Type

P130 shows features of (features are also found on): E70 Thing

(P130.1 kind of similarity: E55 Type)

# E71 Man-Made Thing

Subclass of: <u>E70</u> Thing

Superclass of: <u>E24</u> Physical Man-Made Thing

**E28** Conceptual Object

Scope note:

This class comprises discrete, identifiable man-made items that are documented as single units.

These items are either intellectual products or man-made physical things, and are characterized by relative stability. They may for instance have a solid physical form, an electronic encoding, or they may be logical concepts or structures.

Examples:

- Beethoven's 5<sup>th</sup> Symphony (E73)
- Michelangelo's David
- Einstein's Theory of General Relativity (E73)
- the taxon 'Fringilla coelebs Linnaeus,1758' (E55)

FOL:  $E71(x) \supset E70(x)$ 

Properties

 $\underline{P102}$  has title (is title of):  $\underline{E35}$  Title ( $\underline{P102.1}$  has type:  $\underline{E55}$  Type)

P103 was intended for (was intention of): E55 Type

### E72 Legal Object

Subclass of: <u>E70</u> Thing

Superclass of: <u>E18</u> Physical Thing

**E90** Symbolic Object

Scope note:

This class comprises those material or immaterial items to which instances of E30 Right, such as the right of ownership or use, can be applied.

This is true for all E18 Physical Thing. In the case of instances of E28 Conceptual Object, however, the identity of the E28 Conceptual Object or the method of its use may be too ambiguous to reliably establish instances of E30 Right, as in the case of taxa and inspirations. Ownership of corporations is currently regarded as out of scope of the CRM.

- the Cullinan diamond (E19)
- definition of the CIDOC Conceptual Reference Model Version 2.1 (E73)

FOL:  $E72(x) \supset E70(x)$ 

Properties:

<u>P104</u> is subject to (applies to): <u>E30</u> Right <u>P105</u> right held by (has right on): <u>E39</u> Actor

### **E73 Information Object**

Subclass of: <u>E89</u> Propositional Object

E90 Symbolic Object

Superclass of: E29 Design or Procedure

E31 Document
E33 Linguistic Object
E36 Visual Item

Scope note:

This class comprises identifiable immaterial items, such as a poems, jokes, data sets, images, texts, multimedia objects, procedural prescriptions, computer program code, algorithm or mathematical formulae, that have an objectively recognizable structure and are documented as single units. The encoding structure known as a "named graph" also falls under this class, so that each "named graph" is an instance of an E73 Information Object.

An E73 Information Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously.

Instances of E73 Information Object of a linguistic nature should be declared as instances of the E33 Linguistic Object subclass. Instances of E73 Information Object of a documentary nature should be declared as instances of the E31 Document subclass. Conceptual items such as types and classes are not instances of E73 Information Object, nor are ideas without a reproducible expression.

### Examples:

- image BM000038850.JPG from the Clayton Herbarium in London
- E. A. Poe's "The Raven"
- the movie "The Seven Samurai" by Akira Kurosawa
- the Maxwell Equations
- The Getty AAT as published as Linked Open Data, accessed 1/10/2014

FOL:  $E73(x) \supset E89(x)$ 

 $E73(x) \supset E90(x)$ 

Properties:

# E74 Group

Subclass of: <u>E39</u> Actor Superclass of: <u>E40</u> Legal Body

Scope note:

This class comprises any gatherings or organizations of E39 Actors that act collectively or in a similar way due to any form of unifying relationship. In the wider sense this class also comprises official positions which used to be regarded in certain contexts as one actor, independent of the current holder of the office, such as the president of a country. In such cases, it may happen that the Group never had more than one member. A joint pseudonym (i.e., a name that seems indicative of an individual but that is actually used as a persona by two or more people) is a particular case of E74 Group.

A gathering of people becomes an E74 Group when it exhibits organizational characteristics usually typified by a set of ideas or beliefs held in common, or actions performed together. These might be communication, creating some common artifact, a common purpose such as study, worship, business, sports, etc. Nationality can be modelled as membership in an E74 Group (cf. HumanML markup). Married couples and other concepts of family are regarded as particular examples of E74 Group.

# Examples:

the impressionists

- the Navajo
- the Greeks
- the peace protestors in New York City on February 15 2003
- Exxon-Mobil
- King Solomon and his wives
- The President of the Swiss Confederation
- Nicolas Bourbaki
- Betty Crocker
- Ellery Queen

FOL:  $E74(x) \supset E39(x)$ 

Properties:

<u>P107</u> has current or former member (is current or former member of): <u>E39</u> Actor (P107.1 *kind of member*: E55 Type)

### **E75 Conceptual Object Appellation**

Subclass of: <u>E41</u> Appellation

Scope note: This class comprises all appellations specific to intellectual products or standardized patterns.

This class comprises appellations that are by their form or syntax specific to identifying instances of E28 Conceptual Object, such as intellectual products, standardized patterns etc.

Examples:

"ISBN 3-7913-1418-1""ISO 2788-1986 (F)"

• "DOI=10.1109/MIS.2007.103"

FOL:  $E75(x) \supset E41(x)$ 

## **E77 Persistent Item**

Subclass of: E1 CRM Entity
Superclass of: E39 Actor

E70 Thing

Scope note: This class comprises items that have a persistent identity, sometimes known as "endurants" in

philosophy.

They can be repeatedly recognized within the duration of their existence by identity criteria rather than by continuity or observation. Persistent Items can be either physical entities, such as people, animals or things, or conceptual entities such as ideas, concepts, products of the imagination or common names.

The criteria that determine the identity of an item are often difficult to establish -; the decision depends largely on the judgement of the observer. For example, a building is regarded as no longer existing if it is dismantled and the materials reused in a different configuration. On the other hand, human beings go through radical and profound changes during their life-span, affecting both material composition and form, yet preserve their identity by other criteria. Similarly, inanimate objects may be subject to exchange of parts and matter. The class E77 Persistent Item does not take any position about the nature of the applicable identity criteria and if actual knowledge about identity of an instance of this class exists. There may be cases, where the identity of an E77 Persistent Item is not decidable by a certain state of knowledge.

The main classes of objects that fall outside the scope the E77 Persistent Item class are temporal objects such as periods, events and acts, and descriptive properties.

- Leonard da Vinci
- Stonehenge
- the hole in the ozone layer

- the First Law of Thermodynamics
- the Bermuda Triangle

FOL:  $E77(x) \supset E1(x)$ 

### **E78 Collection**

Subclass of: <u>E24</u> Physical Man-Made Thing

Scope note:

This class comprises aggregations of instances of E18 Physical Thing that are assembled and maintained ("curated" and "preserved," in museological terminology) by one or more instances of E39 Actor over time for a specific purpose and audience, and according to a particular collection development plan.

Items may be added or removed from an E78 Collection in pursuit of this plan. This class should not be confused with the E39 Actor maintaining the E78 Collection often referred to with the name of the E78 Collection (e.g. "The Wallace Collection decided...").

Collective objects in the general sense, like a tomb full of gifts, a folder with stamps or a set of chessmen, should be documented as instances of E19 Physical Object, and not as instances of E78 Collection. This is because they form wholes either because they are physically bound together or because they are kept together for their functionality.

Examples:

- the John Clayton Herbarium
- the Wallace Collection
- Mikael Heggelund Foslie's coralline red algae Herbarium at Museum of Natural History and Archaeology, Trondheim, Norway

FOL:  $E78(x) \supset E24(x)$ 

Properties:

P109 has current or former curator (is current or former curator of): E39 Actor

#### **E79 Part Addition**

Subclass of: <u>E11</u> Modification

Scope note: This class comprises activities that result in an instance of E24 Physical Man-Made Thing being increased, enlarged or augmented by the addition of a part.

Typical scenarios include the attachment of an accessory, the integration of a component, the addition of an element to an aggregate object, or the accessioning of an object into a curated E78 Collection. Objects to which parts are added are, by definition, man-made, since the addition of a part implies a human activity. Following the addition of parts, the resulting man-made assemblages are treated objectively as single identifiable wholes, made up of constituent or component parts bound together either physically (for example the engine becoming a part of the car), or by sharing a common purpose (such as the 32 chess pieces that make up a chess set). This class of activities forms a basis for reasoning about the history and continuity of identity of objects that are integrated into other objects over time, such as precious gemstones being repeatedly incorporated into different items of jewellery, or cultural artifacts being added to different museum instances of E78 Collection over their lifespan.

Examples:

- the setting of the koh-i-noor diamond into the crown of Queen Elizabeth the Queen Mother
- the addition of the painting "Room in Brooklyn" by Edward Hopper to the collection of the Museum of Fine Arts, Boston

FOL:  $E79(x) \supset E11(x)$ 

Properties:

P110 augmented (was augmented by): E24 Physical Man-Made Thing

P111 added (was added by): E18 Physical Thing

#### **E80 Part Removal**

Subclass of: <u>E11</u> Modification

Scope note:

This class comprises the activities that result in an instance of E18 Physical Thing being decreased by the removal of a part.

Typical scenarios include the detachment of an accessory, the removal of a component or part of a composite object, or the deaccessioning of an object from a curated E78 Collection. If the E80 Part Removal results in the total decomposition of the original object into pieces, such that the whole ceases to exist, the activity should instead be modelled as an E81 Transformation, i.e. a simultaneous destruction and production. In cases where the part removed has no discernible identity prior to its removal but does have an identity subsequent to its removal, the activity should be regarded as both E80 Part Removal and E12 Production. This class of activities forms a basis for reasoning about the history, and continuity of identity over time, of objects that are removed from other objects, such as precious gemstones being extracted from different items of jewelry, or cultural artifacts being deaccessioned from different museum collections over their lifespan.

Examples:

• the removal of the engine from my car

• the disposal of object number 1976:234 from the collection

FOL:  $E80(x) \supset E11(x)$ 

Properties:

P112 diminished (was diminished by): E24 Physical Man-Made Thing

P113 removed (was removed by): E18 Physical Thing

#### **E81 Transformation**

Subclass of: <u>E63</u> Beginning of Existence

E64 End of Existence

Scope note:

This class comprises the events that result in the simultaneous destruction of one or more than one E77 Persistent Item and the creation of one or more than one E77 Persistent Item that preserves recognizable substance from the first one(s) but has fundamentally different nature and identity.

Although the old and the new instances of E77 Persistent Item are treated as discrete entities having separate, unique identities, they are causally connected through the E81 Transformation; the destruction of the old E77 Persistent Item(s) directly causes the creation of the new one(s) using or preserving some relevant substance. Instances of E81 Transformation are therefore distinct from re-classifications (documented using E17 Type Assignment) or modifications (documented using E11 Modification) of objects that do not fundamentally change their nature or identity. Characteristic cases are reconstructions and repurposing of historical buildings or ruins, fires leaving buildings in ruins, taxidermy of specimen in natural history and the reorganization of a corporate body into a new one.

Examples:

• the death and mummification of Tut-Ankh-Amun (transformation of Tut-Ankh-Amun from a living person to a mummy) (E69,E81,E7)

FOL:  $E81(x) \supset E63(x)$ 

 $E81(x) \supset E64(x)$ 

Properties:

<u>P123</u> resulted in (resulted from): <u>E77</u> Persistent Item

P124 transformed (was transformed by): E77 Persistent Item

## **E82 Actor Appellation**

Subclass of: <u>E41</u> Appellation

Scope note: This class comprises any sort of name, number, code or symbol characteristically used to identify an

E39 Actor.

An E39 Actor will typically have more than one E82 Actor Appellation, and instances of E82 Actor Appellation in turn may have alternative representations. The distinction between corporate and personal names, which is particularly important in library applications, should be made by explicitly linking the E82 Actor Appellation to an instance of either E21 Person or E74 Group/E40 Legal Body. If this is not possible, the distinction can be made through the use of the *P2 has type* mechanism.

Examples:

- "John Doe"
- "Doe, J"
- "the U.S. Social Security Number 246-14-2304"
- "the Artist Formerly Known as Prince"
- "the Master of the Flemish Madonna"
- "Raphael's Workshop"
- "the Brontë Sisters"
- "ICOM"
- "International Council of Museums"

FOL:  $E82(x) \supset E41(x)$ 

## **E83 Type Creation**

Subclass of: E65 Creation

Scope note: This class comprises activities formally defining new types of items.

It is typically a rigorous scholarly or scientific process that ensures a type is exhaustively described and appropriately named. In some cases, particularly in archaeology and the life sciences, E83 Type Creation requires the identification of an exemplary specimen and the publication of the type definition in an appropriate scholarly forum. The activity of E83 Type Creation is central to research in the life sciences, where a type would be referred to as a "taxon," the type description as a "protologue," and the exemplary specimens as "orgininal element" or "holotype".

Examples:

- creation of the taxon 'Penicillium brefeldianum B. O. Dodge' (1933)
- addition of class E84 Information Carrier to the CIDOC CRM

FOL:  $E83(x) \supset E65(x)$ 

Properties:

P135 created type (was created by): E55 Type

P136 was based on (supported type creation): E1 CRM Entity

(P136.1 in the taxonomic role: E55 Type)

#### **E84 Information Carrier**

Subclass of: <u>E22</u> Man-Made Object

Scope note: This class comprises all instances of E22 Man-Made Object that are explicitly designed to act as persistent physical carriers for instances of E73 Information Object.

An E84 Information Carrier may or may not contain information, e.g., a diskette. Note that any E18 Physical Thing may carry information, such as an E34 Inscription. However, unless it was specifically designed for this purpose, it is not an Information Carrier. Therefore the property *P128 carries* (is carried by) applies to E18 Physical Thing in general.

Examples:

- the Rosetta Stone
- my paperback copy of Crime & Punishment
- the computer disk at ICS-FORTH that stores the canonical Definition of the CIDOC CRM

FOL:  $E84(x) \supset E22(x)$ 

# **E85 Joining**

Subclass of:

**E7** Activity

Scope note:

This class comprises the activities that result in an instance of E39 Actor becoming a member of an instance of E74 Group. This class does not imply initiative by either party.

Typical scenarios include becoming a member of a social organisation, becoming employee of a company, marriage, the adoption of a child by a family and the inauguration of somebody into an official position.

Examples:

- The election of Sir Isaac Newton as Member of Parliament for the University of Cambridge to the Convention Parliament of 1689
- The inauguration of Mikhail Sergeyevich Gorbachev as leader of the Union of Soviet Socialist Republics (USSR) in 1985
- The implementation of the membership treaty between EU and Denmark January 1. 1973

FOL:

 $E85(x) \supset E7(x)$ 

Properties:

P143 joined (was joined by): E39 Actor

P144 joined with (gained member by) <u>E74</u> Group (P144.1 *kind of member*: <u>E55</u> Type)

## E86 Leaving

Subclass of:

E7 Activity

Scope note:

This class comprises the activities that result in an instance of E39 Actor to be disassociated from an instance of E74 Group. This class does not imply initiative by either party.

Typical scenarios include the termination of membership in a social organisation, ending the employment at a company, divorce, and the end of tenure of somebody in an official position.

Examples:

- The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702
- George Washington's leaving office in 1797
- The implementation of the treaty regulating the termination of Greenland's membership in EU between EU, Denmark and Greenland February 1. 1985

FOL:

 $E86(x)\supset E7(x)$ 

Properties:

P145 separated (left by) E39 Actor

P146 separated from (lost member by) E74 Group

## **E87 Curation Activity**

Subclass of:

**E7** Activity

Scope note:

This class comprises the activities that result in the continuity of management and the preservation and evolution of instances of E78 Collection, following an implicit or explicit curation plan.

It specializes the notion of activity into the curation of a collection and allows the history of curation to be recorded.

Items are accumulated and organized following criteria like subject, chronological period, material type, style of art etc. and can be added or removed from an E78 Collection for a specific purpose and/or audience. The initial aggregation of items of a collection is regarded as an instance of E12 Production Event while the activity of evolving, preserving and promoting a collection is regarded as an instance of E87 Curation Activity.

■ The curation of Mikael Heggelund Foslie's coralline red algae Herbarium 1876 – 1909 (when Foslie died), now at Museum of Natural History and Archaeology, Norway

FOL:  $E87(x) \supset E7(x)$ 

Properties:

P147 curated (was curated by): E78 Collection

#### **E89 Propositional Object**

Subclass of: <u>E28</u> Conceptual Object Superclass of: <u>E73</u> Information Object

E30 Right

Scope note:

This class comprises immaterial items, including but not limited to stories, plots, procedural prescriptions, algorithms, laws of physics or images that are, or represent in some sense, sets of propositions about real or imaginary things and that are documented as single units or serve as topic of discourse.

This class also comprises items that are "about" something in the sense of a subject. In the wider sense, this class includes expressions of psychological value such as non-figural art and musical themes. However, conceptual items such as types and classes are not instances of E89 Propositional Object. This should not be confused with the definition of a type, which is indeed an instance of E89 Propositional Object.

### Examples:

- Maxwell's Equations
- The ideational contents of Aristotle's book entitled 'Metaphysics' as rendered in the Greek texts translated in ... Oxford edition...
- The underlying prototype of any "no-smoking" sign (E36)
- The common ideas of the plots of the movie "The Seven Samurai" by Akira Kurosawa and the movie "The Magnificent Seven" by John Sturges
- The image content of the photo of the Allied Leaders at Yalta published by UPI, 1945 (E38)

FOL:  $E89(x) \supset E28(x)$ 

Properties:

P148 has component (is component of): E89 Propositional Object

P67 refers to (is referred to by): E1 CRM Entity

(<u>P67.1</u> has type: <u>E55</u> Type)

P129 is about (is subject of): E1 CRM Entity

### **E90 Symbolic Object**

Subclass of: E28 Conceptual Object

E72 Legal Object

Superclass of: E73 Information Object

E41 Appellation

Scope note:

This class comprises identifiable symbols and any aggregation of symbols, such as characters, identifiers, traffic signs, emblems, texts, data sets, images, musical scores, multimedia objects, computer program code or mathematical formulae that have an objectively recognizable structure and that are documented as single units.

It includes sets of signs of any nature, which may serve to designate something, or to communicate some propositional content.

An instance of E90 Symbolic Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously. An instance of E90 Symbolic Object may or may not have a specific meaning, for example an arbitrary character string.

In some cases, the content of an instance of E90 Symbolic Object may completely be represented by a serialized digital content model, such as a sequence of ASCII-encoded characters, an XML or HTML

document, or a TIFF image. The property *P3 has note* allows for the description of this content model. In order to disambiguate which symbolic level is the carrier of the meaning, the property *P3.1 has type* can be used to specify the encoding (e.g. "bit", "Latin character", RGB pixel).

#### Examples:

- 'ecognizabl'
- The "no-smoking" sign (E36)
- "BM000038850.JPG" (E75)
- image BM000038850.JPG from the Clayton Herbarium in London (E38)
- The distribution of form, tone and colour found on Leonardo da Vinci's painting named "Mona Lisa" in daylight (E38)
- The Italian text of Dante's "Divina Commedia" as found in the authoritative critical edition *La Commedia secondo l'antica vulgata a cura di Giorgio Petrocchi*, Milano: Mondadori, 1966-67 (= Le Opere di Dante Alighieri, Edizione Nazionale a cura della Società Dantesca Italiana, VII, 1-4) (E33)

FOL:  $E90(x) \supset E28(x)$ 

 $E90(x)\supset E72(x)$ 

Properties:

P106 is composed of (forms part of): E90 Symbolic Object

### **E92 Spacetime Volume**

Subclass of: E1 CRM Entity

Scope note:

This class comprises 4 dimensional point sets (volumes) in physical spacetime regardless its true geometric form. They may derive their identity from being the extent of a material phenomenon or from being the interpretation of an expression defining an extent in spacetime. Intersections of instances of E92 Spacetime Volume, Place and Timespan are also regarded as instances of E92 Spacetime Volume. An instance of E92 Spacetime Volume is either contiguous or composed of a finite number of contiguous subsets. Its boundaries may be fuzzy due to the properties of the phenomena it derives from or due to the limited precision up to which defining expression can be identified with a real extent in spacetime. The duration of existence of an instance of a spacetime volume is trivially its projection on time.

#### Examples:

- the spacetime Volume of the Event of Ceasars murder
- the spacetime Volume where and when the carbon 14 dating of the "Schoeninger Speer II" in 1996 took place
- the spatio-temporal trajectory of the H.M.S. Victory from its building to its actual location
- the spacetime volume defined by a polygon approximating the Danube river flood in Austria between 6<sup>th</sup> and 9<sup>th</sup> of August 2002

FOL:  $E92(x) \supset E1(x)$ 

Properties:

<u>P160</u> has temporal projection: <u>E52</u> Time-Span <u>P161</u> has spatial projection: <u>E53</u> Place

## **E93 Spacetime Snapshot**

Subclass of: E92 Spacetime Volume

Scope note: This class comprises instances of E92 Spacetime Volume that result from intersection of instances of

E92 Spacetime Volume with an instance of E52 Time-Span. The identity of an instance of this class is

determined by the identities of the constituing spacetime volume and the time-span.

This class can be used to define temporal snapshots at a particular time-span, such as the extent of the Roman Empire at 33 B.C., or the extent occupied by a museum object at rest in an exhibit. In particular, it can be used to define the spatial projection of a spacetime volume during a particular time-span, such as the maximal spatial extent of a flood at some particular hour, or all areas covered by the Poland within the 20th century AD

FOL:  $E93(x) \supset E92(x)$ 

Properties:

P164 is restricted by: E52 Time Span

# **CIDOC CRM Property Declarations**

The properties of the CRM are comprehensively declared in this section using the following format:

- Property names are presented as headings in bold face, preceded by unique property identifiers;
- The line "Domain:" declares the class for which the property is defined;
- The line "Range:" declares the class to which the property points, or that provides the values for the property;
- The line "Superproperty of:" is a cross-reference to any subproperties the property may have;
- The line "Quantification:" declares the possible number of occurrences for domain and range class instances for the property. Possible values are: 1:many, many:many, many:1;
- The line "Scope note:" contains the textual definition of the concept the property represents;
- The line "Examples:" contains a bulleted list of examples of instances of this property. If the example is also instance of a subproperty of this property, the unique identifier of the subclass is added in parenthesis. If the example instantiates two properties, the unique identifiers of both properties is added in parenthesis. The line "Examples:" provides illustrative examples showing how the property should be used.

#### P1 is identified by (identifies)

Domain: <u>E1</u> CRM Entity Range: <u>E41</u> Appellation

Superproperty of: E1 CRM Entity. P48 has preferred identifier (is preferred identifier of): E42 Identifier

<u>E52</u> Time-Span. <u>P78</u> is identified by (identifies): <u>E49</u> Time Appellation <u>E53</u> Place. <u>P87</u> is identified by (identifies): <u>E44</u> Place Appellation <u>E71</u> Man-Made Thing. <u>P102</u> has title (is title of): <u>E35</u> Title

E39 Actor. P131 is identified by (identifies): E82 Actor Appellation

E28 Conceptual Object.P149 is identified by (identifies): E75 Conceptual Object Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property describes the naming or identification of any real world item by a name or any other

identifier.

This property is intended for identifiers in general use, which form part of the world the model intends to describe, and not merely for internal database identifiers which are specific to a technical system, unless these latter also have a more general use outside the technical context. This property includes in particular identification by mathematical expressions such as coordinate systems used for the identification of instances of E53 Place. The property does not reveal anything about when, where and by whom this identifier was used. A more detailed representation can be made using the fully developed (i.e. indirect) path through E15 Identifier Assignment.

Examples:

• the capital of Italy (E53) is identified by "Rome" (E48)

• text 25014–32 (E33) is identified by "The Decline and Fall of the Roman Empire" (E35)

FOL:  $P1(x,y) \supset E1(x)$  $P1(x,y) \supset E41(y)$ 

---

# P2 has type (is type of)

Domain: <u>E1</u> CRM Entity Range: <u>E55</u> Type

Superproperty of. E1 CRM Entity.P137 exemplifies (is exemplified by):E55 Type

Quantification: many to many (0,n:0,n)

Scope note: This property allows sub typing of CRM entities - a form of specialisation - through the use of a

terminological hierarchy, or thesaurus.

The CRM is intended to focus on the high-level entities and relationships needed to describe data structures. Consequently, it does not specialise entities any further than is required for this immediate purpose. However, entities in the isA hierarchy of the CRM may by specialised into any number of sub entities, which can be defined in the E55 Type hierarchy. E51 Contact Point, for example, may be specialised into "e-mail address", "telephone number", "post office box", "URL" etc. none of which figures explicitly in the CRM hierarchy. Sub typing obviously requires consistency between the meaning of the terms assigned and the more general intent of the CRM entity in question.

Examples:

"enquiries@cidoc-crm.org" (E51) has type e-mail address (E55)

FOL:  $P2(x,y) \supset E1(x)$ 

 $P2(x,y) \supset E55(y)$ 

#### P3 has note

Domain: <u>E1</u> CRM Entity Range: <u>E62</u> String

Superproperty of: <u>E52</u> Time-Span. <u>P79</u> beginning is qualified by: <u>E62</u> String

E52 Time-Span. P80 end is qualified by: E62 String

Quantification: one to many (0,n:0,1)

Scope note:

This property is a container for all informal descriptions about an object that have not been expressed in terms of CRM constructs.

In particular it captures the characterisation of the item itself, its internal structures, appearance etc. Like property *P2 has type (is type of)*, this property is a consequence of the restricted focus of the CRM. The aim is not to capture, in a structured form, everything that can be said about an item; indeed, the CRM formalism is not regarded as sufficient to express everything that can be said. Good practice requires use of distinct note fields for different aspects of a characterisation. The *P3.1 has type* property of *P3 has note* allows differentiation of specific notes, e.g. "construction", "decoration" etc. An item may have many notes, but a note is attached to a specific item.

Examples:

■ coffee mug – OXCMS:1983.1.1 (E19) has note "chipped at edge of handle" (E62) has type Condition (E55)

FOL:  $P3(x,y) \supset E1(x)$ 

 $P3(x,y) \supset E62(y)$ 

 $P3(x,y,z) \supset [P3(x,y) \land E55(z)]$ 

Properties: P3.1 has type: <u>E55</u> Type

#### P4 has time-span (is time-span of)

Domain: <u>E2</u> Temporal Entity Range: <u>E52</u> Time-Span

Quantification: many to one, necessary, dependent (1,1:1,n)

Scope note: This property describes the temporal confinement of an instance of an E2 Temporal Entity.

The related E52 Time-Span is understood as the real Time-Span during which the phenomena were active, which make up the temporal entity instance. It does not convey any other meaning than a positioning on the "time-line" of chronology. The Time-Span in turn is approximated by a set of dates (E61 Time Primitive). A temporal entity can have in reality only one Time-Span, but there may exist alternative opinions about it, which we would express by assigning multiple Time-Spans. Related temporal entities may share a Time-Span. Time-Spans may have completely unknown dates but other descriptions by which we can infer knowledge.

Examples:

• the Yalta Conference (E7) has time-span Yalta Conference time-span (E52)

FOL:  $P4(x,y) \supset E2(x)$ 

 $P4(x,y) \supset E52(y)$ 

#### P5 consists of (forms part of)

Domain: <u>E3</u> Condition State Range: <u>E3</u> Condition State Quantification: one to many (0,n:0,1)

Scope note: This property describes the decomposition of an E3 Condition State into discrete, subsidiary states.

It is assumed that the sub-states into which the condition state is analysed form a logical whole - although the entire story may not be completely known – and that the sub-states are in fact constitutive of the general condition state. For example, a general condition state of "in ruins" may be decomposed in the local state of "in ruins" may be decomposed.

into the individual stages of decay.

Examples:

The Condition State of the ruined Parthenon (E3) consists of the bombarded state after the explosion of a Venetian shell in 1687 (E3)<sup>4</sup>

FOL:  $P5(x,y) \supset E3(x)$ 

<sup>&</sup>lt;sup>4</sup> The Venetians in Athens and the Destruction of the Parthenon in 1687, Theodor E. Mommsen, American Journal of Archaeology, Vol. 45, No. 4 (Oct. - Dec., 1941), pp. 544-5

```
P5(x,y) \supset E3(y)
```

### P7 took place at (witnessed)

Domain: <u>E4</u> Period Range: <u>E53</u> Place

Superproperty of: E9 Move. P26 moved to (was destination of): E53 Place

E9 Move. P27 moved from (was origin of): E53 Place

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the spatial location of an instance of E4 Period.

The related E53 Place should be seen as an approximation of the geographical area within which the phenomena that characterise the period in question occurred. *P7took place at (witnessed)* does not convey any meaning other than spatial positioning (generally on the surface of the earth). For example, the period "Révolution française" can be said to have taken place in "France", the "Victorian" period, may be said to have taken place in "Britain" and its colonies, as well as other parts of Europe and north

America.

A period can take place at multiple locations.

Examples:

• the period "Révolution française" (E4) took place at France (E53)

FOL:  $P7(x,y) \supset E4(x)$ 

 $P7(x,y) \supset E53(y)$ 

#### P8 took place on or within (witnessed)

Domain: <u>E4</u> Period

Range: <u>E18</u> Physical Thing Quantification: many to many (0,n:0,n)

Scope note:

This property describes the location of an instance of E4 Period with respect to an E19 Physical Object. *P8 took place on or within (witnessed)* is a short-cut of a path defining a E53 Place with respect to the geometry of an object. cf. E46 Section Definition.

This property is in effect a special case of *P7 took place at*. It describes a period that can be located with respect to the space defined by an E19 Physical Object such as a ship or a building. The precise geographical location of the object during the period in question may be unknown or unimportant. For example, the French and German armistice of 22 June 1940 was signed in the same railway carriage as the armistice of 11 November 1918.

Examples:

• the coronation of Queen Elizabeth II (E7) took place on or within Westminster Abbey (E19)

FOL:  $P8(x,y) \supset E4(x)$ 

 $P8(x,y) \supset E18(y)$ 

### P9 consists of (forms part of)

Domain: <u>E4</u> Period Range: <u>E4</u> Period

Subproperty of: E4 Period. P10i contains: E4 Period

Quantification: one to many, (0,n:0,1)

Scope note: This property associates an instance of E4 Period with another instance of E4 Period that falls within

the spacetime volumes occupied by the former and which is defined by phenomena that form part of or

are refinements of the phenomena that define the former.

Examples:

■ Cretan Bronze Age (E4) consists of Middle Minoan (E4)

FOL:  $P9(x,y) \supset E4(x)$ 

 $P9(x,y) \supset E4(y)$  $P9(x,y) \supset P10(y,x)$ 

### P10 falls within (contains)

Domain: <u>E4</u> Period Range: <u>E4</u> Period

Quantification: many to many (0,n:0,n)

Scope note:

This property associates an instance of E4 Period with another instance of E4 Period that falls within the spacetime volumes occupied by the latter.

The difference with P9 consists of (forms part of) is subtle. Unlike P9 consists of (forms part of), P10 falls within (contains) does not imply any logical connection between the two periods and it may refer to a period of a completely different nature.

Examples:

• the Great Plague (E4) falls within The Gothic period (E4)

FOL:  $P10(x,y) \supset E4(x)$ 

 $P10(x,y) \supset E4(y)$ 

### P11 had participant (participated in)

Domain: <u>E5</u> Event Range: E39 Actor

Subproperty of: E5 Event. P12 occurred in the presence of (was present at): E77 Persistent Item

Superproperty of: <u>E7</u> Activity. <u>P14</u> carried out by (performed): <u>E39</u> Actor

E67 Birth. P96 by mother (gave birth): E21 Person

E68 Dissolution. P99 dissolved (was dissolved by): E74 Group

E85 Joining.P143 joined (was joined by): E39 Actor

E85 Joining.P144 joined with (gained member by): E74 Group

E86 Leaving.P145 separated (left by):E39 Actor

E86 Leaving.P146 separated from (lost member by):E74 Group

P151 was formed from: E74 Group

Quantification: many to many (0,n:0,n)

Scope note: This property describes the active or passive participation of instances of E39 Actors in an E5 Event.

It connects the life-line of the related E39 Actor with the E53 Place and E50 Date of the event. The property implies that the Actor was involved in the event but does not imply any causal relationship. The subject of a portrait can be said to have participated in the creation of the portrait.

Examples:

FOL:

Napoleon (E21) participated in The Battle of Waterloo (E7)
 Maria (E21) participated in Photographing of Maria (E7)

\ \ /1 \ 1

 $P11(x,y) \supset E5(x)$   $P11(x,y) \supset E39(y)$ 

 $P11(x,y) \supset P12(x,y)$ 

#### P12 occurred in the presence of (was present at)

Domain: <u>E5</u> Event

Range: <u>E77</u> Persistent Item

Superproperty of: E5 Event. P11 had participant (participated in): E39 Actor

E7 Activity. P16 used specific object (was used for): E70 Thing

```
E9 Move. P25 moved (moved by): E19 Physical Object
```

E11 Modification. P31 has modified (was modified by): E24 Physical Man-Made Thing

E63 Beginning of Existence. P92 brought into existence (was brought into existence by): E77

Persistent Item

E64 End of Existence. P93 took out of existence (was taken out of existence by): E77 Persistent Item

<u>E79</u> Part Addition.<u>P111</u> added (was added by): <u>E18</u> Physical Thing

E80 Part Removal. P113 removed (was removed by): E18 Physical Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the active or passive presence of an E77 Persistent Item in an E5 Event without

implying any specific role.

It connects the history of a thing with the E53 Place and E50 Date of an event. For example, an object may be the desk, now in a museum on which a treaty was signed. The presence of an immaterial thing

implies the presence of at least one of its carriers.

Examples:

Deckchair 42 (E19) was present at The sinking of the Titanic (E5)

FOL:  $P12(x,y) \supset E5(x)$ 

 $P12(x,y) \supset E77(y)$ 

#### P13 destroyed (was destroyed by)

Domain: <u>E6</u> Destruction Range: <u>E18 Physical Thing</u>

Subproperty of: E64 End of Existence. P93 took out of existence (was taken out of existence by): E77 Persistent Item

Quantification: one to many, necessary (1,n:0,1)

Scope note: This property allows specific instances of E18 Physical Thing that have been destroyed to be related to

a destruction event.

Destruction implies the end of an item's life as a subject of cultural documentation – the physical matter of which the item was composed may in fact continue to exist. A destruction event may be contiguous with a Production that brings into existence a derived object composed partly of matter from

the destroyed object.

Examples:

• the Tay Bridge Disaster (E6) destroyed The Tay Bridge (E22)

FOL: P13  $(x,y) \supset E6(x)$ 

P13  $(x,y) \supset E18(y)$ P13  $(x,y) \supset P93(x,y)$ 

#### P14 carried out by (performed)

Domain: <u>E7</u> Activity Range: E39 Actor

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Superproperty of: <u>E8</u> Acquisition. <u>P22</u> transferred title to (acquired title through): <u>E39</u> Actor

E8 Acquisition. P23 transferred title from (surrendered title through): E39 Actor

E10 Transfer of Custody. P28 custody surrendered by (surrendered custody through): E39 Actor E10 Transfer of Custody. P29 custody received by (received custody through): E39 Actor

many to many, necessary (1,n:0,n)

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the active participation of an E39 Actor in an E7 Activity.

It implies causal or legal responsibility. The P14.1 in the role of property of the property allows the

nature of an Actor's participation to be specified.

Examples:

• the painting of the Sistine Chapel (E7) carried out by Michaelangelo Buonaroti (E21) in the role of master craftsman (E55)

FOL: P14  $(x,y) \supset E7(x)$ 

P14  $(x,y) \supset E39(y)$ P14  $(x,y) \supset P11(x,y)$ 

 $P14(x,y,z) \supset [P14(x,y) \land E55(z)]$ 

Properties: P14.1 in the role of: <u>E55</u> Type

#### P15 was influenced by (influenced)

Domain: <u>E7</u> Activity Range: E1 CRM Entity

Superproperty of: E7 Activity. P16 used specific object (was used for): E70 Thing

<u>E7</u> Activity. <u>P17</u> was motivated by (motivated): <u>E1</u> CRM Entity <u>E7</u> Activity. <u>P134</u> continued (was continued by): <u>E7</u> Activity

E83 Type Creation. P136 was based on (supported type creation): E1 CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This is a high level property, which captures the relationship between an E7 Activity and anything that

may have had some bearing upon it.

The property has more specific sub properties.

Examples:

• the designing of the Sydney Harbour Bridge (E7) was influenced by the Tyne bridge (E22)

FOL: P15  $(x,y) \supset E7(x)$ 

P15  $(x,y) \supset E1(y)$ 

#### P16 used specific object (was used for)

Domain: <u>E7</u> Activity Range: <u>E70</u> Thing

Subproperty of: E5 Event. P12 occurred in the presence of (was present at): E77 Persistent Item

E7 Activity. P15 was influenced by (influenced): E1 CRM Entity

Superproperty of: E7 Activity. P33 used specific technique (was used by): E29 Design or Procedure

E15 Identifier Assignment. P142 used constituent (was used in): E90 Symbolic Object

E79 Part Addition. P111 added (was added by):E18 Physical Thing

Quantification: many to many (0,n:0,n)

Scope note: This property describes the use of material or immaterial things in a way essential to the performance or

the outcome of an E7 Activity.

This property typically applies to tools, instruments, moulds, raw materials and items embedded in a product. It implies that the presence of the object in question was a necessary condition for the action. For example, the activity of writing this text required the use of a computer. An immaterial thing can be used if at least one of its carriers is present. For example, the software tools on a computer.

Another example is the use of a particular name by a particular group of people over some span to identify a thing, such as a settlement. In this case, the physical carriers of this name are at least the people understanding its use.

Examples:

- the writing of this scope note (E7) *used specific object* Nicholas Crofts' computer (E22) *mode of use* Typing Tool; Storage Medium (E55)
- the people of Iraq calling the place identified by TGN '7017998' (E7) used specific object "Quyunjig" (E44) *mode of use Current*; Vernacular (E55)

FOL:  $P16(x,y) \supset E7(x)$ 

 $P16 (x,y) \supset E70(y)$ 

 $P16 (x,y) \supset P12(x,y)$  $P16 (x,y) \supset P15(x,y)$ 

 $P16(x,y,z) \supset [P16(x,y) \land E55(z)]$ 

Properties: P16.1 mode of use: <u>E55</u> Type

# P17 was motivated by (motivated)

Domain: <u>E7</u> Activity Range: <u>E1</u> CRM Entity

Subproperty of: E7 Activity. P15 was influenced by (influenced): E1 CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property describes an item or items that are regarded as a reason for carrying out the E7 Activity.

For example, the discovery of a large hoard of treasure may call for a celebration, an order from head quarters can start a military manoeuvre.

Examples:

• the resignation of the chief executive (E7) was motivated by the collapse of SwissAir (E68).

• the coronation of Elizabeth II (E7) was motivated by the death of George VI (E69)

FOL:  $P17(x,y) \supset E7(x)$ 

 $P17(x,y) \supset E1(y)$  $P17(x,y) \supset P15(x,y)$ 

#### P19 was intended use of (was made for):

Domain: <u>E7</u> Activity

Range: <u>E71</u> Man-Made Thing Quantification: many to many (0,n:0,n)

Scope note: This property relates an E7 Activity with objects created specifically for use in the activity.

This is distinct from the intended use of an item in some general type of activity such as the book of common prayer which was intended for use in Church of England services (see *P101 had as general use (was use of)*).

use (was use of))

Examples:

■ Lady Diana Spencer's wedding dress (E71) was made for Wedding of Prince Charles and Lady Diana Spencer (E7) mode of use To Be Worn (E55)

FOL:  $P19(x,y) \supset E7(x)$ 

 $P19(x,y) \supset E71(y)$ 

 $P19(x,y,z) \supset [P19(x,y) \land E55(z)]$ 

Properties: P19.1 mode of use: <u>E55</u> Type

#### P20 had specific purpose (was purpose of)

Domain: <u>E7</u> Activity Range: <u>E5</u> Event

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the relationship between a preparatory activity and the event it is intended to be

preparation for.

This includes activities, orders and other organisational actions, taken in preparation for other activities or events.

P20 had specific purpose (was purpose of) implies that an activity succeeded in achieving its aim. If it does not succeed, such as the setting of a trap that did not catch anything, one may document the unrealized intention using P21 had general purpose (was purpose of):E55 Type and/or P33 used

specific technique (was used by): E29 Design or Procedure.

Examples:

 Van Eyck's pigment grinding in 1432 (E7) had specific purpose the painting of the Ghent altar piece (E12)

FOL:  $P21(x,y) \supset E7(x)$  $P21(x,y) \supset E55(y)$ 

#### P21 had general purpose (was purpose of)

Domain: <u>E7</u> Activity Range: <u>E55</u> Type

Quantification: many to many (0,n:0,n)

Scope note: This property describes an intentional relationship between an E7 Activity and some general goal or

purpose.

This may involve activities intended as preparation for some type of activity or event. *P21had general purpose (was purpose of)* differs from *P20 had specific purpose (was purpose of)* in that no occurrence of an event is implied as the purpose.

Examples:

Van Eyck's pigment grinding (E7) had general purpose painting (E55)

■ The setting of trap 2742 on May 17<sup>th</sup> 1874 (E7) had general purpose Catching Moose (E55)

(Activity type

FOL:  $P21(x,y) \supset E7(x)$   $P21(x,y) \supset E55(y)$ 

#### P22 transferred title to (acquired title through)

Domain: <u>E8</u> Acquisition Range: <u>E39</u> Actor

Subproperty of: <u>E7</u> Activity. <u>P14</u> carried out by (performed): <u>E39</u> Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor that acquires the legal ownership of an object as a result of an E8

Acquisition.

The property will typically describe an Actor purchasing or otherwise acquiring an object from another Actor. However, title may also be acquired, without any corresponding loss of title by another Actor,

through legal fieldwork such as hunting, shooting or fishing.

In reality the title is either transferred to or from someone, or both.

Examples:

 acquisition of the Amoudrouz collection by the Geneva Ethnography Museum (E8) transferred title to Geneva Ethnography Museum (E74)

FOL:  $P22(x,y) \supset E8(x)$ 

 $P22(x,y) \supset E39(y)$   $P22 (x,y) \supset P14(x,y)$ 

#### P23 transferred title from (surrendered title through)

Domain: <u>E8</u> Acquisition Range: <u>E39</u> Actor

Subproperty of: E7 Activity. P14 carried out by (performed): E39 Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who relinquish legal ownership as the result of an E8

Acquisition.

The property will typically be used to describe a person donating or selling an object to a museum. In reality title is either transferred to or from someone, or both.

Examples:

 acquisition of the Amoudrouz collection by the Geneva Ethnography Museum (E8) transferred title from Heirs of Amoudrouz (E74)

FOL:  $P23(x,y) \supset E8(x)$ 

 $P23(x,y) \supset E39(y)$  $P23(x,y) \supset P14(x,y)$ 

### P24 transferred title of (changed ownership through)

Domain: <u>E8</u> Acquisition Range: <u>E18</u> Physical Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E18 Physical Thing or things involved in an E8 Acquisition.

In reality, an acquisition must refer to at least one transferred item.

Examples:

 acquisition of the Amoudrouz collection by the Geneva Ethnography Museum (E8) transferred title of Amoudrouz Collection (E78)

FOL:  $P24(x,y) \supset E8(x)$ 

 $P24(x,y)\supset E18(y)$ 

# P25 moved (moved by)

Domain: <u>E9</u> Move

Range: <u>E19</u> Physical Object

Subproperty of: E5 Event. P12 occurred in the presence of (was present at): E77 Persistent Item

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E19 Physical Object that is moved during a move event.

The property implies the object's passive participation. For example, Monet's painting "Impression

sunrise" was moved for the first Impressionist exhibition in 1874.

In reality, a move must concern at least one object.

Examples:

 Monet's "Impression sunrise" (E22) moved by preparations for the First Impressionist Exhibition (E9)

FOL:  $P25(x,y) \supset E9(x)$ 

 $P25(x,y) \supset E19(y)$   $P25(x,y) \supset P12(x,y)$ 

#### P26 moved to (was destination of)

Domain: <u>E9</u> Move Range: <u>E53</u> Place

Subproperty of: <u>E4</u> Period. <u>P7</u> took place at (witnessed): <u>E53</u> Place

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the destination of a E9 Move.

A move will be linked to a destination, such as the move of an artefact from storage to display. A move may be linked to many terminal instances of E53 Places. In this case the move describes a distribution of a set of objects. The area of the move includes the origin, route and destination.

Examples:

• the movement of the Tut-Ankh-Amun Exhibition (E9) moved to The British Museum (E53)

FOL:  $P26(x,y) \supset E9(x)$   $P26(x,y) \supset E53(y)$   $P26(x,y) \supset P7(x,y)$ 

# P27 moved from (was origin of)

Domain: <u>E9</u> Move Range: <u>E53</u> Place

Subproperty of: <u>E4</u> Period. <u>P7</u> took place at (witnessed): <u>E53</u> Place

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the starting E53 Place of an E9 Move.

A move will be linked to an origin, such as the move of an artefact from storage to display. A move may be linked to many origins. In this case the move describes the picking up of a set of objects. The area of the move includes the origin, route and destination.

Examples:

 the movement of the Tut-Ankh-Amun Exhibition (E9) moved from The Egyptian Museum in Cairo (E53)

FOL:  $P27(x,y) \supset E9(x)$ 

 $P27(x,y) \supset E53(y)$  $P27(x,y) \supset P7(x,y)$ 

#### P28 custody surrendered by (surrendered custody through)

Domain: E10 Transfer of Custody

Range: <u>E39</u> Actor

Subproperty of: <u>E7</u> Activity. <u>P14</u> carried out by (performed): <u>E39</u> Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who surrender custody of an instance of E18 Physical

Thing in an E10 Transfer of Custody activity.

The property will typically describe an Actor surrendering custody of an object when it is handed over to someone else's care. On occasion, physical custody may be surrendered involuntarily – through

accident, loss or theft.

In reality, custody is either transferred to someone or from someone, or both.

Examples:

• the Secure Deliveries Inc. crew (E40) *surrendered custody through* The delivery of the paintings by Secure Deliveries Inc. to the National Gallery (E10).

FOL:  $P28(x,y) \supset E10(x)$ 

 $P28(x,y) \supset E39(y)$   $P28(x,y) \supset P14(x,y)$ 

### P29 custody received by (received custody through)

Domain: <u>E10</u> Transfer of Custody

Range: <u>E39</u> Actor

Subproperty of: E7 Activity. P14 carried out by (performed): E39 Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who receive custody of an instance of E18 Physical

Thing in an E10 Transfer of Custody activity.

The property will typically describe Actors receiving custody of an object when it is handed over from another Actor's care. On occasion, physical custody may be received involuntarily or illegally –

through accident, unsolicited donation, or theft.

In reality, custody is either transferred to someone or from someone, or both.

Examples:

 representatives of The National Gallery (E40) received custody through. The delivery of the paintings by Secure Deliveries Inc. to the National Gallery (E10)

FOL:  $P29(x,y) \supset E10(x)$ 

P29 (x,y)  $\supset$  E39(y) P29(x,y)  $\supset$  P14(x,y)

### P30 transferred custody of (custody transferred through)

Domain: <u>E10</u> Transfer of Custody Range: <u>E18</u> Physical Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies an item or items of E18 Physical Thing concerned in an E10 Transfer of

Custody activity.

The property will typically describe the object that is handed over by an E39 Actor to another Actor's custody. On occasion, physical custody may be transferred involuntarily or illegally – through accident,

unsolicited donation, or theft.

Examples:

the delivery of the paintings by Secure Deliveries Inc. to the National Gallery (E10) transferred

custody of paintings from The Iveagh Bequest (E19)

FOL:  $P30 (x,y) \supset E10(x)$ 

 $P30\left( x,y\right) \supset E18(y)$ 

#### P31 has modified (was modified by)

Domain: E11 Modification

Range: E24 Physical Man-Made Thing

Subproperty of: E5 Event. P12 occurred in the presence of (was present at): E77 Persistent Item

Superproperty of: E12 Production. P108 has produced (was produced by): E24 Physical Man-Made Thing

E79 Part Addition. P110 augmented (was augmented by): E24 Physical Man-Made Thing E80 Part Removal. P112 diminished (was diminished by): E24 Physical Man-Made Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E24 Physical Man-Made Thing modified in an E11 Modification.

If a modification is applied to a non-man-made object, it is regarded as an E22 Man-Made Object from

that time onwards.

Examples:

• rebuilding of the Reichstag (E11) has modified the Reichstag in Berlin (E24)

FOL:  $P31(x,y) \supset E11(x)$ 

 $P31(x,y) \supset E24(y)$  $P31(x,y) \supset P12(x,y)$ 

#### P32 used general technique (was technique of)

Domain: <u>E7</u> Activity Range: <u>E55</u> Type

Subproperty of: E7 Activity. P125 used object of type (was type of object used in): E55 Type

Superproperty of:

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the technique or method that was employed in an activity.

These techniques should be drawn from an external E55 Type hierarchy of consistent terminology of general techniques or methods such as embroidery, oil-painting, carbon dating, etc. Specific documented techniques should be described as instances of E29 Design or Procedure. This property

identifies the technique that was employed in an act of modification.

Examples:

• ornamentation of silver cup 113 (E11) *used general technique* gold-plating (E55) (Design or Procedure Type)

FOL:  $P32(x,y) \supset E7(x)$ 

 $P32(x,y) \supset E55(y)$   $P32(x,y) \supset P125(x,y)$ 

### P33 used specific technique (was used by)

Domain: <u>E7</u> Activity

Range: <u>E29</u> Design or Procedure

Subproperty of: E7 Activity. P16 used specific object (was used for): E70 Thing

Quantification: many to many (0,n:0,n)

Scope note: This property identifies a specific instance of E29 Design or Procedure in order to carry out an

instance of E7 Activity or parts of it.

The property differs from P32 used general technique (was technique of) in that P33 refers to an instance of E29 Design or Procedure, which is a concrete information object in its own right rather than simply being a term or a method known by tradition.

Typical examples would include intervention plans for conservation or the construction plans of a building

Examples:

- Ornamentation of silver cup 232 (E11) used specific technique 'Instructions for golden chase work by A N Other' (E29)
- Rebuilding of Reichstag (E11) used specific technique Architectural plans by Foster and Partners (E29)

FOL:  $P33(x,y) \supset E7(x)$ 

 $P33(x,y) \supset E29(y)$   $P33(x,y) \supset P16(x,y)$ 

#### P34 concerned (was assessed by)

Domain: <u>E14</u> Condition Assessment Range: <u>E18</u> Physical Thing

Subproperty of: E13 Attribute Assignment. P140 assigned attribute to (was attributed by): E1 CRM Entity

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E18 Physical Thing that was assessed during an E14 Condition Assessment

activity.

Conditions may be assessed either by direct observation or using recorded evidence. In the latter case

the E18 Physical Thing does not need to be present or extant.

Examples:

1997 condition assessment of the silver collection (E14) concerned silver cup 232 (E22)

FOL:  $P34(x,y) \supset E14(x)$ 

 $P34(x,y) \supset E18(y)$   $P34(x,y) \supset P140(x,y)$ 

### P35 has identified (was identified by)

Domain: <u>E14</u> Condition Assessment

Range: <u>E3</u> Condition State

Subproperty of: E13 Attribute Assignment. P141 assigned (was assigned by): E1 CRM Entity

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E3 Condition State that was observed in an E14 Condition Assessment

activity.

Examples:

■ 1997 condition assessment of silver cup 232 (E14) has identified oxidation traces were present in

1997 (E3) has type oxidation traces (E55)

FOL:  $P35(x,y) \supset E14(x)$ 

 $P35(x,y) \supset E3(y)$  $P35(x,y) \supset P141(x,y)$ 

#### P37 assigned (was assigned by)

Domain: E15 Identifier Assignment

Range: E42 Identifier

Subproperty of: E13 Attribute Assignment. P141 assigned (was assigned by): E1 CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property records the identifier that was assigned to an item in an Identifier Assignment activity.

The same identifier may be assigned on more than one occasion.

An Identifier might be created prior to an assignment.

Examples:

• 01 June 1997 Identifier Assignment of the silver cup donated by Martin Doerr (E15) assigned

"232" (E42)

FOL:  $P37(x,y) \supset E15(x)$ 

 $P37(x,y) \supset E42(y)$   $P37(x,y) \supset P141(x,y)$ 

### P38 deassigned (was deassigned by)

Domain: <u>E15</u> Identifier Assignment

Range: <u>E42</u> Identifier

Subproperty of: E13 Attribute Assignment. P141 assigned (was assigned by): E1 CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property records the identifier that was deassigned from an instance of E1 CRM Entity.

Deassignment of an identifier may be necessary when an item is taken out of an inventory, a new

numbering system is introduced or items are merged or split up. The same identifier may be deassigned on more than one occasion.

Examples:

31 July 2001 Identifier Assignment of the silver cup OXCMS:2001.1.32 (E15) deassigned "232"

(E42)

FOL:  $P38(x,y) \supset E15(x)$ 

 $P38(x,y) \supset E42(y)$   $P38(x,y) \supset P141(x,y)$ 

# P39 measured (was measured by)

Domain: <u>E16</u> Measurement Range: <u>E1</u> CRM Entity

Subproperty of: E13 Attribute Assignment. P140 assigned attribute to (was attributed by): E1 CRM Entity

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property associates an instance of E16 Measurement with the instance of E1 CRM Entity to which

it applied. An instance of E1 CRM Entity may be measured more than once. Material and immaterial things and processes may be measured, e.g. the number of words in a text, or the duration of an event.

Examples:

31 August 1997 measurement of height of silver cup 232 (E16) measured silver cup 232 (E22)

FOL:  $P39(x,y) \supset E16(x)$ 

 $P39(x,y) \supset E1(y)$   $P39(x,y) \supset P140(x,y)$ 

#### P40 observed dimension (was observed in)

Domain: <u>E16</u> Measurement Range: <u>E54</u> Dimension

Subproperty of: E13 Attribute Assignment. P141 assigned (was assigned by): E1 CRM Entity

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property records the dimension that was observed in an E16 Measurement Event.

E54 Dimension can be any quantifiable aspect of E70 Thing. Weight, image colour depth and monetary value are dimensions in this sense. One measurement activity may determine more than one dimension

of one object.

Dimensions may be determined either by direct observation or using recorded evidence. In the latter

case the measured Thing does not need to be present or extant.

Even though knowledge of the value of a dimension requires measurement, the dimension may be an

object of discourse prior to, or even without, any measurement being made.

Examples:

• 31 August 1997 measurement of height of silver cup 232 (E16) *observed dimension* silver cup 232

height (E54) has unit mm (E58), has value 224 (E60)

FOL:  $P40(x,y) \supset E16(x)$ 

 $P40(x,y) \supset E54(y)$   $P40(x,y) \supset P141(x,y)$ 

### P41 classified (was classified by)

Domain: <u>E17</u> Type Assignment Range: <u>E1</u> CRM Entity

Subproperty of: E13 Attribute Assignment. P140 assigned attribute to (was attributed by): E1 CRM Entity

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property records the item to which a type was assigned in an E17 Type Assignment activity.

Any instance of a CRM entity may be assigned a type through type assignment. Type assignment events allow a more detailed path from E1 CRM Entity through *P41 classified* (was classified), E17 Type Assignment, *P42 assigned* (was assigned by) to E55 Type for assigning types to objects

compared to the shortcut offered by P2 has type (is type of).

Examples:

■ 31 August 1997 classification of silver cup 232 (E17) *classified* silver cup 232 (E22)

FOL:  $P41(x,y) \supset E17(x)$ 

 $P41(x,y) \supset E1(y)$   $P41(x,y) \supset P140(x,y)$ 

### P42 assigned (was assigned by)

Domain: <u>E17</u> Type Assignment

Range: <u>E55</u> Type

Subproperty of: E13 Attribute Assignment. P141 assigned (was assigned by): E1 CRM Entity

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property records the type that was assigned to an entity by an E17 Type Assignment activity.

Type assignment events allow a more detailed path from E1 CRM Entity through P41 classified (was classified by), E17 Type Assignment, P42 assigned (was assigned by) to E55 Type for assigning types

to objects compared to the shortcut offered by P2 has type (is type of).

For example, a fragment of an antique vessel could be assigned the type "attic red figured belly handled amphora" by expert A. The same fragment could be assigned the type "shoulder handled

amphora" by expert B.

A Type may be intellectually constructed independent from assigning an instance of it.

Examples:

■ 31 August 1997 classification of silver cup 232 (E17) assigned goblet (E55)

FOL:  $P42(x,y) \supset E17(x)$ 

 $P42(x,y) \supset E55(y)$  $P42(x,y) \supset P141(x,y)$ 

#### P43 has dimension (is dimension of)

Domain: <u>E70</u> Thing Range: <u>E54</u> Dimension

Quantification: one to many, dependent (0,n:1.1)

Scope note: This property records a E54 Dimension of some E70 Thing.

It is a shortcut of the more fully developed path from E70 Thing through *P39 measured (was measured by)*, E16 Measurement *P40 observed dimension (was observed in)* to E54 Dimension. It offers no information about how and when an E54 Dimension was established, nor by whom.

An instance of E54 Dimension is specific to an instance of E70 Thing.

Examples:

• silver cup 232 (E22) has dimension height of silver cup 232 (E54) has unit (P91) mm (E58), has value (P90) 224 (E60)

FOL:  $P43(x,y) \supset E70(x)$ 

 $P43(x,y) \supset E54(y)$ 

### P44 has condition (is condition of)

Domain: <u>E18</u> Physical Thing Range: E3 Condition State

Quantification: one to many, dependent (0,n:1,1)

Scope note: This property records an E3 Condition State for some E18 Physical Thing.

It is a shortcut of the more fully developed path from E18 Physical Thing through *P34 concerned (was assessed by)*, E14 Condition Assessment *P35 has identified (was identified by)* to E3 Condition State. It offers no information about how and when the E3 Condition State was established, nor by whom.

An instance of Condition State is specific to an instance of Physical Thing.

Examples:

silver cup 232 (E22) has condition oxidation traces were present in 1997 (E3) has type oxidation traces (E55)

FOL:  $P44(x,y) \supset E18(x)$ 

 $P44(x,y) \supset E3(y)$ 

### P45 consists of (is incorporated in)

Domain: <u>E18</u> Physical Thing Range: <u>E57</u> Material

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instances of E57 Materials of which an instance of E18 Physical Thing is

composed.

All physical things consist of physical materials. P45 consists of (is incorporated in) allows the different Materials to be recorded. P45 consists of (is incorporated in) refers here to observed Material

as opposed to the consumed raw material.

A Material, such as a theoretical alloy, may not have any physical instances.

Examples:

• silver cup 232 (E22) consists of silver (E57)

FOL:  $P45(x,y) \supset E18(x)$ 

 $P45(x,y) \supset E57(y)$ 

### P46 is composed of (forms part of)

Domain: <u>E18</u> Physical Thing Range: <u>E18</u> Physical Thing

Superproperty of: <u>E19</u> Physical Object. <u>P56</u> bears feature (is found on): <u>E26</u> Physical Feature

Quantification: many to many (0,n:0,n)

Scope note: This property allows instances of E18 Physical Thing to be analysed into component elements.

Component elements, since they are themselves instances of E18 Physical Thing, may be further analysed into sub-components, thereby creating a hierarchy of part decomposition. An instance of E18 Physical Thing may be shared between multiple wholes, for example two buildings may share a common wall.

This property is intended to describe specific components that are individually documented, rather than general aspects. Overall descriptions of the structure of an instance of E18 Physical Thing are captured by the *P3 has note* property.

The instances of E57 Materials of which an item of E18 Physical Thing is composed should be documented using P45 consists of (is incorporated in).

Examples:

• the Royal carriage (E22) forms part of the Royal train (E22)

• the "Hog's Back" (E24) forms part of the "Fosseway" (E24)

FOL:  $P46(x,y) \supset E18(x)$ 

 $P46(x,y) \supset E18(y)$ 

#### P48 has preferred identifier (is preferred identifier of)

Domain: <u>E1</u> CRM Entity Range: <u>E42</u> Identifier

Subproperty of: <u>E1</u> CRM Entity.<u>P1</u> is identified by (identifies): <u>E41</u> Appellation

Quantification: many to one (0,1:0,n)

Scope note: This property records the preferred E42 Identifier that was used to identify an instance of E1 CRM

Entity at the time this property was recorded.

More than one preferred identifier may have been assigned to an item over time.

Use of this property requires an external mechanism for assigning temporal validity to the respective

#### CRM instance.

P48 has preferred identifier (is preferred identifier of), is a shortcut for the path from E1 CRM Entity through P140 assigned attribute to (was attributed by), E15 Identifier Assignment, P37 assigned (was assigned by) to E42 Identifier. The fact that an identifier is a preferred one for an organisation can be better expressed in a context independent form by assigning a suitable E55 Type to the respective instance of E15 Identifier Assignment using the P2 has type property.

Examples:

 the pair of Lederhosen donated by Dr Martin Doerr (E22) has preferred identifier "OXCMS:2001.1.32" (E42)

FOL:  $P48(x,y) \supset E1(x)$ 

 $P48(x,y) \supset E42(y)$   $P48(x,y) \supset P1(x,y)$ 

### P49 has former or current keeper (is former or current keeper of)

Domain: <u>E18</u> Physical Thing

Range: <u>E39</u> Actor

Superproperty of: E18 Physical Thing. P50 has current keeper (is current keeper of): E39 Actor

E78 Collection. P109 has current or former curator (is current or former curator of): E39 Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who have or have had custody of an instance of E18

Physical Thing at some time.

The distinction with P50 has current keeper (is current keeper of) is that P49 has former or current keeper (is former or current keeper of) leaves open the question as to whether the specified keepers are current.

P49 has former or current keeper (is former or current keeper of) is a shortcut for the more detailed path from E18 Physical Thing through P30 transferred custody of (custody transferred through), E10 Transfer of Custody, P28 custody surrendered by (surrendered custody through) or P29 custody received by (received custody through) to E39 Actor.

Examples:

paintings from The Iveagh Bequest (E18) has former or current keeper Secure Deliveries Inc. (E40)

FOL:  $P49(x,y) \supset E18(x)$ 

 $P49(x,y) \supset E39(y)$ 

#### P50 has current keeper (is current keeper of)

Domain: <u>E18</u> Physical Thing

Range: <u>E39</u> Actor

Subproperty of: <u>E18</u> Physical Thing. <u>P49</u> has former or current keeper (is former or current keeper of): <u>E39</u> Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who had custody of an instance of E18 Physical Thing

at the time of validity of the record or database containing the statement that uses this property.

P50 has current keeper (is current keeper of) is a shortcut for the more detailed path from E18 Physical Thing through P30 transferred custody of (custody transferred through), E10 Transfer of Custody, P29 custody received by (received custody through) to E39 Actor.

Examples:

• paintings from The Iveagh Bequest (E18) has current keeper The National Gallery (E40)

FOL:  $P50(x,y) \supset E18(x)$ 

 $P50(x,y) \supset E39(y)$ 

```
P50(x,y) \supset P49(x,y)
```

#### P51 has former or current owner (is former or current owner of)

Domain: <u>E18</u> Physical Thing

Range: <u>E39</u> Actor

Superproperty of: E18 Physical Thing. P52 has current owner (is current owner of): E39 Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor that is or has been the legal owner (i.e. title holder) of an

instance of E18 Physical Thing at some time.

The distinction with P52 has current owner (is current owner of) is that P51 has former or current owner (is former or current owner of) does not indicate whether the specified owners are current. P51 has former or current owner (is former or current owner of) is a shortcut for the more detailed path from E18 Physical Thing through P24 transferred title of (changed ownership through), E8 Acquisition, P23 transferred title from (surrendered title through), or P22 transferred title to (acquired title through) to E30 Actor.

title through) to E39 Actor.

Examples:

• paintings from the Iveagh Bequest (E18) has former or current owner Lord Iveagh (E21)

FOL:  $P51(x,y) \supset E18(x)$ 

 $P51(x,y) \supset E39(y)$ 

### P52 has current owner (is current owner of)

Domain: <u>E18</u> Physical Thing

Range: <u>E39</u> Actor

Subproperty of: E18 Physical Thing. P51 has former or current owner (is former or current keeper of): E39 Actor

E72 Legal Object.P105 right held by (has right on):E39 Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E21 Person, E74 Group or E40 Legal Body that was the owner of an

instance of E18 Physical Thing at the time of validity of the record or database containing the statement

that uses this property.

P52 has current owner (is current owner of) is a shortcut for the more detailed path from E18 Physical Thing through P24 transferred title of (changed ownership through), E8 Acquisition, P22 transferred title to (acquired title through) to E39 Actor, if and only if this acquisition event is the most recent.

Examples:

• paintings from the Iveagh Bequest (E18) has current owner «English Heritage» (E40)

FOL:  $P52(x,y) \supset E18(x)$ 

 $P52 (x,y) \supset E39(y)$   $P52(x,y) \supset P51(x,y)$  $P52(x,y) \supset P105(x,y)$ 

#### P53 has former or current location (is former or current location of)

Domain: <u>E18</u> Physical Thing

Range: E53 Place

Superproperty of: <u>E19</u> Physical Object. <u>P55</u> has current location (currently holds): <u>E53</u> Place

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property allows an instance of E53 Place to be associated as the former or current location of an

instance of E18 Physical Thing.

In the case of E19 Physical Objects, the property does not allow any indication of the Time-Span during which the Physical Object was located at this Place, nor if this is the current location.

In the case of immobile objects, the Place would normally correspond to the Place of creation.

P53 has former or current location (is former or current location of) is a shortcut. A more detailed representation can make use of the fully developed (i.e. indirect) path from E19 Physical Object through P25 moved (moved by), E9 Move, P26 moved to (was destination of) or P27 moved from (was

origin of) to E53 Place.

Examples:

silver cup 232 (E22) has former or current location Display Case 4, Room 23, Museum of Oxford

FOL:  $P53(x,y) \supset E18(x)$ 

 $P53(x,y) \supset E53(y)$ 

### P54 has current permanent location (is current permanent location of)

Domain: E19 Physical Object

Range: E53 Place

Quantification: many to one (0,1:0,n)

Scope note: This property records the foreseen permanent location of an instance of E19 Physical Object at the time

of validity of the record or database containing the statement that uses this property.

P54 has current permanent location (is current permanent location of) is similar to P55 has current location (currently holds). However, it indicates the E53 Place currently reserved for an object, such as the permanent storage location or a permanent exhibit location. The object may be temporarily removed from the permanent location, for example when used in temporary exhibitions or loaned to another

institution. The object may never actually be located at its permanent location.

Examples:

silver cup 232 (E22) has current permanent location Shelf 3.1, Store 2, Museum of Oxford (E53)

FOL:  $P54(x,y) \supset E19(x)$ 

 $P54(x,y) \supset E53(y)$ 

#### P55 has current location (currently holds)

Domain: E19 Physical Object

Range: E53 Place

Subproperty of: E18 Physical Thing. P53 has former or current location (is former or current location of): E53 Place

Ouantification: many to one (0,1:0,n)

This property records the location of an E19 Physical Object at the time of validity of the record or Scope note:

database containing the statement that uses this property.

This property is a specialisation of P53 has former or current location (is former or current location of). It indicates that the E53 Place associated with the E19 Physical Object is the current location of the object. The property does not allow any indication of how long the Object has been at the current

location.

P55 has current location (currently holds) is a shortcut. A more detailed representation can make use of the fully developed (i.e. indirect) path from E19 Physical Object through P25 moved (moved by), E9

Move P26 moved to (was destination of) to E53 Place if and only if this Move is the most recent.

Examples:

silver cup 232 (E22) has current location Display cabinet 23, Room 4, British Museum (E53)

FOL:  $P55(x,y) \supset E19(x)$ 

> $P55(x,y) \supset E53(y)$  $P55(x,y) \supset P53(x,y)$

### P56 bears feature (is found on)

Domain: <u>E19</u> Physical Object Range: <u>E26</u> Physical Feature

Subproperty of: <u>E18</u> Physical Thing. <u>P46</u> is composed of (forms part of): <u>E18</u> Physical Thing

Quantification: one to many, dependent (0,n:1,1)

Scope note: This property links an instance of E19 Physical Object to an instance of E26 Physical Feature that it

bears.

An E26 Physical Feature can only exist on one object. One object may bear more than one E26 Physical Feature. An E27 Site should be considered as an E26 Physical Feature on the surface of the

Earth.

An instance B of E26 Physical Feature being a detail of the structure of another instance A of E26 Physical Feature can be linked to B by use of the property P46 is composed of (forms part of). This implies that the subfeature B is P56i found on the same E19 Physical Object as A.

P56 bears feature (is found on) is a shortcut. A more detailed representation can make use of the fully developed (i.e. indirect) path from E19 Physical Object through P59 has section (is located on or within), E53 Place, P53 has former or current location (is former or current location of) to E26 Physical

Feature.

Examples:

• silver cup 232 (E22) bears feature 32 mm scratch on silver cup 232 (E26)

FOL:  $P56(x,y) \supset E19(x)$ 

 $P56(x,y) \supset E26(y)$   $P56(x,y) \supset P46(x,y)$ 

#### P57 has number of parts

Domain: <u>E19</u> Physical Object Range: <u>E60</u> Number

Quantification: many to one (0,1:0,n)

Scope note: This property documents the E60 Number of parts of which an instance of E19 Physical Object is

composed.

This may be used as a method of checking inventory counts with regard to aggregate or collective objects. What constitutes a part or component depends on the context and requirements of the documentation. Normally, the parts documented in this way would not be considered as worthy of individual attention.

For a more complete description, objects may be decomposed into their components and constituents using *P46 is composed of (forms parts of)* and *P45 consists of (is incorporated in)*. This allows each element to be described individually.

Examples:

• chess set 233 (E22) has number of parts 33 (E60)

FOL:  $P57(x,y) \supset E19(x)$ 

 $P57(x,y) \supset E60(y)$ 

## P58 has section definition (defines section)

Domain: <u>E18</u> Physical Thing Range: <u>E46</u> Section Definition

Quantification: one to many, dependent, (0,n:1,1)

Scope note: This property links an area (section) named by a E46 Section Definition to the instance of E18 Physical

Thing upon which it is found.

The CRM handles sections as locations (instances of E53 Place) within or on E18 Physical Thing that are identified by E46 Section Definitions. Sections need not be discrete and separable components or

parts of an object.

This is part of a more developed path from E18 Physical Thing through P58, E46 Section Definition, P87 is identified by (identifies) that allows a more precise definition of a location found on an object than the shortcut P59 has section (is located on or within).

A particular instance of a Section Definition only applies to one instance of Physical Thing.

Examples:

HMS Victory (E22) has section definition "poop deck of HMS Victory" (E46)

FOL:  $P58(x,y) \supset E18(x)$ 

 $P58(x,y) \supset E46(y)$ 

#### P59 has section (is located on or within)

Domain: **E18** Physical Thing

Range: E53 Place

Quantification: one to many (0,n:0,1)

Scope note: This property links an area to the instance of E18 Physical Thing upon which it is found.

It is typically used when a named E46 Section Definition is not appropriate.

E18 Physical Thing may be subdivided into arbitrary regions.

P59 has section (is located on or within) is a shortcut. If the E53 Place is identified by a Section Definition, a more detailed representation can make use of the fully developed (i.e. indirect) path from E18 Physical Thing through P58 has section definition (defines section), E46 Section Definition, P87 is identified by (identifies) to E53 Place. A Place can only be located on or within one Physical Object.

Examples:

HMS Victory (E22) has section HMS Victory section B347.6 (E53)

FOL:  $P59(x,y) \supset E18(x)$ 

 $P59(x,y) \supset E53(y)$ 

#### P62 depicts (is depicted by)

Domain: E24 Physical Man-Made Thing

E1 CRM Entity Range:

Quantification: many to many (0,n:0,n)

Scope note: This property identifies something that is depicted by an instance of E24 Physical Man-Made Thing.

> This property is a shortcut of the more fully developed path from E24 Physical Man-Made Thing through P65 shows visual item (is shown by), E36 Visual Item, P138 represents (has representation) to E1CRM Entity. P62.1 mode of depiction allows the nature of the depiction to be refined.

Examples:

The painting "La Liberté guidant le peuple" by Eugène Delacroix (E84) depicts the French "July Revolution" of 1830 (E7)

the 20 pence coin held by the Department of Coins and Medals of the British Museum under registration number 2006,1101.126 (E24) depicts Queen Elizabeth II (E21) mode of depiction Profile (E55)

FOL:  $P62(x,y) \supset E24(x)$ 

 $P62(x,y) \supset E1(y)$ 

 $P62(x,y,z) \supset [P62(x,y) \land E55(z)]$ 

Properties: P62.1 mode of depiction: <u>E55</u> Type

### P65 shows visual item (is shown by)

Domain: <u>E24</u> Physical Man-Made Thing

Range: <u>E36</u> Visual Item

Subproperty of: E18 Physical Thing. P128 carries (is carried by): E90 Symbolic Object

Quantification: many to many (0,n:0,n)

Scope note: This property documents an E36 Visual Item shown by an instance of E24 Physical Man-Made Thing.

This property is similar to P62 depicts (is depicted by) in that it associates an item of E24 Physical Man-Made Thing with a visual representation. However, P65 shows visual item (is shown by) differs from the P62 depicts (is depicted by) property in that it makes no claims about what the E36 Visual Item is deemed to represent. E36 Visual Item identifies a recognisable image or visual symbol, regardless of what this image may or may not represent.

For example, all recent British coins bear a portrait of Queen Elizabeth II, a fact that is correctly documented using *P62 depicts* (is depicted by). Different portraits have been used at different periods, however. *P65 shows visual item* (is shown by) can be used to refer to a particular portrait.

P65 shows visual item (is shown by) may also be used for Visual Items such as signs, marks and symbols, for example the 'Maltese Cross' or the 'copyright symbol' that have no particular representational content.

This property is part of the fully developed path from E24 Physical Man-Made Thing through *P65* shows visual item (is shown by), E36 Visual Item, *P138* represents (has representation) to E1 CRM Entity which is shortcut by, *P62* depicts (is depicted by).

Examples:

■ My T-Shirt (E22) shows visual item Mona Lisa (E38)

FOL:  $P65(x,y) \supset E24(x)$ 

 $P65(x,y) \supset E36(y)$   $P65(x,y) \supset P128(x,y)$ 

### P67 refers to (is referred to by)

Domain: <u>E89</u> Propositional Object

Range: E1 CRM Entity

Superproperty of: E31 Document. P70 documents (is documented in): E1 CRM Entity

E32 Authority Document. P71 lists (is listed in): E1 CRM Entity
E89 Propositional Object. P129 is about (is subject of): E1 CRM Entity
E36 Visual Item. P138 represents (has representation): E1 CRM Entity

E29 Design or Procedure.P68 foresees use of (use foreseen by): E57 Material

Quantification: many to many (0,n:0,n)

Scope note: This property documents that an E89 Propositional Object makes a statement about an instance of E1

CRM Entity. P67 refers to (is referred to by) has the P67.1 has type link to an instance of E55 Type. This is intended to allow a more detailed description of the type of reference. This differs from P129 is about (is subject of), which describes the primary subject or subjects of the E89 Propositional Object.

Examples:

the eBay auction listing of 4 July 2002 (E73) refers to silver cup 232 (E22) has type item for sale (E55)

FOL:  $P67(x,y) \supset E89(x)$ 

 $P67(x,y) \supset E1(y)$ 

 $P67(x,y,z) \supset [P67(x,y) \land E55(z)]$ 

Properties: P67.1 has type: <u>E55</u> Type

#### P68 foresees use of (use foreseen by)

Domain: E29 Design or Procedure

Range: E57 Material

Subproperty of: <u>E89</u> Propositional Object. <u>P67</u> refers to (is referred to by): <u>E1</u> CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an E57 Material foreseeen to be used by an E29 Design or Procedure.

E29 Designs and procedures commonly foresee the use of particular E57 Materials. The fabrication of adobe bricks, for example, requires straw, clay and water. This property enables this to be documented.

This property is not intended for the documentation of E57 Materials that were used on a particular

occasion when an instance of E29 Design or Procedure was executed.

Examples:

procedure for soda glass manufacture (E29) foresees use of soda (E57)

FOL:  $P68(x,y) \supset E29(x)$ 

 $P68(x,y) \supset E57(y)$   $P68(x,y) \supset P67(x,y)$ 

#### P69 has association with (is associated with)

Domain: <u>E29</u> Design or Procedure Range: <u>E29</u> Design or Procedure Quantification: many to many (0,n:0,n)

Scope note:

This property generalises relationships like whole-part, sequence, prerequisite or inspired by between instances of E29 Design or Procedure. Any instance of E29 Design or Procedure may be associated with other designs or procedures. The property is considered to be symmetrical unless otherwise indicated by *P69.1 has type*.

The *P69.1 has type* property of *P69 has association with* allows the nature of the association to be specified reading from domain to range; examples of types of association between instances of E29 Design or Procedure include: has part, follows, requires, etc.

The property can typically be used to model the decomposition of the description of a complete workflow into a series of separate procedures.

Examples:

- Procedure for glass blowing (E29) has association with procedure for glass heating (E29)
- The set of instructions for performing Macbeth in Max Reinhardt's production in 1916 in Berlin at Deutsches Theater (E29) has association with the scene design drawing by Ernst Stern reproduced at http://www.glopad.org/pi/fr/record/digdoc/1003814 (E29) has type has part (E55)
- Preparation of parchment (E29) has association with soaking and unhairing of skin (E29) has type 'has part' (E55). Preparation of parchment (E29) has association with stretching of skin (E29) has type 'has part' (E55). Stretching of skin (E29) has association with soaking and unhairing of skin (E29) has type 'follows' (E55).
- The plan for reassembling the temples at Abu Simbel (E29) has association with the plan for storing and transporting the blocks (E29) has type 'follows' (E55)'.

FOL: P69  $(x,y) \supset E29(x)$ 

 $P69 (x,y) \supset E29(y)$ 

 $P69(x,y,z) \supset [P69(x,y) \land E55(z)]$ 

 $P69(x,y) \supset P69(y,x)$ 

Properties: P69.1 has type: <u>E55</u> Type

### P70 documents (is documented in)

Domain: <u>E31</u> Document Range: <u>E1</u> CRM Entity

Subproperty of: <u>E89</u> Propositional Object. <u>P67</u> refers to (is referred to by): <u>E1</u> CRM Entity

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the CRM Entities documented by instances of E31 Document.

Documents may describe any conceivable entity, hence the link to the highest-level entity in the CRM hierarchy. This property is intended for cases where a reference is regarded as being of a documentary character, in the scholarly or scientific sense.

Examples:

• the British Museum catalogue (E31) *documents* the British Museum's Collection (E78)

FOL:  $P70(x,y) \supset E31(x)$ 

 $P70(x,y) \supset E1(y)$  $P70(x,y) \supset P67(x,y)$ 

### P71 lists (is listed in)

Domain: <u>E32</u> Authority Document

Range: <u>E1</u> CRM Entity

Subproperty of: <u>E89</u> Propositional Object. <u>P67</u> refers to (is referred to by): <u>E1</u> CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property documents a source E32 Authority Document for an instance of an E1 CRM Entity.

Examples:

• the Art & Architecture Thesaurus (E32) *lists* alcazars (E55)

FOL:  $P71(x,y) \supset E32(x)$ 

 $P71(x,y) \supset E1(y)$   $P71(x,y) \supset P67(x,y)$ 

#### P72 has language (is language of)

Domain: <u>E33</u> Linguistic Object

Range: <u>E56</u> Language

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property describes the E56 Language of an E33 Linguistic Object.

Linguistic Objects are composed in one or more human Languages. This property allows these

languages to be documented.

Examples:

• the American Declaration of Independence (E33) has language 18th Century English (E56)

FOL:  $P72(x,y) \supset E33(x)$ 

 $P72(x,y) \supset E56(y)$ 

#### P73 has translation (is translation of)

Domain: <u>E33</u> Linguistic Object Range: <u>E33</u> Linguistic Object

Subproperty of: <u>E70</u> Thing. <u>P130</u>i features are also found on: <u>E70</u> Thing

Quantification: one to many (0,n:0,1)

Scope note: This property describes the source and target of instances of E33Linguistic Object involved in a

translation.

When a Linguistic Object is translated into a new language it becomes a new Linguistic Object, despite

being conceptually similar to the source object.

Examples:

• "Les Baigneurs" (E33) has translation "The Bathers" (E33)

FOL:  $P73(x,y) \supset E33(x)$ 

 $P73(x,y) \supset E33(y)$  $P73(x,y) \supset P130(y,x)$ 

#### P74 has current or former residence (is current or former residence of)

Domain: <u>E39</u> Actor Range: <u>E53</u> Place

Quantification: many to many (0,n:0,n)

Scope note: This property describes the current or former E53 Place of residence of an E39 Actor.

The residence may be either the Place where the Actor resides, or a legally registered address of any

kind.

Examples:

Queen Elizabeth II (E39) has current or former residence Buckingham Palace (E53)

FOL:  $P74(x,y) \supset E39(x)$ 

 $P74(x,y) \supset E53(y)$ 

### P75 possesses (is possessed by)

Domain: <u>E39</u> Actor Range: E30 Right

Quantification: many to many (0,n:0,n)

Scope note: This property identifies former or current instances of E30 Rights held by an E39 Actor.

Examples:

Michael Jackson (E21) possesses Intellectual property rights on the Beatles' back catalogue (E30)

FOL:  $P75(x,y) \supset E39(x)$ 

 $P75(x,y) \supset E30(y)$ 

# P76 has contact point (provides access to)

Domain: <u>E39</u> Actor

Range: <u>E51</u> Contact Point Quantification: many to many (0,n:0,n)

Scope note: This property identifies an E51 Contact Point of any type that provides access to an E39 Actor by any

communication method, such as e-mail or fax.

Examples:

■ RLG (E40) has contact point "bl.ric@rlg.org" (E51)

FOL:  $P76(x,y) \supset E39(x)$ 

 $P76(x,y) \supset E51(y)$ 

#### P78 is identified by (identifies)

Domain: <u>E52</u> Time-Span Range: <u>E49</u> Time Appellation

Subproperty of: <u>E1</u> CRM Entity. <u>P1</u> is identified by (identifies): <u>E41</u> Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an E52 Time-Span using an E49Time Appellation.

Examples:

• the time span 1926 to 1988 (E52) is identified by "Showa" (Japanese time appellation) (E49)

FOL:  $P78(x,y) \supset E52(x)$ 

 $P78(x,y) \supset E49(y)$  $P78(x,y) \supset P1(x,y)$ 

# P79 beginning is qualified by

Domain: <u>E52</u> Time-Span Range: <u>E62</u> String

Subproperty of: E1 CRM Entity. P3 has note: E62 String

Quantification: many to one (0,1:0,n)

Scope note: This property qualifies the beginning of an E52 Time-Span in some way.

The nature of the qualification may be certainty, precision, source etc.

Examples:

• the time-span of the Holocene (E52) beginning is qualified by approximately (E62)

FOL: P79  $(x,y) \supset E52(x)$ 

P79  $(x,y) \supset E62(y)$ P79 $(x,y) \supset P3(x,y)$ 

### P80 end is qualified by

Domain: <u>E52</u> Time-Span Range: <u>E62</u> String

Subproperty of: <u>E1</u> CRM Entity. <u>P3</u> has note: <u>E62</u> String

Quantification: many to one (0,1:0,n)

Scope note: This property qualifies the end of an E52 Time-Span in some way.

The nature of the qualification may be certainty, precision, source etc.

Examples:

• the time-span of the Holocene (E52) end is qualified by approximately (E62)

FOL:  $P80(x,y) \supset E52(x)$ 

 $P80(x,y) \supset E62(y)$  $P80(x,y) \supset P3(x,y)$ 

#### P81 ongoing throughout

Domain: <u>E52</u> Time-Span Range: <u>E61</u> Time Primitive

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property describes the minimum period of time covered by an E52 Time-Span.

Since Time-Spans may not have precisely known temporal extents, the CRM supports statements about the minimum and maximum temporal extents of Time-Spans. This property allows a Time-Span's minimum temporal extent (i.e. its inner boundary) to be assigned an E61 Time Primitive value. Time Primitives are treated by the CRM as application or system specific date intervals, and are not further

analysed. Examples:

• the time-span of the development of the CIDOC CRM (E52) ongoing throughout 1996-2002 (E61)

FOL: P81  $(x,y) \supset E52(x)$ 

P81  $(x,y) \supset E61(y)$ 

#### P82 at some time within

Domain: <u>E52</u> Time-Span Range: <u>E61</u> Time Primitive

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property describes the maximum period of time within which an E52 Time-Span falls.

Since Time-Spans may not have precisely known temporal extents, the CRM supports statements about the minimum and maximum temporal extents of Time-Spans. This property allows a Time-Span's maximum temporal extent (i.e. its outer boundary) to be assigned an E61 Time Primitive value. Time Primitives are treated by the CRM as application or system specific date intervals, and are not further

analysed.

Examples:

• the time-span of the development of the CIDOC CRM (E52) at some time within 1992-infinity

FOL:  $P82 (x,y) \supset E52(x)$  $P82 (x,y) \supset E61(y)$ 

#### P83 had at least duration (was minimum duration of)

Domain: <u>E52</u> Time-Span Range: <u>E54</u> Dimension Quantification: one to one (1,1:1,1)

Scope note: This property describes the minimum length of time covered by an E52 Time-Span.

It allows an E52 Time-Span to be associated with an E54 Dimension representing it's minimum duration (i.e. it's inner boundary) independent from the actual beginning and end.

Examples:

• the time span of the Battle of Issos 333 B.C.E. (E52) had at least duration Battle of Issos minimum duration (E54) has unit (P91) day (E58) has value (P90) 1 (E60)

FOL:  $P83(x,y) \supset E52(x)$  $P83(x,y) \supset E54(y)$ 

# P84 had at most duration (was maximum duration of)

Domain: <u>E52</u> Time-Span
Range: <u>E54</u> Dimension
Quantification: one to one (1,1:1,1)

Scope note: This property describes the maximum length of time covered by an E52 Time-Span.

It allows an E52 Time-Span to be associated with an E54 Dimension representing it's maximum duration (i.e. it's outer boundary) independent from the actual beginning and end.

Examples:

• the time span of the Battle of Issos 333 B.C.E. (E52) had at most duration Battle of Issos maximum duration (E54) has unit (P91) day (E58) has value (P90) 2 (E60)

FOL:  $P84(x,y) \supset E52(x)$  $P84(x,y) \supset E54(y)$ 

### P86 falls within (contains)

Domain: <u>E52</u> Time-Span
Range: <u>E52</u> Time-Span
Quantification: many to many (0,n:0,n)

Scope note: This property describes the inclusion relationship between two instances of E52 Time-Span.

This property supports the notion that a Time-Span's temporal extent falls within the temporal extent of another Time-Span. It addresses temporal containment only, and no contextual link between the two

instances of Time-Span is implied.

Examples:

• the time-span of the Apollo 11 moon mission (E52) *falls within* the time-span of the reign of Oueen Elizabeth II (E52)

FOL:  $P86(x,y) \supset E52(x)$  $P86(x,y) \supset E52(y)$ 

### P87 is identified by (identifies)

Domain: E53 Place

Range: <u>E44</u> Place Appellation

Subproperty of: <u>E1</u> CRM Entity. <u>P1</u> is identified by (identifies): <u>E41</u> Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an E53 Place using an E44 Place Appellation.

Examples of Place Appellations used to identify Places include instances of E48 Place Name,

addresses, E47 Spatial Coordinates etc.

Examples:

• the location of the Duke of Wellington's House (E53) is identified by "No 1 London" (E45)

FOL:  $P87(x,y) \supset E53(x)$ 

 $P87(x,y) \supset E44(y)$  $P87(x,y) \supset P1(x,y)$ 

### P89 falls within (contains)

Domain: <u>E53</u> Place Range: <u>E53</u> Place

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an instance of E53 Place that falls wholly within the extent of another E53

Place.

It addresses spatial containment only, and does not imply any relationship between things or

phenomena occupying these places.

Examples:

• the area covered by the World Heritage Site of Stonehenge (E53) falls within the area of Salisbury

Plain (E53)

FOL:  $P89(x,y) \supset E53(x)$ 

 $P89(x,y) \supset E53(y)$ 

#### P90 has value

Domain: <u>E54</u> Dimension Range: <u>E60</u> Number

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property allows an E54 Dimension to be approximated by an E60 Number primitive.

Examples:

• height of silver cup 232 (E54) has value 226 (E60)

FOL:  $P90(x,y) \supset E54(x)$ 

 $P90(x,y) \supset E60(y)$ 

#### P91 has unit (is unit of)

Domain: <u>E54</u> Dimension
Range: <u>E58</u> Measurement Unit

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property shows the type of unit an E54 Dimension was expressed in.

Examples:

• height of silver cup 232 (E54) has unit mm (E58)

FOL:  $P91(x,y) \supset E54(x)$ 

 $P91(x,y) \supset E58(y)$ 

### P92 brought into existence (was brought into existence by)

Domain: <u>E63</u> Beginning of Existence

Range: <u>E77</u> Persistent Item

Subproperty of: <u>E5</u> Event. <u>P12</u> occurred in the presence of (was present at): <u>E77</u> Persistent Item Superproperty of: <u>E65</u> Creation. <u>P94</u> has created (was created by): <u>E28</u> Conceptual Object

<u>E66</u> Formation. <u>P95</u> has formed (was formed by): <u>E74</u> Group <u>E67</u> Birth. <u>P98</u> brought into life (was born): <u>E21</u> Person

E12 Production. P108 has produced (was produced by): E24 Physical Man-Made Thing

E81 Transformation. P123 resulted in (resulted from): E77 Persistent Item

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property allows an E63 Beginning of Existence event to be linked to the E77 Persistent Item

brought into existence by it.

It allows a "start" to be attached to any Persistent Item being documented i.e. E70 Thing, E72 Legal

Object, E39 Actor, E41 Appellation, E51 Contact Point and E55 Type.

Examples:

• the birth of Mozart (E67) brought into existence Mozart (E21)

FOL:  $P92(x,y) \supset E63(x)$ 

 $P92(x,y) \supset E77(y)$   $P92(x,y) \supset P12(x,y)$ 

### P93 took out of existence (was taken out of existence by)

Domain: <u>E64</u> End of Existence Range: <u>E77</u> Persistent Item

Subproperty of: <u>E5</u> Event. <u>P12</u> occurred in the presence of (was present at): <u>E77</u> Persistent Item Superproperty of: <u>E6</u> Destruction. <u>P13</u> destroyed (was destroyed by): <u>E18</u> Physical Thing

E68 Dissolution. P99 dissolved (was dissolved by): E74 Group

E69 Death. P100 was death of (died in): E21 Person

E81 Transformation. P124 transformed (was transformed by): E77 Persistent Item

Quantification: one to many, necessary (1,n:0,1)

Scope note: This property allows an E64 End of Existence event to be linked to the E77 Persistent Item taken out of

existence by it.

In the case of immaterial things, the E64 End of Existence is considered to take place with the destruction of the last physical carrier.

This allows an "end" to be attached to any Persistent Item being documented i.e. E70 Thing, E72 Legal Object, E39 Actor, E41 Appellation, E51 Contact Point and E55 Type. For many Persistent Items we know the maximum life-span and can infer, that they must have ended to exist. We assume in that case an End of Existence, which may be as unnoticeable as forgetting the secret knowledge by the last representative of some indigenous nation.

Examples:

• the death of Mozart (E69) took out of existence Mozart (E21)

FOL: P93  $(x,y) \supset E64(x)$ 

 $P93 (x,y) \supset E77(y)$   $P93(x,y) \supset P12(x,y)$ 

# P94 has created (was created by)

Domain: <u>E65</u> Creation

Range: <u>E28</u> Conceptual Object

Subproperty of: E63 Beginning of Existence. P92 brought into existence (was brought into existence by): E77 Persistent

Item

Superproperty of: <u>E83</u> Type Creation. <u>P135</u> created type (was created by): <u>E55</u> Type

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property allows a conceptual E65 Creation to be linked to the E28 Conceptual Object created by it.

It represents the act of conceiving the intellectual content of the E28 Conceptual Object. It does not represent the act of creating the first physical carrier of the E28 Conceptual Object. As an example, this is the composition of a poem, not its commitment to paper.

Examples:

• the composition of "The Four Friends" by A. A. Milne (E65) has created "The Four Friends" by A. A. Milne (E28)

FOL:  $P94(x,y) \supset E65(x)$ 

 $P94(x,y) \supset E28(y)$   $P94(x,y) \supset P92(x,y)$ 

### P95 has formed (was formed by)

Domain: <u>E66</u> Formation Range: <u>E74</u> Group

Subproperty of: <u>E63</u> Beginning of Existence. <u>P92</u> brought into existence (was brought into existence by): <u>E77</u> Persistent

Item

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property links the founding or E66 Formation for an E74 Group with the Group itself.

Examples:

• the formation of the CIDOC CRM SIG at the August 2000 CIDOC Board meeting (E66) *has formed* the CIDOC CRM Special Interest Group (E74)

FOL:  $P95(x,y) \supset E66(x)$ 

 $P95(x,y) \supset E74(y)$   $P95(x,y) \supset P92(x,y)$ 

### P96 by mother (gave birth)

Domain: <u>E67</u> Birth Range: <u>E21</u> Person

Subproperty of: <u>E5</u> Event. <u>P11</u> had participant (participated in): <u>E39</u> Actor

Quantification: many to one, necessary (1,1:0,1)

Scope note: This property links an E67 Birth event to an E21 Person as a participant in the role of birth-giving

mother.

Note that biological fathers are not necessarily participants in the Birth (see *P97 from father (was father for)*). The Person being born is linked to the Birth with the property *P98 brought into life (was born)*. This is not intended for use with general natural history material, only people. There is no explicit method for modelling conception and gestation except by using extensions. This is a sub-

property of P11 had participant (participated in).

Examples:

• the birth of Queen Elizabeth II (E67) by mother Queen Mother (E21)

FOL:  $P96(x,y) \supset E67(x)$ 

 $P96(x,y) \supset E21(y)$   $P96(x,y) \supset P11(x,y)$ 

### P97 from father (was father for)

Domain: <u>E67</u> Birth Range: <u>E21</u> Person

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property links an E67 Birth event to an E21 Person in the role of biological father.

Note that biological fathers are not seen as necessary participants in the Birth, whereas birth-giving mothers are (see *P96 by mother (gave birth)*). The Person being born is linked to the Birth with the property *P98 brought into life (was born)*.

This is not intended for use with general natural history material, only people. There is no explicit method for modelling conception and gestation except by using extensions.

A Birth event is normally (but not always) associated with one biological father.

Examples:

• King George VI (E21) was father for the birth of Queen Elizabeth II (E67)

FOL:  $P97(x,y) \supset E67(x)$ 

 $P97(x,y) \supset E21(y)$ 

# P98 brought into life (was born)

Domain: <u>E67</u> Birth Range: <u>E21</u> Person

Subproperty of: E63 Beginning of Existence. P92 brought into existence (was brought into existence by): E77 Persistent

Item

Quantification: one to many, dependent (0,n:1,1)

Scope note: This property links an E67Birth event to an E21 Person in the role of offspring.

Twins, triplets etc. are brought into life by the same Birth event. This is not intended for use with general Natural History material, only people. There is no explicit method for modelling conception and gestation except by using extensions.

Examples:

• the Birth of Queen Elizabeth II (E67) brought into life Queen Elizabeth II (E21)

FOL:  $P98(x,y) \supset E67(x)$ 

 $P98(x,y) \supset E21(y)$   $P98(x,y) \supset P92(x,y)$ 

### P99 dissolved (was dissolved by)

Domain: <u>E68</u> Dissolution Range: <u>E74</u> Group

Subproperty of: <u>E5</u> Event. <u>P11</u> had participant (participated in): <u>E39</u> Actor

E64 End of Existence. P93 took out of existence (was taken out of existence by): E77 Persistent Item

Quantification: one to many, necessary (1,n:0,n)

Scope note: This property links the disbanding or E68 Dissolution of an E74 Group to the Group itself.

Examples:

• the end of The Hole in the Wall Gang (E68) dissolved The Hole in the Wall Gang (E74)

FOL:  $P99(x,y) \supset E68(x)$ 

 $P99(x,y) \supset E74(y)$   $P99(x,y) \supset P11(x,y)$   $P99(x,y) \supset P93(x,y)$ 

### P100 was death of (died in)

Domain: <u>E69</u> Death Range: <u>E21</u> Person

Subproperty of: E64 End of Existence, P93 took out of existence (was taken out of existence by): E77 Persistent Item

Quantification: one to many, necessary (1,n:0,n)

Scope note: This property links an E69 Death event to the E21 Person that died.

A Death event may involve multiple people, for example in the case of a battle or disaster.

This is not intended for use with general Natural History material, only people.

Examples:

Mozart's death (E69) was death of Mozart (E21)

FOL:  $P100(x,y) \supset E69(x)$ 

 $P100(x,y) \supset E21(y)$   $P100(x,y) \supset P93(x,y)$   $P101(x,y) \supset E70(x)$  $P101(x,y) \supset E55(y)$ 

# P101 had as general use (was use of)

Domain: <u>E70</u> Thing Range: <u>E55</u> Type

Quantification: many to many (0,n:0,n)

Scope note: This property links an instance of E70 Thing to an E55 Type of usage.

It allows the relationship between particular things, both physical and immaterial, and general methods and techniques of use to be documented. Thus it can be asserted that a baseball bat had a general use

for sport and a specific use for threatening people during the Great Train Robbery.

Examples:

■ Tony Gill's Ford Mustang (E22) had as general use transportation (E55)

FOL:  $P102(x,y) \supset E71(x)$ 

 $P102(x,y) \supset E35(y)$ 

 $P102(x,y,z) \supset [P102(x,y) \land E55(z)]$ 

 $P102(x,y) \supset P1(x,y)$ 

## P102 has title (is title of)

Domain: <u>E71</u> Man-Made Thing

Range: <u>E35</u> Title

Subproperty of: <u>E1</u> CRM Entity. <u>P1</u> is identified by (identifies): <u>E41</u> Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property describes the E35 Title applied to an instance of E71 Man-Made Thing. The E55 Type of

Title is assigned in a sub property.

The P102.1 has type property of the P102 has title (is title of) property enables the relationship between the Title and the thing to be further clarified, for example, if the Title was a given Title, a

supplied Title etc.

It allows any man-made material or immaterial thing to be given a Title. It is possible to imagine a Title

being created without a specific object in mind.

Examples:

• the first book of the Old Testament (E33) has title "Genesis" (E35)

has type translated (E55)

FOL:  $P102(x,y) \supset E71(x)$ 

 $P102(x,y) \supset E35(y)$ 

 $P102(x,y,z) \supset [P102(x,y) \land E55(z)]$ 

 $P102(x,y) \supset P1(x,y)$ 

Properties: P102.1 has type: <u>E55</u> Type

## P103 was intended for (was intention of)

Domain: E71 Man-Made Thing

Range: <u>E55</u> Type

Quantification: many to many (0,n:0,n)

Scope note: This property links an instance of E71 Man-Made Thing to an E55 Type of usage.

It creates a property between specific man-made things, both physical and immaterial, to Types of intended methods and techniques of use. Note: A link between specific man-made things and a specific

use activity should be expressed using P19 was intended use of (was made for).

Examples:

• this plate (E22) was intended for being destroyed at wedding reception (E55)

FOL:  $P103(x,y) \supset E71(x)$ 

 $P103(x,y) \supset E55(y)$   $P104(x,y) \supset E72(x)$  $P104(x,y) \supset E30(y)$ 

## P104 is subject to (applies to)

Domain: <u>E72</u> Legal Object

Range: <u>E30</u> Right

Quantification: many to many (0,n:0,n)

Scope note: This property links a particular E72 Legal Object to the instances of E30 Right to which it is subject.

The Right is held by an E39 Actor as described by P75 possesses (is possessed by).

Examples:

• Beatles back catalogue (E72) is subject to reproduction right on Beatles back catalogue (E30)

## P105 right held by (has right on)

Domain: <u>E72</u> Legal Object

Range: <u>E39</u> Actor

Superproperty of: E18 Physical Thing .P52 has current owner (is current owner of): E39 Actor

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor who holds the instances of E30 Right to an E72 Legal Object.

It is a superproperty of P52 has current owner (is current owner of) because ownership is a right that is

held on the owned object.

P105 right held by (has right on) is a shortcut of the fully developed path from E72 Legal Object through P104 is subject to (applies to), E30 Right, P75 possesses (is possessed by) to E39 Actor.

Examples:

Beatles back catalogue (E73) right held by Michael Jackson (E21)

FOL:  $P105(x,y) \supset E72(x)$ 

 $P105(x,y) \supset E39(y)$ 

## P106 is composed of (forms part of)

Domain: <u>E90</u> Symbolic Object Range: <u>E90</u> Symbolic Object

Quantification: many to many (0,n:0,n)

Scope note: This property associates an instance of E90 Symbolic Object with a part of it that is by itself an instance

of E90 Symbolic Object, such as fragments of texts or clippings from an image.

Examples:

■ This Scope note P106 (E33) is composed of fragments of texts (E33)

• 'recognizable' P106 (E90) is composed of 'ecognizabl' (E90)

FOL:  $P106(x,y) \supset E90(x)$ 

 $P106(x,y) \supset E90(y)$ 

## P107 has current or former member (is current or former member of)

Domain: <u>E74</u> Group Range: E39 Actor

Quantification: many to many (0,n:0,n)

Scope note: This property relates an E39 Actor to the E74 Group of which that E39 Actor is a member.

Groups, Legal Bodies and Persons, may all be members of Groups. A Group necessarily consists of

more than one member.

This property is a shortcut of the more fully developed path from E74 Group through P144 joined with

(gained member by), E85 Joining, P143 joined (was joined by) to E39 Actor

The property P107.1 kind of member can be used to specify the type of membership or the role the

member has in the group.

Examples:

■ Moholy Nagy (E21) *is current or former member of* Bauhaus (E74)

 National Museum of Science and Industry (E40) has current or former member The National Railway Museum (E40)

The married couple Queen Elisabeth and Prince Phillip (E74) has current or former member Prince Phillip (E21) with P107.1 kind of member husband (E55 Type)

FOL:  $P107(x,y) \supset E74(x)$ 

 $P107(x,y) \supset E39(y)$ 

 $P107(x,y,z) \supset [P107(x,y) \land E55(z)]$ 

Properties: P107.1 kind of member: <u>E55</u> Type

## P108 has produced (was produced by)

Domain: E12 Production

Range: <u>E24</u> Physical Man-Made Thing

Subproperty of: E11 Modification. P31 has modified (was modified by): E24 Physical Man-Made Thing

E63 Beginning of Existence. P92 brought into existence (was brought into existence by): E77

Persistent Item

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property identifies the E24 Physical Man-Made Thing that came into existence as a result of an

E12 Production.

The identity of an instance of E24 Physical Man-Made Thing is not defined by its matter, but by its existence as a subject of documentation. An E12 Production can result in the creation of multiple

instances of E24 Physical Man-Made Thing. Examples:

•

■ The building of Rome (E12) has produced The Colosseum (E22)

FOL:  $P108(x,y) \supset E12(x)$ 

 $P108(x,y) \supset E24(y)$   $P108(x,y) \supset P31(x,y)$  $P108(x,y) \supset P92(x,y)$ 

## P109 has current or former curator (is current or former curator of)

Domain: <u>E78</u> Collection Range: <u>E39</u> Actor

Subproperty of: <u>E18</u> Physical Thing.<u>P49</u> has former or current keeper (is former or current keeper of): <u>E39</u> Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E39 Actor or Actors who assume or have assumed overall curatorial

responsibility for an E78 Collection.

This property is effectively a short-cut. It does not allow a history of curation to be recorded. This

would require use of an Event assigning responsibility for a Collection to a curator.

Examples:

• the Robert Opie Collection (E78) has current or former curator Robert Opie (E39)

• the Mikael Heggelund Foslie's coralline red algae Herbarium (E78) has current or former curator

Mikael Heggelund Foslie

FOL:  $P109(x,y) \supset E78(x)$ 

 $P109(x,y) \supset E39(y)$  $P109(x,y) \supset P49(x,y)$ 

## P110 augmented (was augmented by)

Domain: <u>E79</u> Part Addition

Range: E24 Physical Man-Made Thing

Subproperty of: <u>E11</u> Modification. <u>P31</u> has modified (was modified by): <u>E24</u> Physical Man-Made Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E24 Physical Man-Made Thing that is added to (augmented) in an E79 Part

Addition.

Although a Part Addition event normally concerns only one item of Physical Man-Made Thing, it is possible to imagine circumstances under which more than one item might be added to (augmented). For example, the artist Jackson Pollock trailing paint onto multiple canvasses.

Examples:

• the final nail-insertion Event (E79) augmented Coffin of George VI (E24)

FOL:  $P110(x,y) \supset E79(x)$ 

 $P110(x,y) \supset E24(y)$   $P110(x,y) \supset P31(x,y)$ 

## P111 added (was added by)

Domain: <u>E79</u> Part Addition Range: <u>E18</u> Physical Thing

Subproperty of: E5 Event. P12 occurred in the presence of (was present at):E77 Persistent Item

E7 Activity.P16 used specific object (was used for):E70 Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E18 Physical Thing that is added during an E79 Part Addition activity

Examples:

• the insertion of the final nail (E79) *added* the last nail in George VI's coffin (E18)

FOL:  $P111(x,y) \supset E79(x)$ 

 $P111(x,y) \supset E18(y)$   $P111(x,y) \supset P12(x,y)$  $P111(x,y) \supset P16(x,y)$ 

## P112 diminished (was diminished by)

Domain: <u>E80</u> Part Removal

Range: <u>E24</u> Physical Man-Made Thing

Subproperty of: E11 Modification. P31 has modified (was modified by): E24 Physical Man-Made Thing

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E24 Physical Man-Made Thing that was diminished by E80 Part Removal.

Although a Part removal activity normally concerns only one item of Physical Man-Made Thing, it is possible to imagine circumstances under which more than one item might be diminished by a single

Part Removal activity.

Examples:

• the coffin of Tut-Ankh-Amun (E22) was diminished by The opening of the coffin of Tut-Ankh-

Amun (E80)

FOL:  $P112(x,y) \supset E80(x)$ 

 $P112(x,y) \supset E24(y)$  $P112(x,y) \supset P31(x,y)$ 

### P113 removed (was removed by)

Domain: <u>E80</u> Part Removal Range: <u>E18</u> Physical Thing

Subproperty of: <u>E5</u> Event. <u>P12</u> occurred in the presence of (was present at): <u>E77</u> Persistent Item

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E18 Physical Thing that is removed during an E80 Part Removal activity.

Examples:

• the opening of the coffin of Tut-Ankh-Amun (E80) *removed* The mummy of Tut-Ankh-Amun (E20,E22)

FOL:  $P113(x,y) \supset E80(x)$ 

 $P113(x,y) \supset E18(y)$  $P113(x,y) \supset P12(x,y)$ 

#### P114 is equal in time to

Domain: <u>E2</u> Temporal Entity
Range: <u>E2</u> Temporal Entity
Quantification: many to many (0,n:0,n)

Scope note: This symmetric property allows the instances of E2 Temporal Entity with the same E52 Time-Span to

be equated.

This property is only necessary if the time span is unknown (otherwise the equivalence can be

calculated).

This property is the same as the "equal" relationship of Allen's temporal logic (Allen, 1983, pp. 832-

843).

Examples:

• the destruction of the Villa Justinian Tempus (E6) is equal in time to the death of Maximus

Venderus (E69)

FOL:  $P114(x,y) \supset E2(x)$ 

 $P114(x,y) \supset E2(y)$  $P114(x,y) \supset P114(y,x)$ 

## P115 finishes (is finished by)

Domain: <u>E2</u> Temporal Entity
Range: <u>E2</u> Temporal Entity
Ouantification: many to many (0,n:0,n)

Scope note: This property allows the ending point for a E2 Temporal Entity to be situated by reference to the

ending point of another temporal entity of longer duration.

This property is only necessary if the time span is unknown (otherwise the relationship can be calculated). This property is the same as the "finishes / finished-by" relationships of Allen's temporal

logic (Allen, 1983, pp. 832-843).

Examples:

■ Late Bronze Age (E4) *finishes* Bronze Age (E4)

FOL:  $P115(x,y) \supset E2(x)$ 

 $P115(x,y) \supset E2(y)$ 

## P116 starts (is started by)

Domain: <u>E2</u> Temporal Entity
Range: <u>E2</u> Temporal Entity
Quantification: many to many (0,n:0,n)

Scope note: This property allows the starting point for a E2 Temporal Entity to be situated by reference to the

starting point of another temporal entity of longer duration.

This property is only necessary if the time span is unknown (otherwise the relationship can be calculated). This property is the same as the "starts / started-by" relationships of Allen's temporal logic

(Allen, 1983, pp. 832-843).

Examples:

■ Early Bronze Age (E4) *starts* Bronze Age (E4)

FOL:  $P116(x,y) \supset E2(x)$ 

 $P116(x,y) \supset E2(y)$ 

## P117 occurs during (includes)

Domain: <u>E2</u> Temporal Entity
Range: <u>E2</u> Temporal Entity
Quantification: many to many (0,n:0,n)

Scope note:

This property allows the entire E52 Time-Span of an E2 Temporal Entity to be situated within the Time-Span of another temporal entity that starts before and ends after the included temporal entity.

This property is only necessary if the time span is unknown (otherwise the relationship can be calculated). This property is the same as the "during / includes" relationships of Allen's temporal logic (Allen, 1983, pp. 832-843).

Examples:

Middle Saxon period (E4) occurs during Saxon period (E4)

FOL:  $P117(x,y) \supset E2(x)$ 

 $P117(x,y) \supset E2(y)$ 

## P118 overlaps in time with (is overlapped in time by)

Domain: <u>E2</u> Temporal Entity
Range: <u>E2</u> Temporal Entity
Quantification: many to many (0,n:0,n)

Scope note:

This property identifies an overlap between the instances of E52 Time-Span of two instances of E2 Temporal Entity.

It implies a temporal order between the two entities: if A overlaps in time B, then A must start before B, and B must end after A. This property is only necessary if the relevant time spans are unknown

(otherwise the relationship can be calculated).

This property is the same as the "overlaps / overlapped-by" relationships of Allen's temporal logic (Allen, 1983, pp. 832-843).

Examples:

• the Iron Age (E4) *overlaps in time with* the Roman period (E4)

FOL:  $P118(x,y) \supset E2(x)$ 

 $P118(x,y) \supset E2(y)$ 

## P119 meets in time with (is met in time by)

Domain: E2 Temporal Entity
Range: E2 Temporal Entity
Quantification: many to many (0,n:0,n)

Scope note: This property indicates that one E2 Temporal Entity immediately follows another.

It implies a particular order between the two entities: if A meets in time with B, then A must precede B. This property is only necessary if the relevant time spans are unknown (otherwise the relationship can

be calculated).

This property is the same as the "meets / met-by" relationships of Allen's temporal logic (Allen, 1983, pp. 832-843).

Examples:

■ Early Saxon Period (E4) *meets in time with* Middle Saxon Period (E4)

FOL:  $P119(x,y) \supset E2(x)$ 

 $P119(x,y) \supset E2(y)$ 

## P120 occurs before (occurs after)

Domain: <u>E2</u> Temporal Entity
Range: <u>E2</u> Temporal Entity
Quantification: many to many (0,n:0,n)

Scope note: This property identifies the relative chronological sequence of two temporal entities.

It implies that a temporal gap exists between the end of A and the start of B. This property is only necessary if the relevant time spans are unknown (otherwise the relationship can be calculated).

This property is the same as the "before / after" relationships of Allen's temporal logic (Allen, 1983,

pp. 832-843).

Examples:

■ Early Bronze Age (E4) *occurs before* Late Bronze age (E4)

FOL:  $P120(x,y) \supset E2(x)$ 

 $P120(x,y)\supset E2(y)$ 

## P121 overlaps with

Domain: <u>E53</u> Place Range: <u>E53</u> Place

Quantification: many to many (0,n:0,n)

Scope note: This symmetric property allows the instances of E53 Place with overlapping geometric extents to be

associated with each other.

It does not specify anything about the shared area. This property is purely spatial, in contrast to Allen

operators, which are purely temporal.

Examples:

• the territory of the United States (E53) *overlaps with* the Arctic (E53)

FOL:  $P121(x,y) \supset E53(x)$ 

 $P121(x,y) \supset E53(y)$   $P121(x,y) \supset P121(y,x)$ 

## P122 borders with

Domain: <u>E53</u> Place Range: <u>E53</u> Place

Quantification: many to many (0,n:0,n)

Scope note: This symmetric property allows the instances of E53 Place which share common borders to be related

as such.

This property is purely spatial, in contrast to Allen operators, which are purely temporal.

Examples:

Scotland (E53) borders with England (E53)

FOL:  $P122(x,y) \supset E53(x)$ 

 $P122(x,y) \supset E53(y)$   $P122(x,y) \supset P122(y,x)$ 

## P123 resulted in (resulted from)

Domain: <u>E81</u> Transformation Range: <u>E77</u> Persistent Item

Subproperty of: E63 Beginning of Existence. P92 brought into existence (was brought into existence by): E77

Persistent Item

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the E77 Persistent Item or items that are the result of an E81 Transformation.

New items replace the transformed item or items, which cease to exist as units of documentation. The physical continuity between the old and the new is expressed by the link to the common

Transformation. Examples:

• the transformation of the Venetian Loggia in Heraklion into a city hall (E81) *resulted in* the City Hall of Heraklion (E22)

the death and mummification of Tut-Ankh-Amun (E81) resulted in the Mummy of Tut Tut-Ankh-Amun (E22 and E20)

FOL:  $P123(x,y) \supset E81(x)$ 

 $P123(x,y) \supset E77(y)$   $P123(x,y) \supset P92(x,y)$   $P124(x,y) \supset E81(x)$   $P124(x,y) \supset E77(y)$  $P124(x,y) \supset P93(x,y)$ 

#### P124 transformed (was transformed by)

Domain: <u>E81</u> Transformation Range: <u>E77</u> Persistent Item

Subproperty of: <u>E64</u> End of Existence. <u>P93</u> took out of existence (was taken out of existence by): <u>E77</u> Persistent Item

Quantification: one to many, necessary (1,n:0,1)

Scope note: This property identifies the E77 Persistent Item or items that cease to exist due to a E81

Transformation.

It is replaced by the result of the Transformation, which becomes a new unit of documentation. The continuity between both items, the new and the old, is expressed by the link to the common

Transformation.

Examples:

• the transformation of the Venetian Loggia in Heraklion into a city hall (E81) *transformed* the Venetian Loggia in Heraklion (E22)

the death and mummification of Tut-Ankh-Amun (E81) *transformed* the ruling Pharao Tut-Ankh-Amun (E21)

## P125 used object of type (was type of object used in)

Domain: <u>E7</u> Activity Range: <u>E55</u> Type

Superproperty of: E7 Activity.P32 used general technique (was technique of): E55 Type

Quantification: many to many (0,n:0,n)

Scope note: This property defines the kind of objects used in an E7 Activity, when the specific instance is either

unknown or not of interest, such as use of "a hammer".

Examples:

at the Battle of Agincourt (E7), the English archers used object of type long bow (E55)

FOL:  $P125(x,y) \supset E7(x)$ 

 $P125(x,y) \supset E55(y)$ 

## P126 employed (was employed in)

Domain: E11 Modification Range: E57 Material

Quantification: many to many (0,n:0,n)

This property identifies E57 Material employed in an E11 Modification. Scope note:

The E57 Material used during the E11 Modification does not necessarily become incorporated into the

E24 Physical Man-Made Thing that forms the subject of the E11 Modification.

Examples:

the repairing of the Queen Mary (E11) *employed* Steel (E57)

distilled water (E57) was employed in the restoration of the Sistine Chapel (E11)

FOL:  $P126(x,y) \supset E11(x)$ 

 $P126(x,y) \supset E57(y)$ 

## P127 has broader term (has narrower term)

Domain: E55 Type Range: E55 Type

Quantification: many to many (0,n:0,n)

Scope note: This property identifies a super-Type to which an E55 Type is related.

It allows Types to be organised into hierarchies. This is the sense of "broader term generic (BTG)" as

defined in ISO 2788

Examples:

dime (E55) has broader term coin (E55)

FOL:  $P127(x,y) \supset E55(x)$ 

 $P127(x,y) \supset E55(y)$ 

## P128 carries (is carried by)

Domain: E18 Physical Thing E90 Symbolic Object Range:

Subproperty of: E70 Thing.P130 shows features of (features are also found on):E70 Thing

Superproperty of: E24 Physical Man-Made Thing, P65 shows visual item (is shown by): E36 Visual Item

Quantification: many to many (0,n:0,n)

This property identifies an E90 Symbolic Object carried by an instance of E18 Physical Thing. Scope note:

Examples:

Matthew's paperback copy of Reach for the Sky (E84) carries the text of Reach for the Sky (E73)

FOL:  $P128(x,y) \supset E18(x)$ 

 $P128(x,y) \supset E90(y)$ 

 $P128(x,y) \supset P130(x,y)$ 

## P129 is about (is subject of)

Domain: <u>E89</u> Propositional Object

Range: <u>E1</u> CRM Entity

Subproperty: <u>E89</u> Propositional Object. <u>P67</u> refers to (is referred to by): <u>E1</u> CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property documents that an E89 Propositional Object has as subject an instance of E1 CRM

Entity.

This differs from P67 refers to (is referred to by), which refers to an E1 CRM Entity, in that it describes

the primary subject or subjects of an E89 Propositional Object.

Examples:

■ The text entitled 'Reach for the sky' (E33) is about Douglas Bader (E21)

FOL:  $P129(x,y) \supset E89(x)$ 

 $P129(x,y) \supset E1(y)$  $P129(x,y) \supset P67(x,y)$ 

## P130 shows features of (features are also found on)

Domain: <u>E70</u> Thing Range: <u>E70</u> Thing

Superproperty of: E33 Linguistic Object. P73i has translation (is translation of): E33 Linguistic Object

E18 Physical Thing. P128 carries (is carried by): E90 Symbolic Object

Quantification: many to many (0,n:0,n)

Scope note: This property generalises the notions of "copy of" and "similar to" into a dynamic, asymmetric

relationship, where the domain expresses the derivative, if such a direction can be established.

Otherwise, the relationship is symmetric. It is a short-cut of *P15 was influenced by (influenced)* in a creation or production, if such a reason for the similarity can be verified. Moreover it expresses similarity in cases that can be stated between two objects only, without historical knowledge about its

reasons.

Examples:

• the Parthenon Frieze on the Acropolis in Athens (E22) shows features of the Original Parthenon

Frieze in the British museum (E22). Kind of similarity: Copy (E55)

FOL:  $P130 (x,y) \supset E70(x)$ 

 $P130 (x,y) \supset E70(y)$ 

 $P130(x,y,z) \supset [P130(x,y) \land E55(z)]$ 

 $P130(x,y) \supset P130(y,x)$ 

Properties: P130.1 kind of similarity: E55 Type

## P131 is identified by (identifies)

Domain: <u>E39</u> Actor

Range: <u>E82</u> Actor Appellation

Subproperty of: <u>E1</u> CRM Entity. <u>P1</u> is identified by (identifies): <u>E41</u> Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property identifies a name used specifically to identify an E39 Actor.

This property is a specialisation of P1 is identified by (identifies) is identified by.

Examples:

Tyler Withersopp IV (E39) is identified by "US social security number 619-17-4204" (E82)

FOL:  $P131(x,y) \supset E39(x)$ 

 $P131(x,y) \supset E82(y)$   $P131(x,y) \supset P1(x,y)$ 

## P132 overlaps with

Domain: <u>E4</u> Period Range: <u>E4</u> Period

Quantification: many to many (0,n:0,n)

Scope note: This symmetric property allows instances of E4 Period that overlap both temporally and spatially to be

related, i.e. they share some spatio-temporal extent.

This property does not imply any ordering or sequence between the two periods, either spatial or

temporal.

Examples:

• the "Urnfield" period (E4) overlaps with the "Hallstatt" period (E4)

FOL:  $P132(x,y) \supset E4(x)$ 

 $P132(x,y) \supset E4(y)$   $P132(x,y) \supset P132(y,x)$ 

## P133 is separated from

Domain: <u>E4</u> Period Range: <u>E4</u> Period

Quantification: many to many (0,n:0,n)

Scope note: This symmetric property allows instances of E4 Period that do not overlap both temporally and

spatially, to be related i,e. they do not share any spatio-temporal extent.

This property does not imply any ordering or sequence between the two periods either spatial or

temporal.

Examples:

• the "Hallstatt" period (E4) is separated from the "La Tène" era (E4)

FOL:  $P133(x,y) \supset E4(x)$ 

 $P133(x,y) \supset E4(y)$  $P133(x,y) \supset P133(y,x)$ 

## P134 continued (was continued by)

Domain: <u>E7</u> Activity Range: E7 Activity

Subproperty of: E7 Activity. P15 was influenced by (influenced): E1 CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property associates two instances of E7 Activity, where the domain is considered as an intentional

continuation of the range. A continuation of an activity may happen when the continued activity is still ongoing or after the continued activity has completely ended. The continuing activity may have started already before it decided to continue the other one. Continuation implies a coherence of intentions and

outcomes of the involved activities.

Examples:

• the construction of the Kölner Dom (Cologne Cathedral) (E7), abandoned in the 15th century, was continued by construction in the 19th century adapting the initial plans so as to preserve the

intended appearance (E7)

FOL:  $P134(x,y) \supset E7(x)$ 

 $P134(x,y) \supset E7(y)$  $P134(x,y) \supset P15(x,y)$ 

 $P134(x,y) \supset P15(x,y)$ 

## P135 created type (was created by)

Domain: <u>E83</u> Type Creation

Range: <u>E55</u> Type

Subproperty: <u>E65</u> Creation. <u>P94</u> has created (was created by): <u>E28</u> Conceptual Object

Quantification: one to many, necessary (1,n:0,1)

Scope note:

This property identifies the E55 Type, which is created in an E83Type Creation activity.

Examples:

The description of a new ribbon worm species by Bürger (E83) created type 'Lineus coxinus

(Bürger, 1892)' (E55)

FOL:  $P135(x,y) \supset E83(x)$ 

 $P135(x,y) \supset E55(y)$   $P135(x,y) \supset P94(x,y)$ 

## P136 was based on (supported type creation)

Domain: <u>E83</u> Type Creation Range: <u>E1</u> CRM Entity

Subproperty of: E7 Activity. P15 was influenced by (influenced): E1 CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property identifies one or more items that were used as evidence to declare a new E55 Type.

The examination of these items is often the only objective way to understand the precise characteristics of a new Type. Such items should be deposited in a museum or similar institution for that reason. The taxonomic role renders the specific relationship of each item to the Type, such as "holotype" or

"original element".

Examples:

• the taxon creation of the plant species 'Serratula glauca Linné, 1753.' (E83) was based on Object BM000576251 of the Clayton Herbarium (E20) in the taxonomic role original element (E55)

FOL:  $P136(x,y) \supset E83(x)$ 

 $P136(x,y) \supset E1(y)$ 

 $P136(x,y,z) \supset [P136(x,y) \land E55(z)]$ 

 $P136(x,y) \supset P15(x,y)$ 

Properties: P136.1 in the taxonomic role: <u>E55</u> Type

## P137 exemplifies (is exemplified by)

Domain: <u>E1</u> CRM Entity Range: <u>E55</u> Type

Subproperty of: <u>E1</u> CRM Entity. <u>P2</u> has type (is type of): <u>E55</u> Type

Quantification: many to many (0,n:0,n)

Scope note: This property allows an item to be declared as a particular example of an E55 Type or taxon

The P137.1 in the taxonomic role property of P137 exemplifies (is exemplified by) allows differentiation of taxonomic roles. The taxonomic role renders the specific relationship of this example to the Type, such as "prototypical", "archetypical", "lectotype", etc. The taxonomic role "lectotype" is

not associated with the Type Creation (E83) itself, but selected in a later phase.

Examples:

• Object BM000098044 of the Clayton Herbarium (E20) exemplifies Spigelia marilandica (L.) L. (E55) in the taxonomic role lectotype

FOL:  $P137(x,y) \supset E1(x)$ 

 $P137(x,y) \supset E55(y)$ 

 $P137(x,y,z) \supset [P137(x,y) \land E55(z)]$ 

 $P137(x,y) \supset P2(x,y)$ 

Properties: P137.1 in the taxonomic role: <u>E55</u> Type

## P138 represents (has representation)

Domain: <u>E36</u> Visual Item Range: <u>E1 CRM Entity</u>

Subproperty of: E89 Propositional Object. P67 refers to (is referred to by): E1 CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property establishes the relationship between an E36 Visual Item and the entity that it visually

represents.

Any entity may be represented visually. This property is part of the fully developed path from E24 Physical Man-Made Thing through *P65 shows visual item* (*is shown by*), E36 Visual Item, *P138 represents* (*has representation*) to E1 CRM Entity, which is shortcut by *P62depicts* (*is depicted by*). P138.1 mode of representation allows the nature of the representation to be refined.

This property is also used for the relationship between an original and a digitisation of the original by the use of techniques such as digital photography, flatbed or infrared scanning. Digitisation is here seen as a process with a mechanical, causal component rendering the spatial distribution of structural and optical properties of the original and does not necessarily include any visual similarity identifiable by human observation."

Properties: P138.1 mode of representation: <u>E55</u> Type

Examples:

- the digital file found at <a href="http://www.emunch.no/N/full/No-MM">http://www.emunch.no/N/full/No-MM</a> N0001-01.jpg (E73) represents page 1 of Edward Munch's manuscript MM N 1, Munch-museet (E73) mode of representation Digitisation(E55)
- The 3D model VAM\_A.200-1946\_trace\_1M.ply (E73) represents Victoria & Albert Museum's Madonna and child sculpture (visual work) A.200-1946 (E22) mode of representation 3D surface (E55)

FOL:  $P138(x,y) \supset E36(x)$ 

 $P138(x,y)\supset E1(y)$ 

 $P138(x,y,z) \supset [P138(x,y) \land E55(z)]$ 

 $P138(x,y) \supset P67(x,y)$ 

#### P139 has alternative form

Domain: <u>E41</u> Appellation
Range: <u>E41</u> Appellation
Opentification: many to many (0 put

Quantification: many to many (0,n:0,n)

Scope note: This property establishes a relationship of equivalence between two instances of E41 Appellation

independent from any item identified by them. It is a dynamic asymmetric relationship, where the range expresses the derivative, if such a direction can be established. Otherwise, the relationship is

symmetric. The relationship is not transitive.

The equivalence applies to all cases of use of an instance of E41 Appellation. Multiple names assigned to an object, which are not equivalent for all things identified with a specific instance of E41

Appellation, should be modelled as repeated values of P1 is identified by (identifies).

P139.1 has type allows the type of derivation, such as "transliteration from Latin 1 to ASCII" be

refined..

Examples:

- "Martin Doerr" (E41) has alternative form "Martin Dörr" (E41) has type Alternate spelling (E55)
- "Гончарова, Наталья Сергеевна" (E41) has alternative form "Gončarova, Natal'â Sergeevna" (E41) has type ISO 9:1995 transliteration (E55)
- "Aθήνα" has alternative form "Athina" has type transcription.

FOL:  $P139(x,y) \supset E41(x)$ 

P139 (x,y)  $\supset$  E41(y)

 $P139(x,y,z) \supset [P139(x,y) \land E55(z)]$ 

 $P139(x,y) \supset P139(y,x)$ 

Properties: P139.1 has type: <u>E55</u> Type

## P140 assigned attribute to (was attributed by)

Domain: E13 Attribute Assignment

Range: <u>E1</u> CRM Entity

Superproperty of: E14 Condition Assessment. P34 concerned (was assessed by): E18 Physical Thing

E16 Measurement. P39 measured (was measured by): E70 Thing

E17 Type Assignment. P41 classified (was classified by): E1 CRM Entity

Quantification: many to many (0,n:0,n)

Scope note: This property indicates the item to which an attribute or relation is assigned.

Examples:

- February 1997 Current Ownership Assessment of Martin Doerr's silver cup (E13) assigned attribute to Martin Doerr's silver cup (E19)
- 01 June 1997 Identifier Assignment of the silver cup donated by Martin Doerr (E15) assigned attribute to silver cup 232 (E19)

FOL:  $P140(x,y) \supset E13(x)$ 

 $P140(x,y) \supset E1(y)$ 

## P141 assigned (was assigned by)

Domain: E13 Attribute Assignment

Range: <u>E1</u> CRM Entity

Superproperty of:  $\underline{E14}$  Condition Assessment.  $\underline{P35}$  has identified (identified by):  $\underline{E3}$  Condition State

E15 Identifier Assignment. P37 assigned (was assigned by): E42 Identifier
E15 Identifier Assignment. P38 deassigned (was deassigned by): E42 Identifier
E16 Measurement. P40 observed dimension (was observed in): E54 Dimension

E17 Type Assignment. P42 assigned (was assigned by): E55 Type

Quantification: many to many (0,n:0,n)

Scope note: This property indicates the attribute that was assigned or the item that was related to the item denoted

by a property P140 assigned attribute to in an Attribute assignment action.

Examples:

 February 1997 Current Ownership Assessment of Martin Doerr's silver cup (E13) assigned Martin Doerr (E21)

• 01 June 1997 Identifier Assignment of the silver cup donated by Martin Doerr (E15) *assigned* object identifier 232

FOL:  $P141(x,y) \supset E13(x)$ 

 $P141(x,y) \supset E1(y)$ 

## P142 used constituent (was used in)

Domain: <u>E15</u> Identifier Assignment Range: <u>E90</u> Symbolic Object

Subproperty of: E7 Activity. P16 used specific object (was used for): E70 Thing

Quantification: (0:n,0:n)

Scope note:

This property associates the event of assigning an instance of E42 Identifier with the instances of E90 Symbolic Object that were used as constituents of the identifier.

## Examples:

- On June 1, 2001 assigning the personal name identifier "Guillaume, de Machaut, ca. 1300-1377" (E15) *used constituent* "ca. 1300-1377" (E49)
- Assigning a uniform title to the anonymous textual work known as 'The Adoration of the Shepherds' (E15) used constituent 'Coventry' (E48)
- Assigning a uniform title to Pina Bausch's choreographic work entitled 'Rite of spring' (E15)
   used constituent '(Choreographic Work: Bausch)' (E90)
- Assigning a uniform title to the motion picture directed in 1933 by Merian C. Cooper and Ernest B. Schoedsack and entitled 'King Kong' (E15) *used constituent* '1933' (E50)
- Assigning the corporate name identifier 'Univerza v Ljubljani. Oddelek za bibliotekarstvo' to The Department for library science of the University of Ljubljana (E15) used constituent 'Univerza v Ljubljani' (E42)

FOL:

```
P142(x,y) \supset E15(x)

P142(x,y) \supset E90(y)

P142(x,y) \supset P16(x,y)
```

## P143 joined (was joined by)

Domain: <u>E85</u> Joining Range: <u>E39</u> Actor

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note:

This property identifies the instance of E39 Actor that becomes member of a E74 Group in an E85 Joining.

Joining events allow for describing people becoming members of a group with a more detailed path from E74 Group through *P144 joined with (gained member by)*, E85 Joining, *P143 joined (was joined by)* to E39 Actor, compared to the shortcut offered by *P107 has current or former member (is current or former member of)*.

## Examples:

- The election of Sir Isaac Newton as Member of Parliament to the Convention Parliament of 1689 (E85) *joined* Sir Isaac Newton (E21)
- The inauguration of Mikhail Sergeyevich Gorbachev as leader of the Union of Soviet Socialist Republics (USSR) in 1985 (E85) *joined* Mikhail Sergeyevich Gorbachev (E21)
- The implementation of the membership treaty January 1. 1973 between EU and Denmark (E85) joined Denmark (E40)

FOL:

```
P143(x,y) \supset E85(x)

P143(x,y) \supset E39(y)

P143(x,y) \supset P11(x,y)
```

## P144 joined with (gained member by)

Domain: <u>E85</u> Joining Range: <u>E74</u> Group

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note:

This property identifies the instance of E74 Group of which an instance of E39 Actor becomes a member through an instance of E85 Joining.

Although a Joining activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which becoming member of one Group implies becoming member of

another Group as well.

Joining events allow for describing people becoming members of a group with a more detailed path from E74 Group through P144 joined with (gained member by), E85 Joining, P143 joined (was joined by) to E39 Actor, compared to the shortcut offered by P107 has current or former member (is current or former member of).

The property P144.1 kind of member can be used to specify the type of membership or the role the member has in the group.

## Examples:

- The election of Sir Isaac Newton as Member of Parliament to the Convention Parliament of 1689 (E85) joined with the Convention Parliament (E40)
- The inauguration of Mikhail Sergeyevich Gorbachev as Leader of the Union of Soviet Socialist Republics (USSR) in 1985 (E85) *joined with* the office of Leader of the Union of Soviet Socialist Republics (USSR) (E40) with *P144.1 kind of member* President (E55)
- The implementation of the membership treaty January 1. 1973 between EU and Denmark (E85) *joined with* EU (E40)

FOL:  $P144(x,y) \supset E85(x)$ 

 $P144(x,y) \supset E74(y)$ 

 $P144(x,y,z) \supset [P144(x,y) \land E55(z)]$ 

 $P144(x,y) \supset P11(x,y)$ 

Properties: P144.1 *kind of member*: <u>E55</u> Type

## P145 separated (left by)

Domain: <u>E86</u> Leaving Range: <u>E39</u> Actor

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E39 Actor that leaves an instance of E74 Group through an

instance of E86 Leaving.

Examples:

- The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702 *separated* Sir Isaac Newton
- George Washington's leaving office in 1797 separated George Washington
- The implementation of the treaty regulating the termination of Greenland membership in EU between EU, Denmark and Greenland February 1. 1985 (E86) *separated* Greenland (E40)

FOL:  $P145(x,y) \supset E86(x)$ 

 $P145(x,y) \supset E39(y)$  $P145(x,y) \supset P11(x,y)$ 

## P146 separated from (lost member by)

Domain: <u>E86</u> Leaving Range: <u>E74</u> Group

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E74 Group an instance of E39 Actor leaves through an instance

of E86 Leaving.

Although a Leaving activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which leaving one E74 Group implies leaving another E74 Group as well.

Examples:

• The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702 *separated from* the Convention Parliament

- George Washington's leaving office in 1797 separated from the office of President of the United States
- The implementation of the treaty regulating the termination of Greenland membership in EU between EU, Denmark and Greenland February 1. 1985 *separated from* EU (E40)

FOL:  $P146(x,y) \supset E86(x)$ 

 $P146(x,y) \supset E74(y)$  $P146(x,y) \supset P11(x,y)$ 

#### P147 curated (was curated by)

Domain: <u>E87</u> Curation Activity Range: <u>E78</u> Collection

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property associates an instance of E87 Curation Activity with the instance of E78 Collection or

collections with that is subject of athat curation activity following some implicit or explicit curation

plan.

Examples:

- The activities (E87) by the Benaki Museum *curated* the acquisition of dolls and games of urban and folk manufacture dating from the 17th to the 20th century, from England, France and Germany for the "Toys, Games and Childhood Collection (E78) of the Museum
- The activities (E87) of the Historical Museum of Crete, Heraklion, Crete, *curated* the development of the permanent Numismatic Collection (E78)
- The activities (E87) by Mikael Heggelund Foslie *curated* the Mikael Heggelund Foslie's coralline red algae Herbarium

FOL:  $P147(x,y) \supset E87(x)$ 

 $P147(x,y) \supset E78(y)$ 

## P148 has component (is component of)

Domain: <u>E89</u> Propositional Object Range: <u>E89</u> Propositional Object

Quantification: (0:n,0:n)

Scope note: This property associates an instance of E89 Propositional Object with a structural part of it that is by

itself an instance of E89 Propositional Object.

Examples:

Dante's "Divine Comedy" (E89) has component Dante's "Hell" (E89)

FOL:  $P148(x,y) \supset E89(x)$ 

 $P148(x,y) \supset E89(y)$ 

## P149 is identified by (identifies)

Domain: <u>E28</u> Conceptual Object

Range: <u>E75</u> Conceptual Object Appellation

Subproperty of: <u>E1</u> CRM Entity. <u>P1</u> is identified by (identifies): <u>E41</u> Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an instance of E28 Conceptual Object using an instance of E75 Conceptual

Object Appellation.

Examples:

■ The German edition of the CIDOC CRM (E73) is identified by ISBN 978-3-00-030907-6 (E75)

FOL:  $P149(x,y) \supset E28(x)$ 

 $P149(x,y) \supset E75(y)$  $P149(x,y) \supset P1(x,y)$ 

## P150 defines typical parts of (defines typical wholes for)

Domain: E55 Type Range: E55 Type

Quantification: many to many (0,n:0,n)

Scope note: The property "broaderPartitive" associates an instance of E55 Type "A" with an instance of E55 Type

"B", when items of type "A" typically form part of items of type "B", such as "car motors" and "cars".

It allows Types to be organised into hierarchies. This is the sense of "broader term partitive" (BTP)" as

defined in ISO 2788 and "broaderPartitive" in SKOS.

Examples:

Car motors (E55) defines typical parts of cars (E55)

FOL:  $P150(x,y) \supset (E55 \text{ Type})$ 

 $P150(x,y) \supset E55(y)$ 

## P151 was formed from (participated in)

Domain: <u>E66</u> Formation Range: <u>E74</u> Group

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: (0,n:0:n)

Scope note: This property associates an instance of E66 Formation with an instance of E74 Group from which the

new group was formed preserving a sense of continuity such as in mission, membership or tradition.

Examples:

The formation of the House of Bourbon-Conti in 1581 (E66) was formed from House of Condé

(E74)

FOL:  $P151(x,y) \supset E66(x)$ 

 $P151(x,y) \supset E74(y)$   $P151(x,y) \supset P11(x,y)$ 

## P152 has parent (is parent of)

Domain: <u>E21</u> Person Range: <u>E21</u> Person

Subproperty of:

Quantification: (2,n:0:n)

Scope note: This property associates an instance of E21 Person with another instance of E21 Person who plays the

role of the first instance's parent, regardless of whether the relationship is biological parenthood, assumed or pretended biological parenthood or an equivalent legal status of rights and obligations obtained by a social or legal act. This property is, among others, a shortcut of the fully developed paths from 'E21Person' through 'P98i was born', 'E67 Birth', 'P96 by mother' to 'E21 Person', and from

'E21Person' through 'P98i was born', 'E67 Birth', 'P97 from father' to 'E21 Person'.

Examples:

Gaius Octavius (E29) has parent Julius Caesar (E29)

• Steve Jobs (E29) has parent Joanne Simpson (biological mother)(E29)

Steve Jobs (E29) has parent Clara Jobs (adoption mother) (E29)

FOL:  $P152(x,y) \supset E21(x)$ 

 $P152(x,y) \supset E21(y)$ 

## P156 occupies

Domain: <u>E18</u> Physical Thing

Range: <u>E53</u> Place

Quantification: one to one (0,1:1,1)

Scope note:

This property describes the maximal real volume in space that an instance of E18 Physical Thing has occupied during its lifetime with respect to a reference space relative to which the thing is at rest. In other words, it is the volume that contains all the points which the thing has covered at some time during its existence. In the case of an E26 Physical Feature the default reference space is the one in which the object that bears the feature or at least the surrounding matter of the feature is at rest. In this case there is a 1:1 relation of E26 Feature and E53 Place. For simplicity of implementation multiple inheritance (E26 Feature IsA E53 Place) may be a practical approach.

For instances of E19 Physical Objects the default reference space is the one which is at rest to the object itself, i.e. which moves together with the object. We include in the occupied space the space filled by the matter of the physical thing and all its inner spaces.

This property is a shortcut of the fully developed path from 'E18 Physical Thing' through 'P159 occupied', 'E92 Spacetime Volume', 'P161 has spatial projection' to 'E53 Place'. For some instances of E18 Physical Object the relative stability of form may not be sufficient to define a useful local reference space, for instance for an amoeba. In such cases the fully developed path to an external reference space and using a temporal validity component may be adequate to determine the place they have occupied.

In contrast to P156 occupies, the property P53 has former or current location identifies an instance of E53 Place at which a thing is or has been for some unspecified time span. Further it does not constrain this reference space of the referred instance of P53 Place.

FOL:  $P156 (x,y) \supset E18(x)$ 

P156 (x,y) $\supset$  E53(y)

## P157 is at rest relative to (provides reference space for)

Domain: **E53** Place

Range: E18 Physical Thing

Superproperty of: <u>E53</u> Place. P59i is located on or within: <u>E18</u> Physical Thing

Quantification: many to many, necessary, dependent (1,n:0,n)

Scope note: This property associates an instance of E53 Place with the instance of E18 Physical Thing that

determines a reference space for this instance of E53 Place by being at rest with respect to this reference space. The relative stability of form of an E18 Physical Thing defines its default reference space. The reference space is not spatially limited to the referred thing. For example, a ship determines a reference space in terms of which other ships in its neighbourhood may be described. Larger constellations of matter, such as continental plates, may comprise many physical features that are at

rest with them and define the same reference space.

Examples:

- The spatial extent of the municipality of Athens in 2014 (E53) is at rest relative to The Royal Observatory in Greenwich (E25)
- The place where Lord Nelson died on H.M.S. Victory (E53) is at rest relative to H.M.S. Victory (E22)

FOL:  $P157(x,y) \supset E53(x)$ 

 $P157(x,y) \supset E18(y)$ 

## P160 has temporal projection

Domain: **E92** Spacetime Volume

Range: <u>E52</u> Time-Span

Quantification: one to one (1,1:1,1)

Scope note: This property describes the temporal projection of an instance of an E92 Spacetime Volume. The

property P4 has time-span is a shortcut of the more fully developed path from E4 Period through P158

occupied, E92 Spacetime Volume P160 has temporal projection to E52 Time Span.

FOL:  $P160(x,y) \supset E92(x)$ 

P160(x,y)⊃ E52(y)

## P161 has spatial projection

Domain: **E92** Spacetime Volume

Range: E53 Place

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property associates an instance of a E92 Spacetime Volume with an instance of E53 Place that is

the result of the spatial projection of the instance of a E92 Spacetime Volume on a reference space. In general there can be more than one useful reference space to describe the spatial projection of a spacetime volume, such as that of a battle ship versus that of the seafloor. Therefore the projection is

not unique.

The property P7 took place at is a shortcut of the more fully developed path from E4 Period through

P158 occupied, E92 Spacetime Volume P161 has spatial projection to E53 Place.

FOL:  $P161(x,y) \supset E92(x)$ 

 $P161(x,y) \supset E53(y)$ 

#### P164 is restricted by

Domain: E93 Spacetime Snapshot

Range: E52 Time-Span

Quantification: two to many, necessary (2,n:0,n)

Scope note: This property relates an E93 Spacetime Snapshot with an arbitrary E52 Time-Span that restricts the

extent of the former to a volume within these time limits.

FOL:  $P164(x,y) \supset E93(x)$ 

 $P164 (x,y) \supset E52(y)$ 

## P165 incorporates (is incorporated in)

Domain: <u>E73</u> Information Object Range: <u>E90</u> Symbolic Object

Subproperty of: E90 Symbolic Object. P106 is composed of (forms part of): E90 Symbolic Object

Quantification: (0,n:0,n)

Scope note: This property associates an instance of E73 Information Object with an instance of E90 Symbolic

Object (or any of its subclasses) that was included in it.

This property makes it possible to recognise the autonomous status of the incorporated signs, which were created in a distinct context, and can be incorporated in many distinct self-contained expressions, and to highlight the difference between structural and accidental whole-part relationships

between conceptual entities.

It accounts for many cultural facts that are quite frequent and significant: the inclusion of a poem in an anthology, the re-use of an operatic aria in a new opera, the use of a reproduction of a painting for a book cover or a CD booklet, the integration of textual quotations, the presence of lyrics in a song

that sets those lyrics to music, the presence of the text of a play in a movie based on that play, etc.

In particular, this property allows for modelling relationships of different levels of symbolic specificity, such as the natural language words making up a particular text, the characters making up the words and punctuation, the choice of fonts and page layout for the characters.

A digital photograph of a manuscript page incorporates the text of the manuscript page

#### Examples:

- The content of Charles-Moïse Briquet's 'Les Filigranes: dictionnaire historique des marques du papier' (E32) P165 incorporates the visual aspect of the watermark used around 1358-61 by some Spanish papermaker(s) and identified as 'Briquet 4019' (E37)
- The visual content of Jacopo Amigoni's painting known as 'The Singer Farinelli and friends' (E38) *P165 incorporates* the musical notation of Farinelli's musical work entitled 'La Partenza' (E73)
- The visual content of Nicolas Poussin's painting entitled 'Les Bergers d'Arcadie' (E38) *P165 incorporates* the Latin phrase 'Et in Arcadia ego' (E33)

FOL:  $P165(x,y) \supset E73(x)$   $P165(x,y) \supset E90(y)$  $P165(x,y) \supset P106(x,y)$ 

# References:

Allen, J.. (1983) Maintaining knowledge about temporal intervals. Communications of the ACM, 26, pp. 832-843.

Gangemi, A., Guarino, N., Masolo, C., Oltramari, A., & Schneider, L. (2002) Sweetening ontologies with DOLCE. In A. Gómez-Pérez & V. R. Benjamins (eds), *Knowledge Engineering and Knowledge Management. Ontologies and the Semantic Web, 13th International Conference, EKAW 2002, October 1-4, 2002, Siguenza, Spain, Proceedings.* Lecture Notes in Computer Science 2473 Springer 2002, ISBN 3-540-44268-5: pp.166-181.

Smith, B. & Varzi, A.. (2000) Fiat and Bona Fide Boundaries. *Philosophy and Phenomenological Research*, 60: 2, pp. 401–420.

International Organization for Standardization (ISO). "ISO 639. Code for the Representation of Names of Languages". Reference number: ISO 639:1988 (E/F). Geneva: International Organization for Standardization, 1988. iii + 17 pages.

International Organization for Standardization (ISO). "ISO 1000. SI units and recommendations for the use of their multiples and of certain other units." Reference number: ISO 1000:1992. Geneva: International Organization for Standardization.

Doerr M., Hiebel G., Eide Ø, CRMgeo: Linking the CIDOC CRM to GeoSPARQL through a Spatiotemporal Refinement, TECHNICAL REPORT: ICS-FORTH/TR-435, April 2013

#### **APPENDIX**

## **Editorial notes**

Editors: Nick Crofts Martin Doerr, Tony Gill Stephen Stead, Matthew Stiff City of Geneva, ICS-FORTH, RLG, Paveprime Ltd, English Heritage

Geneva, Heraklion-Crete, Mountain View, London Swindon, Switzerland Greece CA, USA UK UK

Creation Date: 11-07-1998 Last Modified: 24-10-2003

The present version of the CIDOC CRM incorporates a series of amendments to version 3.2.1, submitted to ISO and accepted as Committee Draft ISO/CD 21127. These amendments were the result of a systematic exploration of the requirements for the intended scope of the CIDOC CRM as decided in summer 2001. This includes in particular documentation in Natural History, archaeology and the ability to communicate with traditional and Digital Libraries. These amendments have been developed and approved by the CIDOC CRM Special Interest Group, ISO/TC46/SC4/WG9 in a series of meetings together with various invited experts in the period from July 2001 to October 2003.

With this version, the cycle of amendments to extend the functionality of the CIDOC CRM ends. The development team felt that the task to cover the intended scope as outlined in July 2001 and the general functionality required by members of the team up to now has been successfully fulfilled. Further amendments should only concern editorial changes to improve the clarity of the text. Therefore, the modelling constructs of the CIDOC CRM are expected to undergo no changes from this version until the final International Standard.

With version 3.3.2, we have changed the format of the Definition of the CIDOC CRM. We present:

- 1. A general introduction to the model (as before)
- 2. The hierarchy of entities as an indented list (as before)
- 3. The hierarchy of properties as an indented list
- 4. The definition of each entity
- 5. The definition of each property.

We took out all cross-reference information, i.e. inherited properties, direct and inherited inverse references of properties at the range entity, as well as the indices to properties, alphabetically, by range and by domain. So this document remains the pure definition, whereas the full cross-referenced text will appear as an additional hypertext document, which will be semi-automatically generated. The reason for this change are: (1) the size of the cross-referenced document exceeds what one would normally print in one document. (2) the cross-referencing does not contribute to the definition. (3) Translators of the document are forced to manually trace the consistency of the cross-referencing, a nearly impossible task. The cross-referenced document is of course the only one, that allows for fully understanding the model by reading and for using it in conceptual modelling.

We further removed the references to the metamodel under which the CIDOC CRM was initially developed. Even though the use of this metamodel has contributed a lot to the rigidity of developing the CIDOC CRM, it seems to be of minor importance for the use of the Model itself. Moreover it needs reworking, and metamodelling is still not a standard procedure in conceptual modelling. Therefore the development team decided not to make it a part of the standard to become

We present in the Annex the amendment history from version 3.2.1 on. This, together with the meeting minutes and the "issues list" on the CIDOC CRM home page, allows for tracing the correctness of this document with respect to the decisions of the development team.

## Amendments to version 3.3

In the Second Joined Meeting of ISO/TC46/SC4/WG9 and CIDOC CRM SIG the following has been decided: 3, new entities and 14 new properties have been declared, domain of 3 properties and range of 2 properties was changed and 1 property renamed

#### 1) New Entities and their properties

E78 Collection is curated by (curates): Actor

E79 Part Addition added to (was augmented by): Physical Man-Made Thing

E79 Part Addition added (was added by): Physical Thing

E80 Part Removal removed from (was diminished by): Physical Man-Made Thing

E80 Part Removal removed (was removed by): Physical Thing

## 2) New properties

E2 Temporal Entity. removed (was removed by): Temporal Entity

E2 Temporal Entity. equal in time: Temporal Entity

E2 Temporal Entity. finishes (finished-by): Temporal Entity

E2 Temporal Entity. starts (started-by): Temporal Entity

E2 Temporal Entity. during (includes): Temporal Entity

E2 Temporal Entity. overlaps in time (overlapped-by in time): Temporal Entity

E2 Temporal Entity. meets in time (met-by in time): Temporal Entity

E2 Temporal Entity. before (after): Temporal Entity

E53 Place overlaps. with: E53 Place E53 Place borders. with: E53 Place

#### 3) The Property:

E19 Physical Object. has former or current location (is former or current location of): Place has been redirected to:

E18 Physical Thing, has former or current location (is former or current location of): Place

#### 4) The Property:

E19 Physical Object. has current permanent location (is current permanent location of): Place has been redirected to:

E18 Physical Thing. has current permanent location (is current permanent location of): Place

## 5) The Property:

E19 Physical Object. has current location (currently holds): Place

has been redirected to:

E18 Physical Thing. has current location (currently holds): Place

#### 6) The Property:

E7 Activity. was motivation for (motivated): Conceptual Object

has been redirected to:

E7 Activity. was motivation for (motivated): Man-Made Thing

## 7) The Property:

E7 Activity. motivated the creation of (was created for): Conceptual Object

has been redirected and changed to:

E7 Activity. motivated the creation of (was created because of): Man-Made Thing

- 8) The property "P33 used specific technique" was declared as subproperty of "P15 took into account"
- 9) The property "P111 added to" was declared as subproperty of "P31 has modified"
- 10) The property "P113 removed from" was declared as subproperty of "P31 has modified"
- 11) Scope note for Actors Hierarchy, Actor and Title have been revised.
- 12) Scope notes for properties have been added.

## Amendments to version 3.3.1

In the 3rd joined meeting of the CIDOC Special Interest Group and ISO/TC46//SC4/WG9 the following have been decided: 1 new entity and 5 new properties have been declared, domain of 4 properties was changed and 1 property renamed, 1 entity has been deleted, 7 entities was renamed.

#### 1) New Entity and its properties

E81 Transformation resulted in (was result on): Persistent Item

E81 Transformation transformed (was transformed by): Persistent Item

## 2) New properties

E7 Activity. used general object (was used for): Type

E11 Modification. employed (was employed by): Material

E55 Type. has broader term (has narrower term): Type

#### 3) The Property:

E19 Physical Object. has former or current keeper (is former or current keeper of): Actor

has been redirected to:

E18 Physical Thing. has former or current keeper (is former or current keeper of): Actor

## 4) The Property:

E19 Physical Object. has keeper (is current keeper of): Actor

has been redirected to:

E18 Physical Thing. has keeper (is current keeper of): Actor

#### 5) The Property:

E19 Physical Object. has former or current owner (is former or current owner of): Actor

has been redirected to:

E18 Physical Thing. has former or current owner (is former or current owner of): Actor

## 6) The Property:

E19 Physical Object. has owner (is current owner of): Actor

has been redirected to:

E18 Physical Thing. has owner (is current owner of): Actor

#### 7) The Property:

E7 Activity. used object (was used for): Physical Object

has been renamed to:

E7 Activity. used specific object (was used for): Physical Object

## 8) The entity

E76 Gender and the property P61 has gender

have been deleted

## 9) 7 entities has been renamed:

E8 AcquisitionE8 AcquisitionE11 ModificationE11 ModificationE12 ProductionE12 ProductionE16 MeasurementE16 MeasurementE65 Conceptual CreationE65 CreationE66 FormationE66 FormationE77 ExistenceE77 Persistent Item

# Amendments to version 3.3.2

In the 3th joined meeting of the CIDOC Special Interest Group and ISO/TC46//SC4/WG9 the following have been decided: 2 new entities and 12 new properties have been declared, 1 entity has been renamed, domain of 4 properties was changed, range of 8 properties was changed, 6 properties renamed, 7 properties has been deleted.

Note: a typing mistake was corrected in item number 17 of the list on 16/01/2008.

The property:

E9 Move. P27 moved from (vacated): E53 Place

has been renamed to:

E9 Move. P26 moved from (was origin of): E53 Place

This was corrected to:

The property:

E9 Move. P27 moved from (vacated): E53 Place

has been renamed to:

E9 Move. P27 moved from (was origin of): E53 Place

#### 1) New Entities:

E82 Actor Appellation.

It was declared as subclass of E41 Appellation

E83 Type Creation.

It was declared as subclass of E65 Creation

#### 2) New properties:

E23 Information Carrier. P128 is carried of (is materialized by): E73 Information Object

E73 Information Object. P129 is about (is subject of): E1 CRM Entity

It was declared as subproperty of

E28 Conceptual Object. P67 refers to (is referred to by): E1 CRM Entity

E70 Thing. P130 shows features of (features are also found on): E70 Thing

(kind of similarity: Type)

It was declared as superproperty of

E33 Linguistic Object. P73 has translation (is translation of): E33 Linguistic Object

E4 Period. P132 overlaps with: E4 Period

E4 Period. P133 is separated from: E4 Period

E7 Activity. P134 continued (was continued by): E7 Activity

It was declared as subproperty of

E7 Activity. P15 (was influenced by (influenced): E7 Activity

E83 Type Creation. P135 created type (was created by): E55 Type.

It was declared as subproperty of

E65 Creation. P94 has created (was created by): E28 Conceptual Object

E83 Type Creation. P136 was based on (supported type creation): E1 CRM Entity

(in the taxonomic role: E55 Type)

It was declared as subproperty of

E7 Activity. P15 was influenced by (influenced): E1 CRM Entity.

E55 Type. P137 is exemplified by (exemplifies): E1 CRM Entity (in the taxonomic role: E55 Type)

E36 Visual Item. P138 visualizes (has visualization): E1 CRM Entity,

It was declared as subpropertry of

E28 Conceptual Object. P67 refer to (is referred to by): E1 CRM Entity

E41 Appellation. P139 also represented by: E41 Appellation

- 3) The entity E23 Iconographic Object has been renamed to E23 Information Carrier
- 4) The domain of the following properties was changed:

#### The property:

E18 Physical Thing. P43 has dimension (is dimension of): E54 Dimension has been redirected to:

E70 Thing. P43 has dimension (is dimension of): E54 Dimension.

### The property:

E28 Conceptual Object. P67 refers to (is referred to by): E1 CRM Entity has been redirected to:

E73 Information Object. P67 refers to (is referred to by): E1 CRM Entity

#### The property:

E18 Physical Thing. P54 has current permanent location (is current permanent location of): E53 Place has been redirected to:

E19 Physical Object. P54 has current permanent location (is current permanent location of): E53 Place

## The property:

E18 Physical Thing. P55 has current location (currently holds): E53 Place has been redirected to:

E19 Physical Object. P55 has current location (currently holds): E53 Place

5) The ranges of the following properties were changed:

## The property:

E16 Measurement. P39 measured (was measured by): E18 Physical Thing has been redirected to:

E16 Measurement. P39 measured (was measured by): E70 Thing

## The property:

E7 Activity. P16 used specific object (was used for): E19 Physical Object has been redirected to:

E7 Activity. P16 used specific object (was used for): E70 Thing

#### The property:

E8 Acquisition. P24 transferred title of (changed ownership through): E19 Physical Object has been redirected to:

E8 Acquisition. P24 transferred title of (changed ownership through): E18 Physical Thing

## The property:

E5 Event. P12 occurred in the presence of (was present at): E70 Thing has been redirected to:

E5 Event. P12 occurred in the presence of (was present at): E77 Persistent Item

## 7) The property:

E7 Activity. P15 took into account (was taken into account by): E77 Persistent Item has been renamed and redirected to:

E7 Activity. P15 was influenced by (influenced): E1 CRM Entity

### 8) The property:

E7 Activity. P17 was motivation for (motivated): E71 Man-Made Thing has been renamed and redirected to:

E7 Activity. P17 was motivated by (motivated): E1 CRM Entity

#### 9) The property:

E24 Physical Man-Made Thing. P62 depicts object (is depicted by): E18 Physical Thing has been renamed and redirected to:

E24 Physical Man-Made Thing. P62 depicts (is depicted by): E1 CRM Entity

#### 10) The property:

E74 Group. P107 had member (was member of): E39 Actor

has been renamed to:

E74 Group. P107 has current or former member (is current or former member of): E39 Actor

## 11) The property:

E52 Time-Span. P81 at least covering: E61 Time Primitive

has been renamed to:

E52 Time-Span. P81 ongoing throughout: E61 Time Primitive

#### 12) The property:

E52 Time-Span. P82 at most within: E61 Time Primitive

has been renamed to:

E52 Time-Span. P82 at some time within: E61 Time Primitive

## 13) The following properties was deleted:

E3 Condition State. P6 falls within (contains): E3 Condition State

E7 Activity. P18 motivated the creation of (was created because of): E71 Man-Made Thing

E21 Person. P60 is member of: E40 Legal Body

E24 Physical Man-Made Thing. P63 depicts event (is depicted by):E5 Event

E24 Physical Man-Made Thing. P64 depicts concept (is depicted by):E55 Type

E28 Conceptual Object. P66 refer to concept (is referred to by): E55 Type

E52 Time-Span. P85 consists of (forms part of): E52 Time-Span

## 14) The property:

E5 Event. P11 had participants (participated in): E39 Actor

has been renamed to:

E5 Event. P11 had participant (participated in): E39 Actor

#### 15) The property:

E7 Activity. P21 had as general purpose (was purpose of): E55 Type

has been renamed to:

E7 Activity. P21 had general purpose (was purpose of): E55 Type

## 16) The property:

E9 Move. P26 moved to (occupied): E53 Place

has been renamed to:

E9 Move. P26 moved to (was destination of): E53 Place

#### 17) The property:

E9 Move. P27 moved from (vacated): E53 Place

has been renamed to:

E9 Move. P27 moved from (was origin of): E53 Place

## 18) The property:

E15 Identifier Assignment. P37 assigns (is assigned by): E42 Object identifier

has been renamed to:

E15 Identifier Assignment. P37 assigned (was assigned by): E42 Object identifier

## 19) The property:

E15 Identifier Assignment. P38 deassigns (is deassigned by): E42 Object identifier

has been renamed to:

E15 Identifier Assignment. P38 deassigned (was deassigned by): E42 Object identifier

#### 20) The property:

E19 Physical Object. P48 preferred identifier is (is preferred identifier of): E42 Object identifier has been renamed to :

E19 Physical Object. P48 has preferred identifier (is preferred identifier of): E42 Object identifier

## 21) The property:

E32 Authority Document. P71 contains (is part of): E55 Type

has been renamed to:

E32 Authority Document. P71 lists (is listed in): E55 Type

## 21) The property:

E39 Actor. P76 has contact points (provides access to): E51 Contact Point

has been renamed to:

E39 Actor. P76 has contact point (provides access to): E51 Contact Point

## 22) The property:

E52 Time-Span. P83 had at least duration: E54 Dimension

has been renamed to:

E52 Time-Span. P83 had at least duration (was minimum duration of): E54 Dimension

#### 23) The property:

E52 Time-Span. P84 had at most duration: E54 Dimension

has been renamed to:

E52 Time-Span. P84 had at most duration (was maximum duration of): E54 Dimension

#### 24) The property:

E54 Dimension. P90 value: E60 Number

has been renamed to:

E54 Dimension. P90 has value: E60 Number

## 25) The property:

P15 was influenced by (influenced)

was declared as superproperty of

P16 used specific object (was used for)

P17 was motivated by (motivated)

P19 was intended use of (was made for)

P20 had specific purpose (was purpose of)

P134 continued (was continued by)

## 26) The property:

P11 had participant (participated in)

was declared as subproperty of

P12 occurred in the presence of (was present at)

## 27) The entity

E72 Legal Object was declared as subclass of E70 Thing

#### 28) The entity

E55 Type was declared as subclass of E28 Conceptual Object

29) All uses of the word "link" as synonym for "property" have been replaced by the term "property"

The following changes for internal consistency have been proposed, but they have not been decided in the Copenhagen meeting. They are incorporated in this document, in expectation of a positive decision:

#### 1) The property:

E40 Legal Body. consists of (belongs to): E40 Legal Body was deleted (new issue 104).

#### 2) The property

P105.2 has note: E62 String was deleted (new issue 106).

3) The property:

P33 used specific technique

was declared as subproperty of

P12 occurred in the presence of (was present at)

4) New property

E39 Actor. P131 is identified by (identifies): E82 Actor Appellation.

It was declared as subproperty of

E1 CRM Entity. P1 is identified by (identifies): E41 Appellation

# Amendments to version 3.4

In the 5th joined meeting of the CIDOC Special Interest Group and ISO/TC46//SC4/WG9 the following have been decided: 3 entities were deleted and 1 new entity was declared, 24 properties has been renamed, domain of 1 property was changed, and range of 1 property was changed.

Note: a typing mistake was corrected in item number 14 of the list on 16/01/2008.

The property

E79 Part Removal. P112 removed from (was diminished by): E24 Physical Man-Made Thing

has been renamed to:

E79 Part Removal. P112 diminished (was diminished by): E24 Physical Man-Made Thing

This was corrected to:

The property

E80 Part Removal. P112 removed from (was diminished by): E24 Physical Man-Made Thing

has been renamed to:

E80 Part Removal. P112 diminished (was diminished by): E24 Physical Man-Made Thing

1) The entity:

E23 Information Carrier

was deleted.

2) New entity

**E84 Information Carrier** 

was declared.

3) The property

E8 Acquisition. P22 transferred title to (acquired title to): E39 Actor

has been renamed to:

E8 Acquisition. P22 transferred title to (acquired title through): E39 Actor

4) The property

E10 Transfer of Custody. P28 custody surrendered by (surrendered custody): E39 Actor

has been renamed to:

E10 Transfer of Custody. P28 custody surrendered by (surrendered custody through): E39 Actor

5) The property

E10 Transfer of Custody. P29 custody received by (received custody): E39 Actor

has been renamed to:

E10 Transfer of Custody. P29 custody received by (received custody through): E39 Actor

6) The property

E10 Transfer of Custody. P30 transferred custody of (custody changed by): E19 Physical Object has been redirected and renamed to:

E10 Transfer of Custody. P30 transferred custody of (custody transferred through): E18 Physical Thing

7) The property

E16 Measurement. P40 observed dimension (was observed): E54 Dimension

has been renamed to:

#### 8) The property

E19 Physical Object. P58 has section definition (defines section): E46 Section Definition has been redirected to:

E18 Physical Thing. P58 has section definition (defines section): E46 Section Definition

#### 9) The property

E52 Time-Span. P79 begins at qualify: E62 String

has been renamed to:

E52 Time-Span. P79 beginning is qualified by: E62 String

#### 10) The property

E52 Time-Span. P80 ends at qualify: E62 String

has been renamed to:

E52 Time-Span. P80 end is qualified by: E62 String

## 11) The property

E54 Dimension. P91 unit: E58 Measurement Unit

has been renamed to:

E54 Dimension. P91 has unit (is unit of): E58 Measurement Unit

#### 12) The property

E78 Collection. P109 is curated by (curates): E39 Actor

has been renamed to:

E78 Collection. P109 has current or former curator (is current or former curator of): E39 Actor

## 13) The property

E79 Part Addition. P110 added to (was augmented by): E24 Physical Man-Made Thing has been renamed to :

E79 Part Addition. P110 augmented (was augmented by): E24 Physical Man-Made Thing

## 14) The property

E80 Part Removal. P112 removed from (was diminished by): E24 Physical Man-Made Thing has been renamed to :

E80 Part Removal. P112 diminished (was diminished by): E24 Physical Man-Made Thing

#### 15) The property

E2 Temporal Entity. P114 equal in time: E2 Temporal Entity

has been renamed to:

E2 Temporal Entity. P114 is equal in time to: E2 Temporal Entity

## 16) The property

E2 Temporal Entity. P115 finishes (finished-by): E2 Temporal Entity

has been renamed to:

E2 Temporal Entity. P115 finishes (is finished by): E2 Temporal Entity

## 17) The property

E2 Temporal Entity. P116 starts (started-by): E2 Temporal Entity

has been renamed to:

E2 Temporal Entity. P116 starts (is started by): E2 Temporal Entity

### 18) The property

E2 Temporal Entity. P117 during (includes): E2 Temporal Entity

has been renamed to:

E2 Temporal Entity. P117 occurs during (includes): E2 Temporal Entity

## 19) The property

E2 Temporal Entity. P118 overlaps in time (overlapped-by in time): E2 Temporal Entity has been renamed to :

E2 Temporal Entity. P118 overlaps in time with (is overlapped in time by): E2 Temporal Entity

## 20) The property

E2 Temporal Entity. P119 meets in time (met-by in time): E2 Temporal Entity

has been renamed to:

E2 Temporal Entity. P119 meets in time with (is met in time by): E2 Temporal Entity

## 21) The property

E2 Temporal Entity. P120 before (after): E2 Temporal Entity

has been renamed to:

E2 Temporal Entity. P120 occurs before (occurs after): E2 Temporal Entity

#### 22) The property

E81 Transformation. P123 resulted in (was resulted on): E77 Persistent Item

has been renamed to:

E81 Transformation. P123 resulted in (resulted from): E77 Persistent Item

## 23) The property

E7 Activity. P125 used general object (was used for): E55 Type

has been renamed to:

E7 Activity. P125 used object of type (was type of object used in): E55 Type

#### 24) The property

E11 Modification. P126 employed (was employed by): E57 Material

has been renamed to:

E11 Modification. P126 employed (was employed in): E57 Material

## 25) The property

E23 Information Carrier. P128 is carried of (is materialized by): E73 Information Object has been redirected and renamed to :

E24 Physical Man-Made thing. P128 carries (is carried by): E73 Information Object

## 26) The property

E36 Visual Item. P138 visualizes (has visualization): E1 CRM Entity

has been renamed to:

E36 Visual Item. P138 represents (has representation): E1 CRM Entity

#### 27) The property

E41 Appellation. P139 also represented: E41 Appellation

has been renamed to:

E41 Appellation. P139 has alternative form: E41 Appellation

## 28) The property

P3 has note

has been declared as superproperty of

P79 beginning is qualified by

P80 end is qualified by

## 29) The property

P11 had participant (participated in)

was declared as superproperty of

P14 carried out by (performed)

P96 by mother (gave birth)

P99 dissolved (was dissolvedby)

## 30) The property

P12 occured in the presence of (was present at)

was declared as superproperty of

P11 had participant (participated in)

P16 used specific object (was used for)

P25 moved (moved by)

P31 has modified (was modified by)

P33 used specific technique (was used by)

P92 brought into existence (was brought into existence by)

P93 took out of existence (was taken out of existence by)

## 31) The property:

P15 was influenced by (influenced)

was declared as superproperty of

P16 used specific object (was used for)

P17 was motivated by (motivated)

P33 used specific technique (was used by)

P134 continued (was continued by)

P136 was based on (supported type creation)

#### 32) The property:

E40 Legal Body. consists of (belongs to): E40 Legal Body was deleted

#### 33) The property

P105.2 has note: E62 String

was deleted

#### 34) New property

E39 Actor. P131 is identified by (identifies): E82 Actor Appellation.

It was declared as subproperty of

E1 CRM Entity. P1 is identified by (identifies): E41 Appellation

## Amendments to version 3.4.1

Introduction and Scope Notes for classes E21 – E84 have been revised, and 2 new paragraphs were inserted (CIDOC CRM Class Declarations and CIDOC CRM Property Declarations).

## Amendments to version 3.4.2

Scope Notes for all entities and properties have been revised, 2 new properties was declared, 1 property was redirected and two properties was renamed:

#### 1) New property

E13 Attribute Assignment. P140 assigned attribute to (was attributed by): E1 CRM Entity

It was declared as superproperty of

E14 Condition Assessment. P34 concerned (was assessed by): E18 Physical Thing

E15 Identifier Assignment. P36 registered (was registered by): E19 Physical Object

E16 Measurement. P39 measured (was measured by): E70 Thing

E17 Type Assignment. P41 classified (was classified by): E1 CRM Entity

### 2) New property

E13 Attribute Assignment. P141 assigned (was assigned by): E1 CRM Entity

It was declared as superproperty of

E14 Condition Assessment. P35 has identified (identified by): E3 Condition State

E15 Identifier Assignment. P37 assigned (was assigned by): E42 Object Identifier

E15 Identifier Assignment. P38 deassigned (was deassigned by): E42 Object Identifier

E16. Measurement. P40 observed dimension (was observed in): E54 Dimension

E17 Type Assignment. P42 assigned (was assigned by): E55 Type

### 3) The Property:

E6 Destruction. P13 destroyed (was destroyed by): E19 Physical Object

has been redirected to:

E6 Destruction. P13 destroyed (was destroyed by): E18 Physical Thing

#### 4) The property:

E8 Acquisition. P23 transferred title from (surrendered title of): E39 Actor

has been renamed to:

E8 Acquisition. P23 transferred title from (surrendered title through): E39 Actor

#### 5) The property:

E8 Acquisition. P24 transferred title of (changed ownership by): E18 Physical Thing

has been renamed to:

E8 Acquisition. P24 transferred title of (changed ownership through): E18 Physical Thing

## Amendments to version 3.4.9

The property

105.1 has type:E55 Type

was deleted

## Amendments to version 4.2

(This amendments list has been added in version 4.2.2 on 11/03/2008 because it was omitted in the due version 4.2)

In the 11th joined meeting of the CIDOC CRM SIG and ISO/TC46/SC4/WG9 which tool place in Zagreb Croatia on May 25<sup>th</sup> and 27<sup>th</sup>, 2005 the following decisions have been taken:

## 1) Stuff has been renamed in Thing, thus

E18 Physical Stuff

has been renamed to:

E18 Physical Thing

E24 Physical Man-Made Stuff

has been renamed to:

E24 Physical Man-Made Thing

E70 Stuff

has been renamed to:

E70 Thing

E71 Man-Made Stuff

has been renamed to:

E71 Man-Made Thing

## 2) From compounds with Event the word Event has been removed, thus

E8 Acquisition Event

has been renamed to:

E8 Acquisition

E11 Modification Event

has been renamed to:

E11 Modification

E12 Production Event

has been renamed to:

E12 Production

E16 Measurement Event has been renamed to: E16 Measurement

E65 Creation Event has been renamed to: E65 Creation

E66 Formation Event has been renamed to: E66 Formation

## Amendments to version 4.2.1

In the 14th joined meeting of the CIDOC CRM SIG and ISO/TC46/SC4/WG9 which tool place in Crete, Greece on October 23-27, 2006 the following decisions have been taken:

1. The domain of the properties

P32 used general technique (was technique of): E55 Type P33 used specific technique (was used by): E29 Design or Procedure has been changed from E11 Modification to E7 Activity

2. The scope note of E28 Conceptual Object has been changed

New scope note:

This class comprises non-material products of our minds and information produced by humans with or without using technical devices that have become objects of a discourse about their identity, circumstances of creation and historical implications.

Characteristically, instances of this class are created, invented or thought by someone, and then may be documented or communicated between persons. Instances of E28 Conceptual Object have the ability to exist on more than one particular carrier at the same time, such as papers, electronic signals, marks, audio media, paintings, photos, human memories, etc.

They cannot be destroyed as long as they exist on at least one carrier or in memory.

Their existence ends when the last carrier is lost. A greater distinction can be made between products having a clear identity, such as a specific text, or photographs, and the ideas and concepts shared and traded by groups of people.

Current scope note:

This class comprises non-material products of our minds, in order to allow for reasoning about their identity, circumstances of creation and historical implications.

Characteristically, instances of this class are created, invented or thought by someone, and then may be documented or communicated between persons. Instances of E28 Conceptual Object may be found on more than one particular carrier, such as papers, electronic signals, marks, audio media, paintings, photos, human memories, etc.

They cannot be destroyed as long as they exist on at least one carrier or in memory.

Their existence ends when the last carrier is lost. A greater distinction can be made between products having a clear identity, such as a specific text, or photographs, and the ideas and concepts shared and traded by groups of people.

# P16 used specific object (was used for)

Became superproperty to of E7 Activity.P33 used specific technique (was used by):E29 Design or Procedure

# P32 used general technique (was technique of)

Became subproperty of E7 Activity. P125 used object of type (was type of object used in): E55 Type

# P33 used specific technique (was used by)

Became subproperty E7 Activity. P16 used specific object (was used for): E70 Thing

# P35 has identified (identified by)

The name of P35B is changed to P35 has identified (was identified by)

## Amendments to version 4.2.2

In 15th CIDOC CRM Harmonization meeting, which took place in Edinburgh in 9 - 12 July 2007 the following changes tool place.

Changes to entities:

# E1 CRM Entity

In the second paragraph of the scope note, in the item numbered 1, the phrase ", and in particular by a preferred identifier" has been added.

## E3 Condition State

In the second paragraph of the scope note the "It" has been substituted by "An instance of this class"

## E4 Period

The first and the last sentence of the  $4^{th}$  paragraph of the scope note has been changed. From :

Artistic style may be modelled as E4 Period. There are two different conceptualisations of 'style', defined either by physical features or by historical context. For example, "Impressionism" can be viewed as a period lasting from approximately 1870 to 1905 during which paintings with particular characteristics were produced by a group of artists that included (among others) Monet, Renoir, Pissarro, Sisley and Degas. Alternatively, it can be regarded as a style applicable to all paintings sharing the characteristics of the works produced by the Impressionist painters, regardless of historical context. The first interpretation is consistent with E4 Period, and the second defines morphological object types that fall under E55 Type.

To:

There are two different conceptualisations of 'artistic style', defined either by physical features or by historical context. For example, "Impressionism" can be viewed as a period lasting from approximately 1870 to 1905 during which paintings with particular characteristics were produced by a group of artists that included (among others) Monet, Renoir, Pissarro, Sisley and Degas. Alternatively, it can be regarded as a style applicable to all paintings sharing the characteristics of the works produced by the Impressionist painters,

regardless of historical context. The first interpretation is an E4 Period, and the second defines morphological object types that fall under E55 Type.

# E15 Identifier Assignment

The scope note and the examples are changed and the property P36 is deleted and P142 is added.

#### **BEFORE**

Scope note:

This class comprises actions assigning or deassigning object identifiers.

Examples of such identifiers include Find Numbers and Inventory Numbers. Documenting the act of identifier assignment and deassignment is especially useful when objects change custody or the identification system of an organization is changed. In order to keep track of the identity of an object in such cases, it is important to document by whom, when and for what purpose an identifier is assigned

to an object.

Examples:

replacement of the inventory number TA959a by GE34604 for a 17th century lament cloth at the Museum Benaki, Athens

#### **Properties:**

P36 registered (was registered by): E19 Physical Object P37 assigned (was assigned by): E42 Object Identifier P38 deassigned (was deassigned by): E42 Object Identifier

#### **AFTER**

Scope note:

This class comprises activities that result in the allocation of an identifier to an instance of E1 CRM Entity. An E15 Identifier Assignment may include the creation of the identifier from multiple constituents, which themselves may be instances of E41 Appellation. The syntax and kinds of constituents to be used may be declared in a rule constituting an instance of E29 Design or Procedure.

Examples of such identifiers include Find Numbers, Inventory Numbers, uniform titles in the sense of librarianship and Digital Object Identifiers (DOI). Documenting the act of identifier assignment and deassignment is especially useful when objects change custody or the identification system of an organization is changed. In order to keep track of the identity of things in such cases, it is important to document by whom, when and for what purpose an identifier is assigned to an item.

The fact that an identifier is a preferred one for an organisation can be expressed by using the property E1 CRM Entity. P48 has preferred identifier (is preferred identifier of): E42 Identifier. It can better be expressed in a context independent form by assigning a suitable E55 Type, such as "preferred identifier assignment", to the respective instance of E15 Identifier Assignment via the P2 has type property.

### Examples:

- Replacement of the inventory number TA959a by GE34604 for a 17th century lament cloth at the Museum Benaki, Athens
- Assigning the author-uniform title heading "Goethe, Johann Wolfgang von, 1749-1832. Faust. 1. Theil." for a work (E28)
- On June 1, 2001 assigning the personal name heading "Guillaume, de Machaut, ca. 1300-1377" (E42,E82) to Guillaume de Machaut (E21)

## Properties:

P37 assigned (was assigned by): E42 Identifier P38 deassigned (was deassigned by): E42 Identifier P142 used constituent (was used in): E41 Appellation

# E29 Design or Procedure

"This class comprises documented plans for the execution of actions in order to achieve a result of a specific quality, form or contents. In particular it comprises plans for deliberate human activities that result in the modification or production of instances of E24 Physical Thing."

To:

"This class comprises documented plans for the execution of actions in order to achieve a result of a specific quality, form or contents. In particular it comprises plans for deliberate human activities that may result in the modification or production of instances of E24 Physical Thing."

# E33 Linguistic Object

A third paragraph added to the scope note text which is the following:

"The text of an instance of E33 Linguistic Object can be documented in a note by P3 has note: E62 String"

# E41 Appellation

The Appellation became subclass of E28 Conceptual Object and super class of E51 Contact Point

# E42 Identifier

The name of E42 is changed from E42 Object Identifier to E42 Identifier. Also the scope note and the examples are changed

BEFORE:

This class comprises codes assigned to objects in order to identify them uniquely within the context of one or more organisations.

Such codes are often known as inventory numbers, registration codes, etc. and are typically composed of alphanumeric sequences. The class E42 Object Identifier is not normally used for machine-generated identifiers used for automated processing unless these are also used by human agents.

#### Examples:

- MM.GE.195
- **1**3.45.1976
- DPS\_1000
- OXCMS: 1997.4.1

#### AFTER:

"This class comprises codes assigned to instances of E1 CRM Entity in order to identify them uniquely and permanently within the context of one or more organisations. Such codes are often known as inventory numbers, registration codes, etc. and are typically composed of alphanumeric sequences. The class E42 Identifier is not normally used for machine-generated identifiers used for automated processing unless these are also used by human agents

#### Examples:

- "MM.GE.195"
- **"**13.45.1976"
- "OXCMS: 1997.4.1"
- ISSN "0041-5278"

- ISRC "FIFIN8900116"
- Shelf mark "Res 8 P 10"
- "Guillaume de Machaut (1300?-1377)" [a controlled personal name heading that follows the French rules]

# E51 Contact Point

The subclass of E51 is changed from E77 Persistent Item became E41 Appellation

# E54 Dimension

**BEFORE** 

Scope note: This class comprises quantifiable properties that are measured by some calibrated means and can be

approximated by numerical values.

An instance of E54 Dimension is thought to be the true quantity, independent from its numerical

approximation, e.g. in inches or in cm.

**AFTER** 

Scope note: This class comprises quantifiable properties that are measured by some calibrated means and can be

approximated by numerical values.

An instance of E54 Dimension is regarded as the true quantity, independent from its numerical

approximation, e.g. in inches or in cm.

# E74 Group

The scope note is changed

From

This class comprises any gatherings or organizations of two or more people that act collectively or in a similar way due to any form of unifying relationship

A gathering of people becomes an E74 Group when it exhibits organizational characteristics usually typified by a set of ideas or beliefs held in common, or actions performed together. These might be communication, creating some common artifact, a common purpose such as study, worship, business, sports, etc. Nationality can be modeled as membership in an E74 Group (cf. HumanML markup).

Examples:

- the impressionists
- the Navajo
- the Greeks
- the peace protestors in New York City on February 15 2003
- Exxon-Mobil

To:

This class comprises any gatherings or organizations of two or more people that act collectively or in a similar way due to any form of unifying relationship. In the wider sense this class also comprises official positions which used to be regarded in certain contexts as one actor, independent of the current holder of the office, such as the president of a country.

A gathering of people becomes an E74 Group when it exhibits organizational characteristics usually typified by a set of ideas or beliefs held in common, or actions performed together. These might be communication, creating some common artifact, a common purpose such as study, worship, business, sports, etc. Nationality can be modeled as membership in an E74 Group (cf. HumanML markup). Married couples and other concepts of family are regarded as particular examples of E74 Group.

### Examples:

- the impressionists
- the Navajo
- the Greeks
- the peace protestors in New York City on February 15 2003
- Exxon-Mobil
- King Solomon and his wives
- The President of the Swiss Confederation

# E85, E80 have been added

### **E85 Joining**

Subclass of: E7 Activity

Scope note: This class comprises the activities that result in an instance of E49 Actor becoming a member of an

instance of E74 Group. This class does not imply initiative by either party.

Typical scenarios include becoming a member of a social organisation, becoming employee of a company, the adoption of a child by a family and the inauguration of somebody into an official

position.

Examples:

 The election of Sir Isaac Newton as Member of Parliament for the University of Cambridge to the Convention Parliament of 1689

 The inauguration of Mikhail Sergeyevich Gorbachev as leader of the Union of Soviet Socialist Republics (USSR) in 1985

Properties:

P143 joined (was joined by): E39 Actor

P144 joined with (gained member by) E74 Group

# **E80 Leaving**

Subclass of: E7 Activity

Scope note: This class comprises the activities that result in an instance of E49 Actor to be separated from an instance of E74 Crown. This class does not imply initiative by either porty.

instance of E74 Group. This class does not imply initiative by either party.

Typical scenarios include the termination of membership in a social organisation, ending the

employment at a company, and the end of tenure of somebody in an official position.

Examples:

• The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702

George Washington's leaving office in 1797

Properties:

P145 separated (left by) E39 Actor

P146 separated from (lost member by) E74 Group

# P3 has note

The scope note is changed

BEFORE:

This property is a container for all informal descriptions about an object that cannot be expressed in

terms of CRM constructs.

In particular it captures the characterisation of the item itself, its internal structures, appearance etc. Like property P2 has type (is type of), this property is a consequence of the restricted focus of the CRM. The aim is not to capture, in a structured form, everything that can be said about an item; indeed, the CRM formalism is not regarded as sufficient to express everything that can be said. Good practice requires use of distinct note fields for different aspects of a characterisation. The P2 has type (is type of) property of P3 has note allows differentiation of specific notes, e.g. "construction", "decoration" etc. An item may have many notes, but a note is attached to a specific item.

#### AFTER:

This property is a container for all informal descriptions about an object that have not been expressed in terms of CRM constructs.

In particular it captures the characterisation of the item itself, its internal structures, appearance etc. Like property P2 has type (is type of), this property is a consequence of the restricted focus of the CRM. The aim is not to capture, in a structured form, everything that can be said about an item; indeed, the CRM formalism is not regarded as sufficient to express everything that can be said. Good practice requires use of distinct note fields for different aspects of a characterisation. The P3.1 has type property of P3 has note allows differentiation of specific notes, e.g. "construction", "decoration" etc. An item may have many notes, but a note is attached to a specific item.

# P36

Is deleted

# P37 assigned (was assigned by)

The scope note of P37 is changed

#### **BEFORE**

Scope note: This property records the identifier that was assigned to an object in an Identifier Assignment activity.

> P47 is identified by (identifies) - a property of an E19 Physical Object - is a short cut of the fully developed path from E19 Physical Object through P36, E15 Identifier Assignment, P37 assigned (was assigned by) to E42 Object Identifier.

The same identifier may be assigned on more than one occasion. An Object Identifier might be created prior to an assignment.

#### **AFTER**

Scope note: This property records the identifier that was assigned to an item in an Identifier Assignment activity.

The same identifier may be assigned on more than one occasion.

An Identifier might be created prior to an assignment.

# P38 deassigned (was deassigned by)

The scope note of P38 is changed

## **BEFORE**

Scope note: This property records the identifier that was deassigned from an object.

Deassignment of an identifier may be necessary when an object is taken out of an inventory, a new numbering system is introduced or objects are merged or split up.

The same identifier may be deassigned on more than one occasion.

#### **AFTER**

Scope note: This property records the identifier that was deassigned from an instance of E1 CRM Entity.

Deassignment of an identifier may be necessary when an item is taken out of an inventory, a new

numbering system is introduced or items are merged or split up. The same identifier may be deassigned on more than one occasion.

# P47 is identified by(identifies)

Is deleted

# P48 has preferred identifier (is preferred identifier of

The domain, range and the scope note of P48 is changed

**BEFORE** 

Domain: E19 Physical Object Range: E42 Object Identifier

Subproperty of: E19 Physical Object. P47 is identified by (identifies): E42 Object Identifier

Quantification: many to one (0,1:0,n)

Scope note: This property records the preferred E42 Object Identifier that was used to identify the E19 Physical

Object at the time this property was recorded.

More than one preferred identifier may have been assigned to an object during its history.

Use of this property requires an external mechanism for assigning temporal validity to the respective

CRM instance.

P48 has preferred identifier (is preferred identifier of), like P47 is identified by (identifies) is a shortcut for the path from E19 Physical Object through P36 registered (was registered by), E15 Identifier

Assignment, P37 assigned (was assigned by) to E42 Object Identifier.

**AFTER** 

Domain: E1 CRM Entity Range: E42 Identifier

Subproperty of: E1 CRM Entity. P1 is identified by (identifies): E41 Appellation

Quantification: many to one (0,1:0,n)

Scope note: This property records the preferred E42 Identifier that was used to identify an instance of E1 CRM

Entity at the time this property was recorded.

More than one preferred identifier may have been assigned to an item over time.

Use of this property requires an external mechanism for assigning temporal validity to the respective

CRM instance.

P48 has preferred identifier (is preferred identifier of), is a shortcut for the path from E1 CRM Entity through P140 assigned attribute to (was attributed by), E15 Identifier Assignment, P37 assigned (was assigned by) to E42 Identifier. The fact that an identifier is a preferred one for an organisation can be better expressed in a context independent form by assigning a suitable E55 Type to the respective

instance of E15 Identifier Assignment using the P2 has type property.

# P69 is associated with

A property is added to this property

Properties: P69.1 has type: E55 Type

# P139 has alternative form

The scope note is changed and a property is added

#### **BEFORE**

Scope note: This property establishes a relationship of synonymy between two instances of E41 Appellation.

The synonymy applies to all cases of use of an instance of E41 Appellation. Multiple names assigned to an object, which, are not always synonymous should be instantiated as repeated values of the "is identified by " property. This property is symmetric but not transitive

#### **AFTER**

Scope note: Thi

This property establishes a relationship of synonymy between two instances of E41 Appellation, independent from any item identified by them. The property is a dynamic, asymmetric relationship, where the domain expresses a derivative, if such a direction can be established. Otherwise, the relationship is symmetric.

The synonymy applies to all cases of use of an instance of E41 Appellation. Multiple names assigned to an object, which, are not always synonymous should be instantiated as repeated values of the "is identified by "property. This property is not transitive.

P139.1 has type allows the type of derivation, such as "transliteration from Latin 1 to ASCII" be refined.

Properties: P139.1 has type: E55 Type

# P142, P143, P144, P145, P146, P148

Six new properties have been added

## P142 used constituent (was used in)

Domain: E15 Identifier Assignment

Range: E41 Appellation

Subproperty of: E7 Activity. P16 used specific object (was used for): E70 Thing

Quantification: (0:n,0:n)

Scope note: This property associates the event of assigning an instance of E42 Identifier to an entity, with the

instances of E41 Appellation that were used as elements of the identifier.

Examples:

• On June 1, 2001 assigning the personal name heading "Guillaume, de Machaut, ca. 1300-1377" (E15) *used constituent* "Guillaume, de Machaut" (E82 Actor Appellation)

On June 1, 2001 assigning the personal name heading "Guillaume, de Machaut, ca. 1300-1377" (E15) used constituent "ca. 1300-1377" (E49 Time Appellation)

## P143 joined (was joined by)

Domain: E85 Joining Range: E39 Actor

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E39 Actor that becomes member of a E74 Group in an E85

Joining.

### Examples:

- The election of Sir Isaac Newton as Member of Parliament to the Convention Parliament of 1689
  joined Sir Isaac Newton
- The inauguration of Mikhail Sergeyevich Gorbachev as leader of the Union of Soviet Socialist Republics (USSR) in 1985 joined Mikhail Sergeyevich Gorbachev

## P144 joined with (gained member by)

Domain: E85 Joining Range: E74 Group

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E74 Group of which an instance of E39 Actor becomes a

member through an instance of E85 Joining.

Although a Joining activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which becoming member of one Group implies becoming member of

another Group as well.

# Examples:

- The election of Sir Isaac Newton as Member of Parliament to the Convention Parliament of 1689
  joined with the Convention Parliament
- The inauguration of Mikhail Sergeyevich Gorbachev as Leader of the Union of Soviet Socialist Republics (USSR) in 1985 *joined with* the office of Leader of the Union of Soviet Socialist Republics (USSR)

## P145 separated (left by)

Domain: E86 Leaving Range: E39 Actor

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E39 Actor that leaves an instance of E74 Group through an

instance of E86 Leaving.

## Examples:

- The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702 *separated* Sir Isaac Newton
- George Washington's leaving office in 1797 separated George Washington

## P146 separated from (lost member by)

Domain: E86 Leaving Range: E74 Group

Subproperty of: E5 Event. P11 had participant (participated in): E39 Actor

Quantification: many to many, necessary (1,n:0,n)

Scope note: This property identifies the instance of E74 Group an instance of E39 Actor leaves through an instance

of E86 Leaving.

Although a Leaving activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which leaving one E74 Group implies leaving another E74 Group as well.

## Examples:

- The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702 *separated from* the Convention Parliament
- George Washington's leaving office in 1797 separated from the office of President of the United States

## P148 is identified by (identifies)

Domain: E28 Conceptual Object

Range: E75 Conceptual Object Appellation

Subproperty: E1 CRM Entity. P1 is identified by (identifies): E41 Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property identifies a name used specifically to identify an E28 Conceptual Object.

This property is a specialisation of P1 is identified by (identifies) is identified by.

Examples:

The publication "Germanisches Nationalmuseum (GNM), Fuehrer durch die Sammlungen" (broschiert), Prestl 1995 (E73) *is identified by* ISBN 3-7913-1418-1 (E75)

# Amendments to version 4.2.4

In 16<sup>th</sup> CIDOC CRM Harmonization meeting which took place in Nuremberg on 4 – 7 December 2007, the following changes took place

# Delete the word "domain"

From the introduction, the characterization of the CRM ontology as a domain ontology is deleted. The text was changed as:

**BEFORE** 

## **Applied Form**

The CRM is a domain ontology in the sense used in computer science. ...........

**AFTER** 

## **Applied Form**

т

he CRM is an ontology in the sense used in computer science. .......

# E15

The first letter of the first word in the first example was capitalized.

# BEFORE

replacement of the inventory number TA959a by GE34604 for a 17<sup>th</sup> century lament cloth at the Museum Benaki, Athens

**AFTER** 

 Replacement of the inventory number TA959a by GE34604 for a 17<sup>th</sup> century lament cloth at the Museum Benaki, Athens

# F42

The first sentence of the scope note is changed

**BEFORE** 

This class comprises codes assigned to instances...

AFTER

This class comprices strings or codes assigned to instances....

# E85 and E86

The scope note is changed to include marriage as a social organization and also to correct misspelled class numbers and names.

**BEFORE** 

# E85 Joining

Subclass of: E7 Activity

Scope note: This class comprises the activities that result in an instance of E49 Actor becoming a member of an

instance of E74 Group. This class does not imply initiative by either party.

Typical scenarios include becoming a member of a social organisation, becoming employee of a company, the adoption of a child by a family and the inauguration of somebody into an official

position.

Examples:

 The election of Sir Isaac Newton as Member of Parliament for the University of Cambridge to the Convention Parliament of 1689

• The inauguration of Mikhail Sergeyevich Gorbachev as leader of the Union of Soviet Socialist

Republics (USSR) in 1985

Properties:

P143 joined (was joined by): E39 Actor

P144 joined with (gained member by) E74 Group

# E80 Leaving

Subclass of: E7 Activity

Scope note: This class comprises the activities that result in an instance of E49 Actor to be separated from an

instance of E74 Group. This class does not imply initiative by either party.

Typical scenarios include the termination of membership in a social organisation, ending the

employment at a company, and the end of tenure of somebody in an official position.

Examples:

• The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to

the Convention Parliament in 1702

George Washington's leaving office in 1797

Properties:

P145 separated (left by) E39 Actor

P146 separated from (lost member by) E74 Group

AFTER

## **E85 Joining**

## Subclass of: E7 Activity

Scope note: This class comprises the activities that result in an instance of E39 Actor becoming a member of an instance of E74 Group. This class does not imply initiative by either party.

Typical scenarios include becoming a member of a social organisation, becoming employee of a company, marriage,

the adoption of a child by a family and the inauguration of somebody into an official position.

#### Examples:

- The election of Sir Isaac Newton as Member of Parliament for the University of Cambridge to the Convention Parliament of 1689
- The inauguration of Mikhail Sergeyevich Gorbachev as leader of the Union of Soviet Socialist Republics (USSR) in 1985

#### Properties:

P143 joined (was joined by): E39 Actor P144 joined with (gained member by) E74 Group

## E86 Leaving

#### Subclass of: E7 Activity

Scope note: This class comprises the activities that result in an instance of E39 Actor to be disassociated from an instance of E74 Group. This class does not imply initiative by either party.

Typical scenarios include the termination of membership in a social **organisation**, ending the employment at a company, divorce, and the end of tenure of somebody in an official position.

#### Examples:

- The end of Sir Isaac Newton's duty as Member of Parliament for the University of Cambridge to the Convention Parliament in 1702
- George Washington's leaving office in 1797

### Properties:

P145 disassociated (left by) E39 Actor P146 disassociated from (lost member by) E74 Group

# Amendments to version 4.2.5

The following changes have been made to the 17th SIG meeting May 12-15 at Heraklion Crete

# Changes in the terminology

In the terminology there were two instance paragraphs. In this version they have been merged.

#### **BEFORE**

instance

An instance of a **class** is an item that has the traits that match the criteria of the **intension** of the class.

For example:

The painting known as the "The Mona Lisa" is an instance of the class Physical Man Made Object.

An instance of a **property** is a factual relation between an instance of the **domain** and an instance of the **range** of the property that matches the criteria of the **intension** of the property.

For example:

"The Louvre is current owner of The Mona Lisa" is an instance of the property "is current owner of".

instance

An instance of a **class** is a real world item that fulfils the criteria of the **intension** of the class. Note, that the number of **instances** declared for a class in an information system is typically less than the total in the real world. For example, you are an instance of Person, but you are not mentioned in all information systems describing Persons.

#### **AFTER**

instance

An instance of a **class** is a real world item that fulfils the criteria of the **intension** of the class. Note, that the number of **instances** declared for a class in an information system is typically less than the total in the real world. For example, you are an instance of Person, but you are not mentioned in all information systems describing Persons.

For example:

The painting known as the "The Mona Lisa" is an instance of the class Physical Man Made Object.

An instance of a **property** is a factual relation between an instance of the **domain** and an instance of the **range** of the property that matches the criteria of the **intension** of the property.

For example:

"The Louvre is current owner of The Mona Lisa" is an instance of the property "is current owner of".

# E89, E90 have been added:

## **E89 Propositional Object**

Subclass of: E28 Conceptual Object Superclass of: E73 Information Object

E30 Right

Scope note:

This class comprises immaterial items, including but not limited to stories, plots, procedural prescriptions, algorithms, laws of physics or images that are, or represent in some sense, sets of propositions about real or mental things and that are documented as single units or serve as topic of discourse.

This class also comprises items that are "about" something in the sense of a subject. In the wider sense, this class includes expressions of psychological value such as non-figural art and musical themes. However, conceptual items such as types and classes are not instances of E89 Propositional Object. This should not be confused with the definition of a type, which is indeed an instance of E89 Propositional Object.

## Examples:

- Maxwell's Equations
- The ideational contents of Aristotle's book entitled 'Metaphysics' as rendered in the Greek texts translated in ... Oxford edition...
- The underlying prototype of any "no-smoking" sign (E36)
- The common ideas of the plots of the movie "The Seven Samurai" by Akira Kurosawa and the movie "The Magnificent Seven" by John Sturges
- The image content of the photo of the Allied Leaders at Yalta 1945 (E38)

# Properties:

P148 has component (is component of): E89 Propositional Object

P67 refers to (is referred to by): E1 CRM Entity

(P67.1 has type: E55 Type)

P129 is about (is subject of): E1 CRM Entity

## **E90 Symbolic Object**

Subclass of: E28 Conceptual Object

E72 Legal Object

Superclass of: E73 Information Object

E41 Appellation

#### Scope note:

This class comprises identifiable symbols and any aggregation of symbols, such as characters, identifiers, traffic signs, emblems, texts, data sets, images, musical scores, multimedia objects, computer program code or mathematical formulae that have an objectively recognizable structure and that are documented as single units.

It includes sets of signs of any nature, which may serve to designate something, or to communicate some propositional content.

An instance of E90 Symbolic Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously. An instance of E90 Symbolic Object may or may not have a specific meaning, for example an arbitrary character string.

## Examples:

- 'ecognizabl'
- The "no-smoking" sign (E36)
- 'BM000038850.JPG' (E75)
- image BM000038850.JPG from the Clayton Herbarium in London (E38)
- The distribution of form, tone and colour found on Leonardo da Vinci's painting named "Mona Lisa" (E38)
- The Italian text of Dante's "Divina Commedia" as found in the authoritative critical edition La Commedia secondo l'antica vulgata a cura di Giorgio Petrocchi, Milano: Mondadori, 1966-67 (= Le Opere di Dante Alighieri, Edizione Nazionale a cura della Società Dantesca Italiana, VII, 1-4) (E33)

#### Properties:

P106 is composed of (forms part of): E90 Symbolic Object

# P148 has been changed

#### **BEFORE**

## P148 is identified by (identifies)

Domain: E28 Conceptual Object

Range: E75 Conceptual Object Appellation

Subproperty: E1 CRM Entity. P1 is identified by (identifies): E41 Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property identifies a name used specifically to identify an E28 Conceptual Object.

This property is a specialisation of P1 is identified by (identifies) is identified by.

Examples:

■ The publication "Germanisches Nationalmuseum (GNM), Fuehrer durch die Sammlungen" (broschiert), Prestl 1995 (E73) *is identified by* ISBN 3-7913-1418-1 (E75)

**AFTER** 

#### P148 has component (is component of)

Domain: E89 Propositional Object Range: E89 Propositional Object

Superproperty of: Subproperty of:

Quantification: (0:n,0:n)

Scope note: This property associates an instance of E89 Propositional Object with a structural part of it that is by

itself an instance of E89 Propositional Object.

Examples: The Italian text of Dante's textual work entitled "Divina Commedia" (E33) P148 has component The

Italian text of Dante's textual work entitled "Inferno" (E33)

# P67, P129 changed domain

**BEFORE** 

E73 Information Object.P67 refers to (is referred to by): E1 CRM Entity E73 Information Object.P129 is about (is subject of): E1 CRM Entity

**AFTER** 

E89 Propositional Object.P67 refers to (is referred to by): E1 CRM Entity E89 Propositional Object.P129 is about (is subject of): E1 CRM Entity

# P106 changed domain and range

**BEFORE** 

E73 Information Object. P106 is composed of (forms part of): E73 Information Object

**AFTER** 

E90 Symbolic Object. P106 is composed of (forms part of): E90 Symbolic Object

# Changes in the scope note of E7 Activity P16

Changes in the scope note of E7 Activity P16 have been made for the name use and new examples have been added to both of them.

# E7 Activity

Subclass of: E5 Event

Superclass of: E8 Acquisition

E9 Move

E10 Transfer of Custody

E11 Modification

E13 Attribute Assignment

E65 Creation

E66 Formation

E85 Joining

E86 Leaving

Scope note: This class comprises actions intentionally carried out by instances of E39 Actor that result in changes

of state in the cultural, social, or physical systems documented.

This notion includes complex, composite and long-lasting actions such as the building of a settlement

or a war, as well as simple, short-lived actions such as the opening of a door.

Examples:

the Battle of Stalingrad

the Yalta Conference

- my birthday celebration 28-6-1995
- the writing of "Faust" by Goethe (E65)
- the formation of the Bauhaus 1919 (E66)
- calling the place identified by TGN '7017998' 'Quyunjig' by the people of Iraq

## **Properties:**

```
P14 carried out by (performed): E39 Actor

(P14.1 in the role of: E55 Type)

P15 was influenced by (influenced): E1 CRM Entity

P16 used specific object (was used for): E70 Thing

(P16.1 mode of use: E55 Type)

P17 was motivated by (motivated): E1 CRM Entity

P19 was intended use of (was made for): E71 Man-Made Thing

(P19.1 mode of use: E55 Type)

P20 had specific purpose (was purpose of): E7 Activity

P21 had general purpose (was purpose of): E55 Type

P32 used general technique (was technique of): E55 Type

P33 used specific technique (was used by): E29 Design or Procedure

P125 used object of type (was type of object used in): E55 Type

P134 continued (was continued by): E7 Activity
```

# P16 used specific object (was used for)

Domain: E7 Activity

Range: E70 Thing

Subproperty of: E5 Event. P12 occurred in the presence of (was present at): E77 Persistent Item

**E7** Activity. P15 was influenced by (influenced): E1 CRM Entity

Superproperty of: E7 Activity. P33 used specific technique (was used by): E29 Design or Procedure

E15 Identifier Assignment. P142 used constituent (was used in):E41 Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property describes the use of material or immaterial things in a way essential to the performance or

the outcome of an E7 Activity.

This property typically applies to tools, instruments, moulds, raw materials and items embedded in a product. It implies that the presence of the object in question was a necessary condition for the action. For example, the activity of writing this text required the use of a computer. An immaterial thing can be used if at least one of its carriers is present. For example, the software tools on a computer.

Another example is the use of a particular name by a particular group of people over some span to identify a thing, such as a settlement. In this case, the physical carriers of this name are at least the people understanding its use.

#### Examples:

- the writing of this scope note (E7) *used specific object* Nicholas Crofts' computer (E22) *mode of use* Typing Tool; Storage Medium (E55)
- the people of Iraq calling the place identified by TGN '7017998' (E7) used specific object "Quyunjig" (E44) mode of use Current; Vernacular (E55)

Properties: P16.1 mode of use: <u>E55</u> Type

# Changes to E54

**BEFORE** 

E54 Dimension (old)

Subclass of: <u>E1</u> CRM Entity

Scope note: This class comprises quantifiable properties that are measured by some calibrated means and can be approximated by numerical values.

An instance of E54 Dimension is regarded as the true quantity, independent from its numerical approximation, e.g. in inches or in cm. The properties of the class E54 Dimension allow for expressing the numerical approximation. It is recommended to record all numerical approximations of instances of E54 Dimension as intervals of indeterminacy. Numerical approximations in archaic instances of E58 Measurement Unit used in historical records should be preserved. Equivalents corresponding to current knowledge should be recorded as additional instances of E54 Dimension as appropriate.

#### Examples:

currency: £26.00
length: 3.9-4.1 cm
diameter 26 mm
weight 150 lbs
density: 0.85 gm/cc

luminescence: 56 ISO lumens

tin content: 0.46 %taille au garot: 5 hands

calibrated C14 date: 2460-2720 years, etc

#### Properties:

P90 has value: E60 Number

P91 has unit (is unit of): E58 Measurement Unit

#### AFTER

### **E54 Dimension**

Subclass of: <u>E1</u> CRM Entity

Scope note:

This class comprises quantifiable properties that can be measured by some calibrated means and can be approximated by values, i.e. points or regions in a mathematical or conceptual space, such as natural or real numbers, RGB values etc.

An instance of E54 Dimension represents the true quantity, independent from its numerical approximation, e.g. in inches or in cm. The properties of the class E54 Dimension allow for expressing the numerical approximation of the values of an instance of E54 Dimension. If the true values belong to a non-discrete space, such as spatial distances, it is recommended to record them as approximations by intervals or regions of indeterminacy enclosing the assumed true values. For instance, a length of 5 cm may be recorded as 4.5-5.5 cm, according to the precision of the respective observation. Note, that interoperability of values described in different units depends critically on the representation as value regions.

Numerical approximations in archaic instances of E58 Measurement Unit used in historical records should be preserved. Equivalents corresponding to current knowledge should be recorded as additional instances of E54 Dimension as appropriate.

### Examples:

- the height of silver cup 232
- The RGB value matrix of my digital image IMG 0025 from 4-5-2007
- the wingspan of my stuffed chaffinch 'Fringilla coelebs Linnaeus, 1758'
- the calibrated C14 date of bone splinter AC-1983-04532
- The number of coins in the silver hoard XXXX

# Properties:

P90 has value: E60 Number

P91 has unit (is unit of): E58 Measurement Unit

# Changes to the text of E28

#### **BEFORE**

### **E28 Conceptual Object**

Subclass of: E71 Man-Made Thing

Superclass of: E30 Right

E55 Type

E73 Information Object

Scope note:

This class comprises non-material products of our minds and information produced by humans with or without using technical devices that have become objects of a discourse about their identity, circumstances of creation and historical implications.

Characteristically, instances of this class are created, invented or thought by someone, and then may be documented or communicated between persons. Instances of E28 Conceptual Object have the ability to exist on more than one particular carrier at the same time, such as papers, electronic signals, marks, audio media, paintings, photos, human memories, etc.

They cannot be destroyed as long as they exist on at least one carrier or in memory.

Their existence ends when the last carrier is lost. A greater distinction can be made between products having a clear identity, such as a specific text, or photographs, and the ideas and concepts shared and traded by groups of people.

#### Examples:

- Beethoven's "Ode an die Freude" (Ode to Joy), (E73)
- the definition of "ontology" in the Oxford English Dictionary
- the knowledge about the victory at Marathon carried by the famous runner

## Properties:

P148 is identified by (identifies): E75 Conceptual Object Appellation

## **AFTER**

#### **E28 Conceptual Object**

Subclass of: E71 Man-Made Thing
Superclass of: E89 Propositional Object

E90 Symbolic Object

E55 Type

Scope note:

This class comprises non-material products of our minds and other human

produced data that have become objects of a discourse about their identity, circumstances of creation or historical implication. The production of such information may have been supported by the use of technical devices such as cameras or computers.

Characteristically, instances of this class are created, invented or thought by someone, and then may be documented or communicated between persons. Instances of E28 Conceptual Object have the ability to exist on more than one particular carrier at the same time, such as paper, electronic signals, marks, audio media, paintings, photos, human memories, etc.

They cannot be destroyed. They exist as long as they can be found on at least one carrier or in at least one human memory. Their existence ends when the last carrier and the last memory are lost.

#### Examples:

- Beethoven's "Ode an die Freude" (Ode to Joy), (E73)
- the definition of "ontology" in the Oxford English Dictionary
- the knowledge about the victory at Marathon carried by the famous runner

# Changes in the domain, range and superproperty of P137

**BEFORE** 

# P137 is exemplified by (exemplifies) (old)

Domain: E55 Type Range: E1 CRM Entity Quantification: many to many (0,n:0,n)

Scope note: This property allows an item to be declared as an example of an E55 Type or taxon.

> The taxonomic role renders the specific relationship of this example to the Type, such as "prototypical", "archetypical" "lectotype", etc. The taxonomic role "lectotype" is not associated with the Type Creation (E83) itself, but selected in a later phase.

Examples:

'Spigelia marilandica (L.) L.' (E55) is exemplified by Object BM000098044 of the Clayton Herbarium (E20) in the taxonomic role lectotype

Properties: P137.1 in the taxonomic role: E55 Type

**AFTER** 

## P137 exemplifies (is exemplified by) (NEW)

Domain: **E1** CRM Entity Range: E55 Type

Quantification: many to many (0,n:0,n)

subproperty of: E1 CRM Entity. P2 has type: E55 Type

This property allows an item to be declared as a particular example of an E55 Type or taxon. Scope note:

> The P137.1 in the taxonomic role property of P137 exemplifies (is exemplified by) allows differentiation of taxonomic roles. The taxonomic role renders the specific relationship of this example to the Type, such as "prototypical", "archetypical", "lectotype", etc. The taxonomic role "lectotype" is not associated with the Type Creation (E83) itself, but selected in a later phase.

Examples:

Object BM000098044 of the Clayton Herbarium (E20) exemplifies Spigelia marilandica (L.) L. (E55) in the taxonomic role lectotype

Properties: P137.1 in the taxonomic role: E55 Type

# P39

Changes in the range and the scope note of P39

**BEFORE** 

# P39 measured (was measured by):

Domain: <u>E16</u> Measurement Range: <u>E70</u> Thing

Subproperty of: E13 Attribute Assignment. P140 assigned attribute to (was attributed by): E1 CRM Entity

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property records the E70 Thing that was the subject of an instance of E16 Measurement

Event. Thing may be measured more than once. Both material and immaterial sThing may be measured,

e.g. the number of words in a text.

Examples:

31 August 1997 measurement of height of silver cup 232 (E16) measured silver cup 232 (E22)

**AFTER** 

## P39 measured (was measured by):

Domain: <u>E16</u> Measurement Range: <u>E1 CRM Entity</u>

Subproperty of: E13 Attribute Assignment. P140 assigned attribute to (was attributed by): E1 CRM Entity

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property associates an instance of E16 Measurement with the instance of E1 CRM Entity to which

it applied. An instance of E1 CRM Entity may be measured more than once. Material and immaterial things and processes may be measured, e.g. the number of words in a text, or the duration of an event.

Examples:

• 31 August 1997 measurement of height of silver cup 232 (E16) *measured* silver cup 232 (E22)

# Amendments to version 4.2.5a

# The range and the scope note of P20 has been changed

# P20 had specific purpose (was purpose of)

Domain: <u>E7</u> Activity Range: E5 Event

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the relationship between a preparatory activity and the event it is intended to be

preparation for.

This includes activities, orders and other organisational actions, taken in preparation for other activities

or events.

P20 had specific purpose (was purpose of) implies that an activity succeeded in achieving its aim. If it does not succeed, such as the setting of a trap that did not catch anything, one may document the unrealized intention using P21 had general purpose (was purpose of):E55 Type and/or P33 used

specific technique (was used by): E29 Design or Procedure.

Examples:

 Van Eyck's pigment grinding in 1432 (E7) had specific purpose the painting of the Ghent alter piece (E12)

# The scope note of P21 has been changed and an example is added

## P21 had general purpose (was purpose of)

Domain: <u>E7</u> Activity Range: <u>E55</u> Type

Quantification: many to many (0,n:0,n)

Scope note: This property describes an intentional relationship between an E7 Activity and some general goal or

purpose.

This may involve activities intended as preparation for some type of activity or event. P21had general purpose (was purpose of) differs from P20 had specific purpose (was purpose of) in that no occurrence

of an event is implied as the purpose.

### Examples:

• Van Eyck's pigment grinding (E7) had general purpose painting (E55)

■ The setting of trap 2742 on May 17<sup>th</sup> 1874 (E7) had general purpose Catching Moose (E55) (Activity type)

# P105 has been superproperty of P52

# The scope note of P105 has been changed

# P105 right held by (has right on)

Domain: <u>E72</u> Legal Object Range: <u>E39</u> Actor

Superproperty of: P52 has current owner (is current owner of)

Quantification: many to many (0,n:0,n)

Scope note: This property identifies the E39 Actor who holds the instances of E30 Right to an E72 Legal Object.

It is a superproperty of P52 has current owner (is current owner of) because ownership is a right that is

held on the owned object.

P105 right held by (has right on) is a shortcut of the fully developed path from E72 Legal Object through P104 is subject to (applies to), E30 Right, P75 possesses (is possessed by) to E39 Actor.

Examples:

J.M.Barrie's Peter Pan (E73) *right held by* Great Ormond Street Hospital (E40)

# Proofreading:

1. 2<sup>nd</sup> paragraph of chapter "APPLIED FORM"

### Before:

Although the definition of the CRM provided here is complete, it is an intentionally compact and concise presentation of the CRM's 86 classes and 132 unique properties. It does not attempt to articulate the inheritance of properties by subclasses throughout the class hierarchy (this would require the declaration of several thousand properties, as opposed to 132)

### After:

Although the definition of the CRM provided here is complete, it is an intentionally compact and concise presentation of the CRM's 86 classes and 137 unique properties. It does not attempt to articulate the inheritance

of properties by subclasses throughout the class hierarchy (this would require the declaration of several thousand properties, as opposed to 137)

2. In chapter "Terminology" the paragraph that gives the definition of the instance (page v)

#### Before:

An instance of a **class** is a real world item that fulfils the criteria of the **intension** of the class. Note, that the number of **instances** declared for a class in an information system is typically less than the total in the real world. For example, you are an instance of Person, but you are not mentioned in all information systems describing Persons.

For example:

The painting known as the "The Mona Lisa" is an instance of the class Physical Man Made Object.

#### After:

An instance of a **class** is a real world item that fulfils the criteria of the **intension** of the class. Note, that the number of **instances** declared for a class in an information system is typically less than the total in the real world. For example, you are an instance of Person, but you are not mentioned in all information systems describing Persons.

For example:

The painting known as the "The Mona Lisa" is an instance of the class Man Made Object.

# Amendments to version 4.3

# P68 usually employs (is usually employed by)

The name of P68 usually employs (is usually employed by) was changed from P68 usually employs (is usually employed by) to P68 foresees use of (use foreseen by):

## FROM:

## P68 usually employs (is usually employed by):

Domain: <u>E29</u> Design or Procedure

Range: E57 Material

Quantification: many to many (0,n:0,n)

Scope note: This property describes an E57 Material usually employed in an E29 Design or Procedure.

Designs and procedures commonly employ particular Materials. The fabrication of adobe bricks, for example, requires straw, clay and water. This property enables this to be

documented.

This property is not intended for the documentation of Materials that were required on a particular occasion when a Design or Procedure was executed.

#### Examples:

procedure for soda glass manufacture (E29) usually employs soda (E57)

## TO:

## P68 foresees use of (use foreseen by):

Domain: E29 Design or Procedure

Range: E57 Material

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an E57 Material foreseeen to be used by an E29 Design or Procedure.

E29 Designs and procedures commonly foresee the use of particular E57 Materials. The fabrication of adobe bricks, for example, requires straw, clay and water. This property enables this to be documented.

This property is not intended for the documentation of E57 Materials that were used on a particular occasion when an instance of E29 Design or Procedure was executed.

Examples:

• procedure for soda glass manufacture (E29) foresees use of soda (E57)

•

### Compatibility

The text of compatibility was changed.

## FROM:

## Compatibility with the CRM

Users intending to take advantage of the semantic interoperability offered by the CRM may want to make parts of their data structures compatible with the CRM. The respective parts should pertain either to the associations by which users would like their data to be accessible in an integrated environment, or to contents intended for transport to other environments, so that the meaning encoded by its structure is preserved in another target system.

In that sense, the CRM is not aimed at proposing a complete matching of user documentation structures with the CRM, nor that a user should always implement all CRM concepts and associations; rather it is intended to leave room for all kinds of extensions to capture the richness of cultural information, but also for simplifications for reasons of economy.

Further, the CRM is a means to interpret structured information in a way, so that large amounts of data contents can be transformed or mediated automatically. As a consequence, the CRM aims not at resolving free text information into a formal logical form. In other terms, it does not intend to provide more structuring than the users have done before, and free text information does not fall under the scope of compatibility considerations. The CRM foresees however the associations to transport such information in relation to structured information. The CRM is a formal ontology, expressible in terms of logic or a suitable knowledge representation language. Its concepts can be instantiated as sets of statements that form models of the assumed reality referred to in a structured document. Any encoding of CRM instances in a formal language that preserves the relations to the CRM classes, properties and inheritance rules among them is regarded a "CRM-compatible form".

A part of a documentation structure is compatible with the CRM, if a deterministic logical algorithm can be found, that transforms any data correctly encoded in this structure into a CRM-compatible form without loss of meaning. No assumptions are made about the nature of this algorithm. It may in particular draw on other formal ontologies expressing background knowledge such as thesauri. The algorithm itself can only be found and verified intellectually by understanding the meaning intended by the designer of the data structure and the CRM concepts. By the term "correctly encoded" we mean that the data are encoded so that the meaning intended by the designer of the data structure is correctly applied to the intended meaning of the data.

Information system implementers may choose to provide **export** facilities of selected data into a CRM-compatible form. They may further choose to provide a service to **access** selected data by querying with CRM concepts. It is not regarded a loss of compatibility, if certain subclasses and subproperties of the CRM are not supported in such a service. In that case it is regarded essential that the services publishes the set of CRM concepts it supports.

TO:

### Utility of CRM compatibility

The goal of the CRM is to enable the integration of the largest number of information resources. Therefore it aims to provide the greatest flexibility of systems to become compatible, rather than imposing one particular solution.

Users intending to take advantage of the semantic interoperability offered by the CRM may want to make parts of their data structures compatible with the CRM. Compatibility may pertain either to the associations by which users would like their data to be accessible in an integrated environment, or to the contents intended for transport to other environments, allowing encoded meaning to be preserved in a target system.

The CRM does not require complete matching of all user documentation structures with the CRM, nor that systems should always implement all CRM concepts and associations; instead it leaves room both for extensions, needed to capture the full richness of cultural information, and for simplifications, required for reasons of economy.

Furthermore, the CRM provides a means of interpreting structured information so that large amounts of data can be transformed or mediated automatically. It does not require unstructured or semi-structured free text information to be analysed into a formal logical representation. In other words, it does not aim to provide more structure than users have previously provided. The interpretation of information in the form of free text falls outside the scope of compatibility considerations. The CRM does, however, allow free text information to be integrated with structured information.

#### **The Information Integration Environment**

The notion of CRM compatibility is based on *interoperability*. Interoperability is best defined on the basis of specific communication practices between *information systems*. Following current practice, we distinguish the following types of information integration environments pertaining to information systems:

- 3. Local information systems. These are either collection management systems or content management systems that constitute institutional memories and are maintained by an institution. They are used for primary data entry, i.e. a relevant part of the information, be it data or metadata, is primary information in digital form that fulfils institutional needs.
- 4. *Integrated access systems*. These provide an homogeneous access layer to multiple local systems. The information they manage resides primarily on local systems. We distinguish between:
  - a. *Materialized access systems*, which physically *import* data provided by local systems, using a data warehouse approach. Such systems may employ so-called metadata harvesting techniques or rely on data submission. Data may be transformed to respect the schema of the access system before being merged.
  - b. *Mediation systems*, [Gio Wiederholt] which send out queries, formulated according to a virtual global schema, to multiple local systems and then collect and integrate the answers. The queries may be transformed to a local schema either by the mediation system or by the receiving local system itself.

Local systems may also *import* data from other systems, in order to complement collections, or to merge information from other systems. An information system may *export* information for migration and preservation.

Compatibility with the CRM pertains to one or more of the following data communication capabilities or *use* cases:

- 5. data falling within the scope of the CRM can be *exported* from an information system into an encoded form without loss of meaning with respect to CRM concepts;
- 6. data falling within the scope of the CRM can be *transformed* into another encoded form without loss of meaning with respect to CRM concepts;
- 7. data falling within the scope of the CRM can be *imported* from an encoded form into an information system without loss of meaning with respect to CRM concepts;
- 8. data falling within the scope of the CRM that is contained in an information system can be *queried and* retrieved exhaustively in terms of CRM concepts, subject to the expressive power of a particular query language.

Any declaration of CRM compatibility must specify one or more of the above use cases. System and data structure providers shall not declare their products as "CRM compatible" without specifying the appropriate use cases as detailed below.

In the context of this chapter, the expression "without loss of meaning with respect to the CRM concepts" means the following: The CRM concepts are used to classify items of discourse and their relationships. By virtue of this classification, data can be understood as propositions of a kind declared by the CRM about real world facts, such as "Object x. forms part of: Object y". In case the encoding, i.e. the language used to describe a fact, is changed, only an expert conversant with both languages can assess if the two propositions do indeed describe the same fact. If this is the case, then there is no loss of meaning with respect to CRM concepts. Communities of practice requiring fewer concepts than the CRM declares may restrict CRM compatibility with respect to an explicitly declared subset of the CRM.

Users of this standard may communicate CRM compatible data, as detailed below, with data structures and systems that are either more detailed and specialized than the CRM or whose scope extends beyond that of the CRM. In such cases, the standard guarantees only the preservation of meaning with respect to CRM concepts. However, additional information that can be regarded as extending CRM concepts may be communicated and preserved in CRM compatible systems through the appropriate use of controlled terminology. The specification of the latter techniques does not fall under the scope of this standard. Communities of practice requiring extensions to the CRM are encouraged to declare their extensions as CRM-compatible standards.

### **CRM-Compatible Form**

form

The CRM is a formal ontology which can be expressed in terms of logic or a suitable knowledge representation language. Its concepts can be instantiated as sets of statements that provide a model of reality. We call any encoding of such CRM instances in a formal language that preserves the relations between the CRM classes, properties and inheritance rules a "CRM-compatible form". Hence data expressed in any CRM-compatible form can be automatically transformed into any other CRM-compatible form without loss of meaning. Classes and properties of the CRM are identified by their initial codes, such as "E55" or "P12". The names of classes and properties of a CRM-compatible form may be translated into any local language, but the identifying codes must be preserved. A CRM-compatible form should not implement the quantifiers of CRM properties as cardinality constraints for the encoded instances. Quantifiers may be implemented in an informative way, or not at all. Statements that violate quantifiers should be treated as alternative knowledge.

Any encoding of CRM instances in a formal language that preserves the relations within a consistent subset of CRM classes, properties and inheritance rules is regarded a "reduced CRM-compatible form", if:

all the conditions applicable to a CRM compatible form are respected; the subset does not violate the rules of subsumption and inheritance;

CRM Entity

- any instance of the reduced CRM-compatible form is also a valid instance of a (full) CRM compatible
- the subset contains at least the following concepts:

```
E1
E2
              Temporal Entity
F4
                  Period
E5
                      Event
                          Activity
E7
                              Modification
E11
                                 Production
E12
                              Attribute Assignment
E13
                              Creation
E65
E63
                          Beginning of Existence
                              Production
E12
                              Creation
E65
                          End of Existence
E64
              Persistent Item
E77
                  Thing
E70
                      Legal Object
E72
                         Physical Thing
E18
                             Physical Man-Made Thing
E24
                          Symbolic Object
E90
                      Man-Made Thing
E71
                          Physical Man-Made Thing
E24
```

```
Conceptual Object
E28
                             Propositional Object
E89
                                 Right
E30
                                 Information Object
E73
E90
                             Symbolic Object
E41
                                 Appellation
E73
                                 Information Object
E55
                 Actor
E39
                     Group
E74
             Time-Span
E52
              Place
E53
              Dimension
E54
        Primitive Value
E59
              Time Primitive
E61
E62
              String
```

Prope	Property Name	Entity – Domain	Entity - Range
rty id			
P1	is identified by (identifies)	E1 CRM Entity	E41 Appellation
P2	has type (is type of)	E1 CRM Entity	E55 Type
P3	has note	E1 CRM Entity	E62 String
P4	has time-span (is time-span of)	E2 Temporal Entity	E52 Time-Span
P7	took place at (witnessed)	E4 Period	E53 Place
P10	falls within (contains)	E4 Period	E4 Period
P12	occurred in the presence of (was present at)	E5 Event	E77 Persistent Item
P11	- had participant (participated in)	E5 Event	E39 Actor
P14	carried out by (performed)	E7 Activity	E39 Actor
P16	- used specific object (was used for)	E7 Activity	E70 Thing
P31	- has modified (was modified by)	E11 Modification	E24 Physical Man-Made Thing
P108	has produced (was produced by)	E12 Production	E24 Physical Man-Made Thing
P92	- brought into existence (was brought into existence by)	E63 Beginning of Existence	E77 Persistent Item
P108	has produced (was produced by)	E12 Production	E24 Physical Man-Made Thing
P94	has created (was created by)	E65 Creation	E28 Conceptual Object
P93	- took out of existence (was taken out of existence by)	E64 End of Existence	E77 Persistent Item
P15	was influenced by (influenced)	E7 Activity	E1 CRM Entity
P16	- used specific object (was used for)	E7 Activity	E70 Thing
P20	had specific purpose (was purpose of)	E7 Activity	E7 Activity
P43	has dimension (is dimension of)	E70 Thing	E54 Dimension
P46	is composed of (forms part of)	E18 Physical Thing	E18 Physical Thing
P59	has section (is located on or within)	E18 Physical Thing	E53 Place
P67	refers to ( is referred to by)	E89 Propositional Object	E1 CRM Entity
P75	possesses (is possessed by)	E39 Actor	E30 Right
P81	ongoing throughout	E52 Time-Span	E61 Time Primitive
P82	at some time within	E52 Time-Span	E61 Time Primitive
P89	falls within (contains)	E53 Place	E53 Place
P104	is subject to (applies to)	E72 Legal Object	E30 Right
P106	is composed of (forms part of)	E90 Symbolic Object	E90 Symbolic Object
P107	has current or former member (is current or former member of)	E74 Group	E39 Actor
P127	has broader term (has narrower term)	E55 Type	E55 Type
P128	carries (is carried by)	E24 Physical Man-Made Thing	E90 Symbolic Object
P130	shows features of (features are also found on)	E70 Thing	E70 Thing
P140	assigned attribute to (was attributed by)	E13 Attribute Assignment	E1 CRM Entity
P141	assigned (was assigned by)	E13 Attribute Assignement	E1 CRM Entity
P148	has component (is component of)	E89 Propositional Object	E89 Propositional Object

## **CRM Compatibility of Data Structure**

A data structure is *export-compatible* with the CRM if it is possible to transform any data from this data structure into a CRM-compatible form *without loss of meaning*. Implicit concepts may be present in elements of the data structure that are not supported by the CRM. As long as these concepts can be encoded as instances of E55 Type (i.e. as terminology) and attached unambiguously to their respective data items with suitable properties, the data structure is *still regarded as* export compatible.

Note that not all CRM concepts may be represented by elements of an export-compatible data structure. All data from export-compatible data structures can be transported in a CRM-compatible form. In particular any CRM compatible form or *reduced CRM-compatible form* is export-compatible with the CRM.

A data structure is *import-compatible* with the CRM if it is possible to automatically transform any data from a CRM-compatible form into this data structure *without loss of meaning*, simply on the basis of knowledge about the data structure elements being used. This implies that a data record transformed into this data structure from a CRM-compatible form can be transformed back into the CRM-compatible form *without loss of meaning*. Note that the back-transformation into a CRM-compatible form may result in a data record that is semantically equivalent but not identical with the original.

Any CRM-compatible form is automatically import-compatible with the CRM. Note that an import-compatible data structure may be semantically richer than the CRM. It may contain elements that, through the use of a transformation algorithm, can be made to correspond to CRM concepts or specializations thereof or that contain elements with meanings that fall outside the scope of the CRM. However, it must not contain elements that overlap in meaning with CRM concepts and which cannot be subsumed via transformation by a CRM concept other than E1 CRM Entity and E77 Persistent Item.

Import-compatible data structures may be used to transport data for applications that require concepts that lie beyond the scope of the CRM, as well as data from any export-compatible data structure. Note that, in general, applications may *make use* of data from a CRM import-compatible data structure that has been exported into a CRM compatible form by semantic reduction to CRM concepts, i.e. by generalizing all subsumed concepts to the most specific CRM concept applicable, and by discarding elements that fall outside the scope of the CRM.

A data structure is *partially import-compatible* with the CRM if the above holds for a reduced CRM-compatible form.

#### **CRM Compatibility of Information Systems**

An information system is *export-compatible* with the CRM if it is possible to export all user data from this information system into an import-compatible data structure. This capability is the recommended kind of CRM-compatibility for *local information systems*.

An information system is *partially export compatible* if it is possible to export all user data from this information system into a partially import-compatible data structure. This is not the recommended kind of CRM-compatibility, but it may not be feasible for legacy systems to acquire a higher level of CRM compatibility without unreasonable effort. This reduced level of CRM compatibility is nonetheless highly useful.

Note that there is no minimum requirement for the classes and properties that must be present in the exported user data. Therefore it is possible that the data may pertain to instances of just a single property, such as E21 Person. *P131 is identified by*: E82 Actor Appellation.

An information system is *import-compatible* with the CRM if it is possible to import data encoded in a CRM-compatible form and to access the data in a manner equivalent to and homogeneous with all generic data of this system that fall under the same concepts. This capability is considered as the normal kind of CRM compatibility for *integrated access systems* that physically copy source data in a *data warehouse* style (materialized access systems).

An information system is *partially import-compatible* with the CRM if it is possible to import data encoded in a reduced CRM-compatible form and to access the data in a manner equivalent to and homogeneous with all generic data of this system that fall under the same concepts. Depending on the functional requirements, it makes sense for integrated access systems to offer access services of reduced complexity by being only partially import-compatible with the CRM.

Note that it makes sense for integrated access systems to import data from extended data structures by semantic reduction to CRM defined concepts.

Note that local information system providers may choose to make their systems import-compatible with the CRM to be import-compatible with the CRM in order to exchange data, for example in the case of museum object loans or for system migration purposes. Communities of practice may choose to agree on import compatibility for extended data structures.

Some local information systems are likely to focus on specialized subject areas, such as inscriptions. For these

specialized systems, the ability to import a specific data structure is recommended. This should be export-compatible with the CRM, and encompass the concepts that are required by the subject matter ("dedicated import compatibility").

An information system is *access-compatible* with the CRM if it is possible to access the user data in the information system by querying with CRM classes and properties so that the meaning of the answers to the queries corresponds to the query terms used. It is not regarded as a reduction of compatibility if access is limited to data deemed to be exchanged.

An information system is *partially access-compatible* with the CRM if it is possible to access the user data in the information system by querying with a consistent subset of CRM classes and properties, corresponding to a reduced CRM-compatible form, so that the meaning of the answers to the queries corresponds to the query terms used.

An access-compatible system may be *export-compatible* with respect to the query answers. Note that it may make sense for an access-compatible content management system to return only content items in response to queries rather than being export compatible.




Figure XXX: Possible data flow between different kinds of CRM-compatible systems and data structures

Fig. XXX shows a symbolic representation of some of the data flow patterns defined above between different kinds of CRM-compatible systems and data structures. In this figure it is assumed that the Local System B exports data into a CRM export-compatible data structure, which implies that it can be exported into a CRM-compatible form or any other CRM import-compatible data structure. Therefore Local System B is export-compatible with the CRM. For Local System A, the figure symbolizes the case where the exported data contain elements that correspond to specializations of the CRM or fall out of its scope.

# Compatibility claim declaration

A provider of a data structure or information system claiming compatibility with the CRM has to provide a declaration that describes the kind of compatibility and, depending on the kind, the following additional information:

For export-compatible data structures:
 The subset of CRM concepts directly instantiated by any possible data in this data structure after transformation into a CRM-compatible form.

- For export-compatible systems:
  - d. A declaration of configurable user data elements, if any, that are not semantically restricted to a CRM Concept (other than E1 CRM Entity or E77 Persistent Item).
  - e. User data elements or units that are not exported.
  - f. The subset of CRM concepts directly instantiated by any possible data exported from the system after transformation into a CRM-compatible form.
- For partially or dedicated import-compatible systems:
  - The subset of CRM concepts under which data can be imported into the system.
- For access-compatible systems:
  - d. The query language by which the system can be queried.
  - e. The subset of CRM concepts directly instantiated by any possible query answers exported from the system after transformation into a CRM-compatible form.
  - f. For partially access-compatible systems, the subset of CRM concepts by which the system can be queried.

The provider should be able to *demonstrate* the claim with suitable test data. A third party should be able to *verify* the claim with suitable test data.

## **About Types**

The text about types was changed:

#### FROM:

Virtually all structured descriptions of museum objects begin with a unique object identifier and information about the "type" of the object, often in a set of fields with names like "Object Type," "Object Name," "Category," "Classification," etc. All these fields are used for terms that declare that the object is a member of a particular class or category of items, and are described by the CRM as instances of E55 Type. Since the instances of this class are themselves classes, E55 Type is in fact a metaclass.

The class E1 CRM Entity is the domain of the property *P2 has type (is type of)*, which has the range E55 Type. Consequently, every class in the CRM, with the exception of E59 Primitive Value, inherits the property *P2 has type (is type of)*. This provides a general mechanism for refining the classification of CRM instances to any level of detail, by linking to external vocabulary sources, thesauri, classification schema or ontologies that function as *extensions* to the CRM class and property hierarchies. The external vocabularies do not themselves fall within the scope of the CRM.

The class E55 Type also serves as the range of properties that relate to categorical knowledge commonly found in cultural documentation. For example, the property P125 used object of type (was type of object used in) enables the CRM to express statements such as "this casting was produced using a mould", meaning that there has been an unknown or unmentioned instance of "mould" that was actually used. This enables the specific instance of the casting to be associated with the entire type of manufacturing devices known as moulds. Further, the objects of type "mould" would be related via P2 has type (is type of) to this term. This indirect relationship may actually help in detecting the unknown object in an integrated environment. On the other side, some casting may refer directly to a known mould via P16 used specific object (was used for). So a statistical question to how many objects in a certain collection are made with moulds could be answered correctly (following both paths through P16 used specific object (was used for) - P2 has type (is type of) and P125 used object of type (was type of object used in). This consistent treatment of categorical knowledge significantly enhances the CRM's ability to integrate cultural knowledge.

Some properties in the CRM are associated with an additional property. These are numbered in the CRM documentation with a ".1" extension. These do not appear in the property hierarchy list but are included as part of the property declarations and referred to in the class declarations. For example, *P62.1 mode of depiction: E55 Type* is associated with *E24 Physical Man-made Thing. P62 depicts (is depicted by): E1 CRM Entity.* The range of these properties of properties always falls within the type hierarchy E55 Type. Their purpose is to allow dynamic extensions to their parent property through the use of property subtypes declared as instances of E55 Type. This function is analogous to that of the *P2 has type (is type of)* property, which all CRM classes inherit from E1 CRM Entity. System implementations and schemas that do not support properties of properties may use dynamic subtyping of the parent properties instead.

Finally, types play a central role in the history of human understanding; they are intellectual products, and documentation about the history and justification by physical evidence of types (particularly in disciplines such as archaeology and natural history) falls squarely within the intended scope of the CRM. Therefore types are modelled as "conceptual objects," in parallel to their structural role as metaclasses. This approach elegantly addresses the dual nature of types in a manner consistent with material culture and natural history documentation.

#### TO:

Virtually all structured descriptions of museum objects begin with a unique object identifier and information about the "type" of the object, often in a set of fields with names like "Classification", "Category", "Object Type", "Object Name", etc. All these fields are used for terms that declare that the object belongs to a particular category of items. In the CRM the class E55 Type comprises such terms from thesauri and controlled vocabularies used to characterize and classify instances of CRM classes. Instances of E55 Type represent concepts (universals) in contrast to instances of E41 Appellation which are used to name instances of CRM classes.

E55 Type is the CRM's interface to domain specific ontologies and thesauri. These can be represented in the CRM as subclasses of E55 Type, forming hierarchies of terms, i.e. instances of E55 Type linked via P127 has broader term (has narrower term). Such hierarchies may be extended with additional properties.

For this purpose the CRM provides two basic properties that describe classification with terminology, corresponding to what is the current practice in the majority of information systems. The class E1 CRM Entity is the domain of the property P2 has type (is type of), which has the range E55 Type. Consequently, every class in the CRM, with the exception of E59 Primitive Value, inherits the property P2 has type (is type of). This provides a general mechanism for simulating a specialization of the classification of CRM instances to any level of detail, by linking to external vocabulary sources, thesauri, classification schema or ontologies.

Analogous to the function of the P2 has type (is type of) property, some properties in the CRM are associated with an additional property. These are numbered in the CRM documentation with a '.1' extension. The range of these properties of properties always falls under E55 Type. Their purpose is to simulate a specialization of their parent property through the use of property subtypes declared as instances of E55 Type. They do not appear in the property hierarchy list but are included as part of the property declarations and referred to in the class declarations. For example, P62.1 mode of depiction: E55 Type is associated with E24 Physical Man-made Thing. P62 depicts (is depicted by): E1 CRM Entity.

The class E55 Type also serves as the range of properties that relate to categorical knowledge commonly found in cultural documentation. For example, the property P125 used object of type (was type of object used in) enables the CRM to express statements such as "this casting was produced using a mould", meaning that there has been an unknown or unmentioned object, a mould, that was actually used. This enables the specific instance of the casting to be associated with the entire type of manufacturing devices known as moulds. Further, the objects of type "mould" would be related via P2 has type (is type of) to this term. This indirect relationship may actually help in detecting the unknown object in an integrated environment. On the other side, some casting may refer directly to a known mould via P16 used specific object (was used for). So a statistical question to how many objects in a certain collection are made with moulds could be answered correctly (following both paths through P16 used specific object (was used for) - P2 has type (is type of) and P125 used object of type (was type of object used in). This consistent treatment of categorical knowledge enhances the CRM's ability to integrate cultural knowledge.

In addition to being an interface to external thesauri and classification systems E55 Type is an ordinary class in the CRM and a subclass of E28 Conceptual Object. E55 Type and its subclasses inherit all properties from this superclass. Thus together with the CRM class E83 Type Creation the rigorous scholarly or scientific process that ensures a type is exhaustively described and appropriately named can be modelled inside the CRM. In some cases, particularly in archaeology and the life sciences, E83 Type Creation requires the identification of an exemplary specimen and the publication of the type definition in an appropriate scholarly forum. This is very central to research in the life sciences, where a type would be referred to as a "taxon," the type description as a "protologue," and the exemplary specimens as "original element" or "holotype".

Finally, types, that is, instances of E55 Type and its subclasses, are used to characterize the instances of a CRM class and hence refine the meaning of the class. A type 'artist' can be used to characterize persons through P2 has type (is type of). On the other hand, in an art history application of the CRM it can be adequate to extend the CRM class E21 Person with a subclass E21.xx Artist. What is the difference of the type 'artist' and the class Artist? From an everyday conceptual point of view there is no difference. Both denote the concept 'artist' and identify the same set of persons. Thus in this

setting a type could be seen as a class and the class of types may be seen as a metaclass. Since current systems do not provide an adequate control of user defined metaclasses, the CRM prefers to model instances of E55 Type as if they were particulars, with the relationships described in the previous paragraphs.

Users may decide to implement a concept either as a subclass extending the CRM class system or as an instance of E55 Type. A new subclass should only be created in case the concept is sufficiently stable and associated with additional explicitly modeled properties specific to it. Otherwise, an instance of E55 Type provides more flexibility of use. Users that may want to describe a discourse not only using a concept extending the CRM but also describing the history of this concept itself, may chose to model the same concept both as subclass and as an instance of E55 Type with the same name. Similarly it should be regarded as good practice to foresee for each term hierarchy refining a CRM class a term equivalent of this class as top term. For instance, a term hierarchy for instances of E21 Person may begin with "Person".

## E55 Type

The scope note of E55 Type was changed:

#### **FROM**

This class comprises arbitrary concepts (universals) and provides a mechanism for organising them into a hierarchy.

This hierarchy is intended to duplicate the names of all the classes present in the model. This allows additional refinement, through subtyping, of those classes which do not require further analysis of their formal properties, but which nonetheless represent typological distinctions important to a given user group.

It should be noted that the Model does not make the distinction between classes and types known from some knowledge representation systems and object-oriented programming languages. The class E55 Type can be regarded as a metaclass (a class whose instances are universals), used to denote a user-defined specialization of some class or property of the Model, without introducing any additional formal properties for this specialization.

It reflects the characteristic use of the term "object type" for naming data fields in museum documentation and particularly the notion of typology in archaeology. It has however nothing to do with the term "type" in Natural History (cf. E83 Type Creation), but it includes the notion of a "taxon".

Ideally, instances of the class E55 Type should be organised into thesauri, with scope notes, illustrations, etc. to clarify their meaning. In general, it is expected that different domains and cultural groups will develop different thesauri in parallel. Consistent reasoning on the expansion of subterms used in a thesaurus is possible insofar as it conforms to both the classes and the hierarchies of the model.

E56 Language, E57 Material and E58 Measurement Unit have been defined explicitly as elements of the E55 Type hierarchy because they are used categorically in the model without reference to instances of them, i.e. the Model does not foresee the description of instances of instances of them, e.g., the property instance "P45 consists of: gold" does not refer to a particular instance of gold.

## TO:

This class comprises concepts denoted by terms from the sauri and controlled vocabularies used to characterize and classify instances of CRM classes. Instances of E55 Type represent concepts in contrast to instances of E41 Appellation which are used to name instances of CRM classes.

E55 Type is the CRM's interface to domain specific ontologies and thesauri. These can be represented in the CRM as subclasses of E55 Type, forming hierarchies of terms, i.e. instances of E55 Type linked via P127 has broader term (has narrower term). Such hierarchies may be extended with additional properties.

#### **E66 Formation**

The scope note of E66 Formation was changed:

#### FROM:

This class comprises events that result in the formation of a formal or informal E74 Group of people, such as a club, society, association, corporation or nation.

E66 Formation does not include the arbitrary aggregation of people who do not act as a collective.

#### TO:

This class comprises events that result in the formation of a formal or informal E74 Group of people, such as a club, society, association, corporation or nation.

E66 Formation does not include the arbitrary aggregation of people who do not act as a collective. The formation of an instance of E74 Group does not mean that the group is populated with members at the time of formation. In order to express the joining of members at the time of formation, the respective activity should be simultaneously an instance of both E66 Formation and E85 Joining.

## P143 joined was joined by)

The scope note of P143 was changed:

### FROM:

This property identifies the instance of E39 Actor that becomes member of a E74 Group in an E85 Joining

#### TO:

This property identifies the instance of E39 Actor that becomes member of a E74 Group in an E85 Joining. Joining events allow for describing people becoming members of a group with a more detailed path from E74 Group through *P144 joined with (gained member by)*, E85 Joining, *P143 joined (was joined by)* to E39 Actor, compared to the shortcut offered by *P107 has current or former member (is current or former member of)*.

# P144 joined with (gained member by)

The scope note of P144 was changed

#### FROM:

This property identifies the instance of E74 Group of which an instance of E39 Actor becomes a member through an instance of E85 Joining.

Although a Joining activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which becoming member of one Group implies becoming member of another Group as well.

### TO:

This property identifies the instance of E74 Group of which an instance of E39 Actor becomes a member through an instance of E85 Joining.

Although a Joining activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which becoming member of one Group implies becoming member of another Group as well.

Joining events allow for describing people becoming members of a group with a more detailed path from E74 Group through P144 joined with (gained member by), E85 Joining, P143 joined (was joined by) to E39 Actor, compared to the shortcut offered by P107 has current or former member (is current or former member of).

## P5 consists of

The example of P5 was changed

#### FROM:

• Ruination of the Tower of Babylon (E3) *consists of* wind-erosion phase (E3)

TO:

The Condition State of the ruined Parthenon (E3 Condition State) consists *of (P5)* a bombarded state (E3 Condition State) from the explosion of a Venetian shell in 1687

## **E78 Collection**

An example is added:

#### FROM:

Examples:

- the John Clayton Herbarium
- the Wallace Collection

TO:

Examples:

- the John Clayton Herbarium
- the Wallace Collection
- Mikael Heggelund Foslie's coralline red algae Herbarium at Museum of Natural History and Archaeology, Trondheim, Norway

## **E87 Curation Activity**

An example is added:

FROM:

Examples:

TO:

Examples:

 The curation of Mikael Heggelund Foslie's coralline red algae Herbarium 1876 – 1909 (when Foslie died), now at Museum of Natural History and Archaeology, Norway

## P147 curated (was curated by)

An example is added:

### FROM:

Examples:

- The activities (E87) by the Benaki Museum *curated* the acquisition of dolls and games of urban and folk manufacture dating from the 17th to the 20th century, from England, France and Germany for the "Toys, Games and Childhood Collection (E78) of the Museum.
- The activities (E87) of the Historical Museum of Crete, Heraklion, Crete, *curated* the development of the permanent Numismatic Collection (E78).

### TO:

### Examples:

- The activities (E87) by the Benaki Museum *curated* the acquisition of dolls and games of urban and folk manufacture dating from the 17th to the 20th century, from England, France and Germany for the "Toys, Games and Childhood Collection (E78) of the Museum.
- The activities (E87) of the Historical Museum of Crete, Heraklion, Crete, *curated* the development of the permanent Numismatic Collection (E78).
- The activities (E87) by Mikael Heggelund Foslie *curated* the Mikael Heggelund Foslie's coralline red algae Herbarium

# P109 has current or former curator (is current or former curator of)

An example is added:

FROM:

Examples:

• the Robert Opie Collection (E78) has current or former curator Robert Opie (E39)

TO:

Examples:

- the Robert Opie Collection (E78) has current or former curator Robert Opie (E39)
- the Mikael Heggelund Foslie's coralline red algae Herbarium (E78) has current or former curator Mikael Heggelund Foslie

# Amendments to version 5.0

# Compatibility claim declaration

The last paragraph was changed. The phrase

"The provider should be able to demonstrate the claim with suitable test data. A third party should be able to verify the claim with suitable test data."

is replaced by:

""The provider should be able to demonstrate the claim with suitable test data. The provider should be able to demonstrate its claim according to certain procedures included in any applicable certificate practice related statement.

The provider should either make evidence of these procedures publicly available on the Internet on a site nominated by the ISO community of use, so that any third party is able to verify the claim with suitable test data, or acquire a certificate by a certification authority (CA).

A trusted third party recognised and authorised by a competent regulatory authority to act as a CA in this practice area, should be able to verify the credentials of the provider applying for such certificate and thus, of its claim with suitable test data, before issuing the certificate so that the users can trust the information in the CA certificates.

The CA will grant the provider of the certified system the right to use the "CRM compatible" logo."

# E78 Collection

The first sentence in the scope note has been changed. The phrase "This class comprises aggregations of physical items that are assembled and maintained ..."

is replaced by

"This class comprises aggregations of instances of E18 Physical Thing that are assembled and maintained .."

# P107 has current or former member (is current or former member of)

The property 'P107.1 *kind of member*: <u>E55</u> Type' has been added and the scope note and the examples have been changed to:

Scope note: This property relates an E39 Actor to the E74 Group of which he or she is a member.

Groups, Legal Bodies and Persons, may all be members of Groups. A Group necessarily consists of more than one member.

This property is a shortcut of the more fully developed path from E74 Group through P144 joined with (gained member by), E85 Joining, P143 joined (was joined by) to E39 Actor

The property P107.1 kind of member can be used to specify the type of membership or the role the member has in the group.

## Examples:

Moholy Nagy (E21) is current or former member of Bauhaus (E74)

- National Museum of Science and Industry (E40) has current or former member The National Railway Museum (E40)
- The married couple Queen Elisabeth and Prince Phillip (E74) has current or former member Prince Phillip (E21) with P107.1 kind of member husband (E55 Type)

Properties: P107.1 *kind of member*: E55 Type

# P144 joined with (gained member by)

The property P144.1 *kind of member*: <u>E55</u> Type has been added and the scope note and the examples have been changed to:

Scope note:

This property identifies the instance of E74 Group of which an instance of E39 Actor becomes a member through an instance of E85 Joining.

Although a Joining activity normally concerns only one instance of E74 Group, it is possible to imagine circumstances under which becoming member of one Group implies becoming member of another Group as well.

Joining events allow for describing people becoming members of a group with a more detailed path from E74 Group through P144 joined with (gained member by), E85 Joining, P143 joined (was joined by) to E39 Actor, compared to the shortcut offered by P107 has current or former member (is current or former member of).

The property P144.1 kind of member can be used to specify the type of membership or the role the member has in the group.

### Examples:

- The election of Sir Isaac Newton as Member of Parliament to the Convention Parliament of 1689 *joined with* the Convention Parliament
- The inauguration of Mikhail Sergeyevich Gorbachev as Leader of the Union of Soviet Socialist Republics (USSR) in 1985 *joined with* the office of Leader of the Union of Soviet Socialist Republics (USSR) with P144.1 kind of member President
- The implementation of the membership treaty January 1. 1973 between EU and Denmark *joined* with EU (E40)

Properties: P144.1 *kind of member*: E55 Type

# Proofreading:

Page vii: Figure XXX became fig. 1

<u>Page xiv</u>: **Naming Conventions**, second paragraph became "..... P126 employed (was employed in)" instead of P126 employed (was employed by")

Page xviii: Examples: the first figure fig.1 reasoning about spatial information was updated and became fig2

<u>Page xix</u>: in the first paragraph the domain of P59 was corrected, from E19 Physical Object to E18 Physical Thing. The fig.2 in the same page became fig.3

Page xxiv: P33 was added to the table of CIDOC CRM Property Hierarchy

 $\underline{Page 14}$ : The name of P68 was corrected. It was "P68 usually employs (is usually employed)" and it was changed to " $\underline{P68}$  foresees use of (use foreseen by)"

Page 14: A correction was made to the superclasses of E30 Right. E30 is not a direct subclass of E28 Conceptual Object.

<u>Page 29</u>: A correction was made to the superclasses of E73 Information Object. E73 Information Object is not a direct subclass of E28 Conceptual Object

<u>Page 40</u>: A correction was made to the subclasses of 'P12 occurred in the presence of (was present at)'. It was added the subclass of 'E7 Activity. <u>P33</u> used specific technique(was used by): <u>E29</u> Design or Procedure'

<u>Page 41</u>: A correction was made to the subclasses of 'P15 was influenced by (influenced)'. It was added the subclass of 'E7 Activity. P33 used specific technique(was used by): E29 Design or Procedure'

<u>Page 64</u>: It was missing the domain of '<u>P52</u> has current owner (is current owner of)' of the subclass of 'P105 right held by (has right on)'. The '<u>E18</u> Physical Thing' was added.

# Amendments to version 5.01

# **Proofreading:**

Page xxv: CIDOC CRM Property Hierarchy is updated

Page 18: E41 Appellation: E28 Conceptual Object was removed from the subclass list

Page 28: E72 Legal Object: E73 Information Object was removed from the superclass list

Page 29: E73 Information Object: E72 Legal Object was removed from the subclass list

<u>Page 33:</u> The fist sentence of the scope note of E85 Joining read: This class comprises the activities that result in an instance of E49 Actor: it was corrected to: This class comprises the activities that result in an instance of E39 Actor

Page 40: P12 occurred in the presence of (was present at): P33 was removed from the superproperty list

Page 41: P15 was influenced by (influenced): P33 was removed from the superproperty list

Page 44: P24 transferred title of (changed ownership through): the scope note is updated

Page 46: P33 used specific technique (was used by): P12, P15 were removed from the subroperty list

Page 47: P37 assigned (was assigned by): The spelling error in the domain part is corrected

<u>Page 50</u>: P46 is composed of (forms part of): the "Hog's Back" (E24) *forms part of* the "Fosseway" (E24): The missing ')' was added to (E24)

Page 54: P62 depicts (is depicted by): italics were added to the name of the property at the examples

<u>Page 67</u>: P118 overlaps in time with (is overlapped in time by): the Iron Age (E52) *overlaps in time with* the Roman period (E52): it was corrected to: the Iron Age (E4) *overlaps in time with* the Roman period (E4)

Page 68: P119 meets in time with (is met in time by): Early Saxon Period (E52) meets in time with Middle Saxon Period (E52): it was corrected to: Early Saxon Period (E4) meets in time with Middle Saxon Period (E4)

<u>Page 68</u>: P120 occurs before (occurs after): Early Bronze Age (E52) occurs before Late Bronze age (E52): it was corrected to: Early Bronze Age (E4) occurs before Late Bronze age (E4)

## Amendments to amendments

Page 101: E15: The first letter of the first word in the first example was capitalized.

BEFORE

replacement of the inventory number TA959a by GE34604 for a 17<sup>th</sup> century lament cloth at the Museum Benaki. Athens

**AFTER** 

replacement of the inventory number TA959a by GE34604 for a 17<sup>th</sup> century lament cloth at the Museum Benaki, Athens:

It was corrected to

**BEFORE** 

replacement of the inventory number TA959a by GE34604 for a 17<sup>th</sup> century lament cloth at the Museum Benaki, Athens

**AFTER** 

Replacement of the inventory number TA959a by GE34604 for a 17<sup>th</sup> century lament cloth at the Museum Benaki, Athens

Page 112: P105 has been superpclass of P52: It was changed to:P105 has been superproperty of P52

Page 124: P143 Joining: it was corrected to: P143 joined (was joined by)

# Amendments to version 5.02

## E5 Event, E6 Destruction

The example "the destruction of Lisbon by earthquake in 1755" wasn't really an example for E6 Destruction since Lisbon continued to exist and be identified as Lisbon after the earthquake, so the example changed from

• the destruction of Lisbon by earthquake in 1755 (E6)

To

• the destruction of Herculaneum by volcanic eruption in 79 AD (E6)

Also, for the same reason the example "the shooting of the last wolf [...] of E6 Destruction has been removed.

#### **E12 Production**

The second and the third example were reworded, because the term "edition" is ambiguous, it makes one think of E73 Information Object rather than E7 Activity. The text of the example was modified from:

- the recasting of the Little Mermaid at the harbour of Copenhagen
- the seventh edition of Rembrandt's etching "Woman sitting half dressed beside a stove", 1658, Bartsch Number 197

To:

- the first casting of the Little Mermaid from the harbour of Copenhagen
- Rembrandt's creating of the seventh state of his etching "Woman sitting half dressed beside a stove", 1658, identified by Bartsch Number 197 (E12,E65,E81)

### **E29 Design or Procedure**

The fourth example of E29 Design or Procedure was modified in order to be more accurate from:

 folio 860 of the Codex Atlanticus from Leonardo da Vinci, 1486-1490, kept in the Biblioteca Ambrosiana in Milan

to:

 The drawing on the folio 860 of the Codex Atlanticus from Leonardo da Vinci, 1486-1490, kept in the Biblioteca Ambrosiana in Milan

#### E35 Title

The text in the parenthesis in the scope note was changed from:

(the latter are common nouns and are modelled in the CRM as instances of E55 Type)

To:

(the latter are common nouns that stand for instances of E55 Type)

### E70 Thing

The following examples were modified for better understanding from:

- the pint of milk in my refrigerator
- the plan of the Stassburger Muenster
- the thing on the top of Otto Hahn's desk
- the design of the no-smoking sign (E29)

to:

- the bottle of milk in my refrigerator (E22)
- the plan of the Strassburger Muenster (E29)
- the thing on the top of Otto Hahn's desk (E19)
- the form of the no-smoking sign (E36)

# **E75 Conceptual Object Appellation**

The scope note of E75 Conceptual Object Appellation was modified for not confusing with the class E42 Identifier. So the text of the scope note is changed from:

This class comprises all specific identifiers of intellectual products or standardized patterns

To:

This class comprises all appellations specific to intellectual products or standardized patterns

Also in the second example the letter in the parenthesis at the end was changed to (F) for not confusing with the label of a CRM entity. So the example was changed from:

■ ISO 2788-1986 (E)

To:

■ ISO 2788-1986 (F)

#### E81 Transformation - issue 165

The scope note and the example of E81 Transformation were changed from:

This class comprises the events that result in the simultaneous destruction of one E77 Persistent Item and the creation of another E77 Persistent Item that preserves recognizable substance from the first but has a fundamentally different nature and identity.

Although the two instances of E77 Persistent Item are treated as discrete entities having separate, unique identities, they are causally connected through the E81 Transformation; the destruction of the first E77 Persistent Item directly causes the creation of the second using or preserving some relevant substance. Instances of E81 Transformation are therefore distinct from re-classifications (documented using E17 Type Assignment) or modifications (documented using E11 Modification) of objects that do not fundamentally change their nature or identity. Characteristic cases are reconstructions and repurposing of historical buildings or ruins, fires leaving buildings in ruins, taxidermy of specimen in natural history and the reorganization of a corporate body into a new one.

#### Examples:

• the death and mummification of Tut Ankh Amun (transformation of Tut Ankh Amun from a living person to a mummy)

To:

This class comprises the events that result in the simultaneous destruction of one or more than one E77

Persistent Item and the creation of one or more than one E77 Persistent Item that preserves recognizable substance from the first one(s) but has fundamentally different nature and identity.

Although the old and the new instances of E77 Persistent Item are treated as discrete entities having separate, unique identities, they are causally connected through the E81 Transformation; the destruction of the old E77 Persistent Item(s) directly causes the creation of the new one(s) using or preserving some relevant substance. Instances of E81 Transformation are therefore distinct from re-classifications (documented using E17 Type Assignment) or modifications (documented using E11 Modification) of objects that do not fundamentally change their nature or identity. Characteristic cases are reconstructions and repurposing of historical buildings or ruins, fires leaving buildings in ruins, taxidermy of specimen in natural history and the reorganization of a corporate body into a new one.

#### Examples:

• the death and mummification of Tut Ankh Amun (transformation of Tut Ankh Amun from a living person to a mummy) (E69,E81,E7)

#### P4 has time-span (is time-span of)

The example was reworded for better understanding. The example changed from:

• the Yalta Conference (E7) has time-span Yalta Conference time-span (E52), ongoing throughout 11 February 1945 (E61)

To:

• the Yalta Conference (E7) has time-span Yalta Conference time-span (E52)

### P5 consists of (forms part of)

The example has been reworded to follow the usual pattern for property examples. So the example changed form:

The Condition State of the ruined Parthenon (E3 Condition State) consists of (P5) a bombarded state (E3 Condition State) from the explosion of a Venetian shell in 1687

To:

The Condition State of the ruined Parthenon (E3) *consists of* the bombarded state after the explosion of a Venetian shell in 1687 (E3)

### P14 carried out by (performed) - issue 170

In P14, the example was corrected, the word 'was' was deleted from the example.

### P44 has condition (is condition of) - issue 144

The name of the property P44 changed from 'P44 has condition (condition of)' to 'P44 has condition (is condition of).

### P62 depicts (is depicted by)

The first example was changed for better understanding. It was changed from:

 "Impression Sunrise" by Monet (E84) depicts sun rising over Le Havre (E5) mode of depiction Impressionistic (E55)

To:

■ The painting "La Liberté guidant le peuple" by Eugene Delacroix (E84) *depicts* the French "July Revolution" 1830 (E7)

### P65 shows visual item (is shown by) - issue 169

The example has been changed from:

• "Impression Sunrise" by Monet (E84) *shows visual item* Impression\_Sunrise.jpg (E38)

To

■ My T-Shirt (E22) *shows visual item* Mona Lisa (E38)

### P107 has current or former member (is current or former member of)

In the scope note of this property the phrase "he or she" was reworded for not equating E39 Actor with E21 Person. So the first paragraph of the scope note changed

From

This property relates an E39 Actor to the E74 Group of which he or she is a member.

To

This property relates an E39 Actor to the E74 Group of which that E39 Actor is a member.

### P148 has component (is component of)

The example was reworded for better understanding and it is changed from:

The Italian text of Dante's textual work entitled "Divina Commedia" (E33) P148 has component The Italian text of Dante's textual work entitled "Inferno" (E33)

To:

Dante's "Divine Comedy" (E89) has component Dante's "Hell" (E89)

# Proofreading:

<u>Page 2</u>: it was corrected the declaration of property 'P3.1 has type: <u>E55</u> Type' of the property 'P3 has note' of E1 CRM Entity

Page 11: the "P" removed from the second example of E20: "Tut-Ankh-AmunP"

Page 14: the "," at the end of the first example of E28 has been deleted.

<u>Page 18</u>: it was corrected the declaration of property 'P139.1 has type: E55 Type' of the property P139 has alternative form of E41 Appellation.

Page 23: The reference to the

Page 26: the terms "postquem" and "antequem" in the scope note of E63 Beginning of Existence were corrected.

Page 27: The singulars and plurals in the first sentence in the scope note of E67 Birth are corrected

<u>Page 30</u>: It was corrected the declaration of property 'P107.1 *kind of member*: <u>E55</u> Type' of the property P107 has current or former member (is current or former member of) of E74 Group

Page 33: one of the two closing brackets in property P136 in the definition of E83 Type Creation was dropped

Page 34: In E87, in the example, in the phrase "Michael. Foslie", the period was removed.

Page 40: P11 had participant (participated in), the OR between two examples has been deleted

Page 41: the name of the property P14 was corrected in the example

Page 42: P16 used specific object (was used for), in the second example the phrase 'mode of use' is turned on italics

<u>Page 45</u>: P30 transferred custody of (custody transferred through), the phrase "transferred custody of" in the example, changed to italics.

Page 47: a closing bracket was added after "P35 has identified (was identified by".

Pages 6,32,44,45,66,69: E9,E81,P26,P27,P112,P113,P123,P124, the different spellings of Tut Ankh Amun /

Tutankhamun /.. are changed to Tut-Ankh-Amun

Page 48, 58,59: In P43,P83,P84, the codes (P90 and P91) of the properties are added to the examples.

Page 49: The name of the P35B in the scope note of P44 was corrected.

Page 54: In P62, in the scope note and examples, all occurrences of property names were turned to italics.

Page 54: the two examples for P62 depicts (is depicted by) were corrected: "Eugene Delacroix" was replaced with

"Eugène Delacroix", "the "July Revolution" 1830" was replaced with "the "July Revolution" of 1830", "a 20 pence coin" was replaced with "the 20 pence coin held by the Department of Coins and Medals of the British Museum under registration number 2006,1101.126".

Page 55: In P67, the domain of P129 is about (is subject of) was corrected to E89 Propositional Object

Page 58: inside the parenthesis in the scope notes of the P81 and P82, "it's" was changed to "its"

Page 58: outside and inside the parenthesis in the scope notes of the P83 and P84, "it's" was changed to "its"

Page 64: In P105, in the definition, the range of the subproperty P52 was added.

Page 64: In P106, the label of the property P106 is composed of (forms part of), in the examples were corrected.

<u>Page 65</u>: In P109, in the second example, in the phrase "Mikael.Foslie", the period between "Mikael" and "Foslie" was removed.

<u>Page 70</u>: In P128 carries (is carried by) and P129 is about (is subject of), in the examples for both properties, the label of the property (i.e., "carries", "is about") was converted to italics.

<u>Page 74</u>: In P142, in the examples the reference to the property names and codes was formalized to be the same as in the rest document.

<u>Page 74,75</u>: In p143, P144, P145, P146, in the examples, the class codes are added to follow the usual pattern of property example.

Page 76: In P147, in the third example, in the phrase "Mikael. Foslie", the period was removed.

<u>Page 70,71,72</u>: In P130,P134,P136,P137,P138, the missing "of" next to the superproperty or subproperty definition is added.

Page. 31, 34, 65, 76: "Mikael Foslie" was replaced with "Mikael Heggelund Foslie".

<u>General Notice 1:</u> All the appellations in the examples of the entities and properties are displayed in double quotes. Changes took place at the following pages / entity code / property code.

Page no.	Entity / Property code
16	E35
19	E44
20	E46, E47,E48
21	E50, E51
30	E75
32	E82
35	E90
37	P2
42	P16
47	P37, P38
53	P58
57	P76, P78
59	P87
71	P131

## Amendments to version 5.0.3

#### **E11 Modification**

The forth paragraph of the scope note of E11 Modification has been changed

*From*: "If the instance of the E29 Design or Procedure utilised for the modification prescribes the use of specific materials, they should be documented using properties of the design or procedure, rather than via *P126 employed (was employed in): E57 Material.*"

**To**: "If the instance of the E29 Design or Procedure utilized for the modification prescribes the use of specific materials, they should be documented using property P68 foresees use of (use foreseen by): E57 Material of E29 Design or Procedure, rather than via P126 employed (was employed in): E57 Material."

This is related to ISSUE 188

#### **E51 Contact Point**

The scope note of E51 has been changed

*from:* "This class comprises identifiers employed, or understood, by communication services to direct communications to an instance of E39 Actor. These include E-mail addresses, telephone numbers, post office boxes, Fax numbers, etc. Most postal addresses can be considered both as instances of E44 Place Appellation and E51 Contact Point. In such cases the subclass E45 Address should be used"

*to:* "This class comprises identifiers employed, or understood, by communication services to direct communications to an instance of E39 Actor. These include E-mail addresses, telephone numbers, post office boxes, Fax numbers, URLs etc. Most postal addresses can be considered both as instances of E44 Place Appellation and E51 Contact Point. In such cases the subclass E45 Address should be used.

URLs are addresses used by machines to access another machine through an http request. Since the accessed machine acts on behalf of the E39 Actor providing the machine, URLs are considered as instances of E51 Contact Point to that E39 Actor."

This is related to the **ISSUE 180** 

## **E89 Propositional Object**

The first paragraph of the scope note has been changed

*from*: This class comprises immaterial items, including but not limited to stories, plots, procedural prescriptions, algorithms, laws of physics or images that are, or represent in some sense, sets of propositions about real or mental things and that are documented as single units or serve as topic of discourse.

*to:* This class comprises immaterial items, including but not limited to stories, plots, procedural prescriptions, algorithms, laws of physics or images that are, or represent in some sense, sets of propositions about real or imaginary things and that are documented as single units or serve as topics of discourse.

This is related to the ISSUE 181

## P2 has type (is type of)

The example has been changed

from: "www.cidoc.icom.org" (E51) has type URL (E55)

to: "enquiries@cidoc-crm.org" (E51) has type e-mail address (E55)

This is related to the ISSUE 180

## P33 used specific technique (was used by)

The scope note of this property has been changed

from: This property identifies a specific E29 Design or Procedure used in an E11 Modification.

Modification may be carried out in order to ensure the preservation of an object and not just as part of the creative process.

The property differs from *P32 used general technique* (was technique of) in that the E29 Design or Procedure referred to is specific and documented rather than simply being a term in the E55 Type hierarchy. Typical examples would include intervention plans for conservation.

to: This property identifies a specific instance of E29 Design or Procedure in order to carry out an instance of E7 Activity or parts of it.

The property differs from P32 used general technique (was technique of) in that P33 refers to an instance of E29 Design or Procedure, which is a concrete information object in its own right rather than simply being a term or a method known by tradition.

Typical examples would include intervention plans for conservation or the construction plans of a building This is related to *ISSUE 188* 

### P68 foresees use of (use foreseen by)

P68 is subproperty of P67 refers to(is referred to by). This is related to the **ISSUE 189.** The appropriate changes were made to the pages:

- xxvi(table)
- 55(P67)
- 55(P68)

#### P69 is associated with

The third paragraph of the scope note has been changed

*from*: The nature of the association may be whole-part, sequence, prerequisite etc. The property is assumed to be entirely reciprocal.

to: The P69.1 has type property of P69 is associated with allows the nature of the association to be specified; examples of types of association between instances of E29 Design or Procedure include: whole-part, sequence, prerequisite, etc

This is related to the ISSUE 184

## P71 lists (is listed in)

The range of this property has been changed from E55 Type to E1 CRM Entity. This is related to **ISSUE 182.** The appropriate changes have been made to pages:

- xxvi(table)
- 15 (E32)
- 55(P67)
- 56(P71)

## P101 had as general use (was use of)

The first sentence of the second paragraph of the scope note has been changed.

*from*: It allows the generic link between things, both physical and immaterial, to methods and techniques of use. *to*: It allows the relationship between particular things, both physical and immaterial, and general methods and techniques of use to be documented.

This is related to the **ISSUE 190** 

### P111 added (was added by)

P111 is subproperty of *P12 occurred in the presence of(was present at)*. This is related to the **ISSUE 189.** The appropriate changeswere made to the pages:

- xxv(table)
- 40(P12)
- 66(P111)

### P113 removed (was removed by)

P113 is subproperty of *P12 occurred in the presence of(was present at)*. This is related to the **ISSUE 189.** The appropriate changes were made to the pages:

- xxv(table)
- 40(P12)
- 66(P113)

## P128 carries (is carried by)

The range of this property has been changed from E73 Information Object to E90 Symbolic Object. This is related to **ISSUE 167.** Also *P128 carries (is carried by)* has been declared as subproperty of *P130 shows features of (features are also found on)*. The latter change is related to **ISSUE 178.** 

The appropriate changes have been made to pages:

- v(table),
- xxvi(table),
- 12(E24 Physical Man-Made Thing),
- 54(P65 shows visual item (is shown by)),

• 70 (P128, P130)

### P149 is identified by (identifies)

It is decided to create a subproperty of P1 to connect E28 with E75 as follows

P149 is identified by: E75

Domain: <u>E28</u> Conceptual Object

Range: <u>E75</u> Conceptual Object Appellation

Subproperty of: E1 CRM Entity. P1 is identified by (identifies): E41 Appellation

Quantification: many to many (0,n:0,n)

Scope note: This property identifies an instance of E28 Conceptual Object using an instance of E75

Conceptual Object Appellation.

Examples: The German edition of the CIDOC CRM (E73) is identified by ISBN 978-3-00-030907-6

(E75)

This is related to the **ISSUE 183.** The appropriate changes have been made to pages:

- xxv(table)
- 14(E28)
- 37 (P1)

## **Proofreading:**

Page xi: The last paragraph of the terminology of Subproperty has been changed

*from:* In Some object-oriented languages, such as C++, have no equivalent to the specialization of properties *to:* Some object-oriented programming languages, such as C++, do not contain constructs that allow for the expression of the specialization of properties as sub-properties

This is related to **ISSUE 174**.

Page xii: The last sentence of the terminology of shortcut has been changed

*from:* The CRM allows shortcuts as cases of less detailed knowledge, while preserving in its schema the relationship to the full information.

*to:* The CRM declares shortcuts explicitly as single properties in order to allow the user to describe cases in which he has less detailed knowledge than the full data path would need to be described. For each shortcut, the CRM contains in its schema the properties of the full data path explaining the shortcut

This is related to **ISSUE 174**.

Page xiii: In the paragraph of property quantifiers, the first sentence have been changed

*from*: "We use the term property quantifiers for the declaration of the allowed number of **instances** of a certain **property** that an instance of its **range** or **domain** may have."

*to:* "We use the term "property quantifiers" for the declaration of the allowed number of **instances** of a certain **property** that can refer to a particular instance of the **range** class or the **domain** class of that property" This is related to *ISSUE 179*.

Page xiv: The first sentences of the last paragraph of this page have been changed

*from:* The CRM defines some properties as being necessary for their domain or as being dependent from their range" seems to be wrong.

*to:* The CRM defines some dependencies between properties and the classes that are their domains or ranges. These can be one or both of the following:

A) the property is necessary for the domain

B) the property is necessary for the range, or, in other words, the range is dependent on the property.

The possible kinds of dependencies are defined in the table above. Note that if a dependent property is not specified for an instance of the respective domain or range, it means that the property exists, but the value on one side of the property is unknown.

This is related to ISSUE 175.

Page xix: The first paragraph in the examples under the figure has been changed

from: "The diagram above shows a partial view of the CRM, representing reasoning about spatial information. Five of the main hierarchy branches are included in this view: E39 Actor, E51 Contact Point, E41 Appellation, E53 Place, and E70 Thing. The relationships between these main classes and their subclasses are shown as arrows. Properties between classes are shown as green rectangles. A 'shortcut' property is included in this view: P59 has section (is located on or within) between E53 Place and E18 Physical Thing is a shortcut of the path

through E46 Section Definition. In some cases the order of priority for property names has been modified in order to facilitate reading the diagram from left to right."

to: "The diagram above shows a partial view of the CRM, representing reasoning about spatial information. Five of the main hierarchy branches are included in this view: E39 Actor, E51 Contact Point, E41 Appellation, E53 Place and E70 Thing. All classes are shown as blue-white rectangles. Properties are shown as single arrows. In some cases the order of priority for property names has been reversed in order to facilitate reading the diagram from left to right. Double arrows indicate IsA relations between classes and their subclasses or between properties and their subproperties. 'Shortcuts' are indicated with light grey rectangles and their names are written in italics, such as the P59 has section (is located on or within) between E53 Place and E18 Physical Thing, which is a shortcut of the path through E46 Section Definition."

This is related to ISSUE 168

Page xix: The last sentence in the second paragraph has been changed:

*from*: An instance of E53 Place may *consist of* or *form part of* another instance of E53 Place, thereby allowing a hierarchy of physical 'containers' to be constructed'

to: An instance of E53 Place may consist of or form part of another instance of E53 Place, thereby allowing a hierarchy of geometric 'containers' to be constructed

This is related to ISSUE 186

Page xx: The third paragraph inside the parenthesis the text has been changed

*from*: "The E2 Temporal Entity class is an abstract class (i.e. it has no instances) that serves to group together all classes with a temporal component, such as instances of E4 Period, E5 Event and E3 Condition State."

\*\*to: "The E2 Temporal Entity class is an abstract class (i.e. it has no direct instances) that serves to group together all classes with a temporal component, such as instances of E4 Period, E5 Event and E3 Condition State."

This is related to **ISSUE 187** 

Page 43:In the example of P20 the word "alter" changed to "altar"

## Amendments to version 5.0.4

### Change the text in objectives of the CIDOC CRM

The third paragraph in the chapter entitled "Objectives of the CIDOC CRM" in page i has been changed

#### From:

"It intends to provide an optimal analysis of the intellectual structure of cultural documentation in logical terms. As such, it is not optimised to implementation-specific storage and processing aspects. Rather, it provides the means to understand the effects of such optimisations to the semantic accessibility of the respective contents".

It intends to provide a model of the intellectual structure of cultural documentation in logical terms. As such, it is not optimised for implementation-specific storage and processing aspects. Implementations may lead to solutions where elements and links between relevant elements of our conceptualizations are no longer explicit in a database or other structured storage system. For instance the birth event that connects elements such as father, mother, birth date, birth place may not appear in the database, in order to save storage space or response time of the system. The CRM allows us to explain how such apparently disparate entities are intellectually interconnected, and how the ability of the database to answer certain intellectual questions is affected by the omission of such elements and links.

This is related to the ISSUE 176

### P109 is subproperty of P49

Resolving the **ISSUE 193**, the CRM-SIG decided that the property P109 has current or former curator (is current or former curator of) is a Subproperty of P49 has former or current keeper (is former or current keeper of). This decision produced the following changes in the document:

Page xxvi: The CIDOC CRM Property Hierarchy has been updated

Page 50: the Superproperty section of P49 has been updated

Page 65: the Subproperty section of P109 has been updated

### P111 is subproperty of P16

Resolving the **ISSUE 194**, the CRM-SIG decided that P111 added (was added by) is A P16 used specific object. This decision produced the following changes in the document:

Page xxv: The CIDOC CRM Property Hierarchy has been updated Page 41: the Superproperty section of P16 has been updated Page 66: the Subproperty section of P111 has been updated

# **Proofreading:**

Page v: The range of P20 is corrected to E5 Event

Page 2: The notation of P137.1 has been added to the properties of E1 CRM Entity

Page 14: The notation of P69.1 has been added to the properties of E29 Design or Procedure

Page 33: The notation of P144.1 has been added to the properties of E85 Joining

Page 56: The E55 type in the scope note of P71 became E1 CRM Entity

# Amendments to draft version 5.1 (November 2012)

## Change the authors list in the first page of CIDOC-CRM

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, it is decided to made the following changes to the authors list on the first page of the CIDOC-CRM text:

#### From:

Editors: Nick Crofts, Martin Doerr, Tony Gill, Stephen Stead, Matthew Stiff.

#### To:

Current Main Editors: Patrick Le Boeuf, Martin Doerr, Christian Emil Ore, Stephen Stead Contributors: Trond Aalberg, Detlev Balzer, Chryssoula Bekiari, Lina Boudouri, Nick Crofts, Gordon Dunsire, Øyvind Eide, Tony Gill, Günther Goerz, Monika Hagedorn-Saupe, Gerald Hiebel, Jon Holmen, Juha Inkari, Dolores Iorizzo, Juha Kotipelto, Siegfried Krause, Karl Heinz Lampe, Carlos Lamsfus, Jutta Lindenthal, Mika Nyman, Pat Riva, Lene Rold, Richard Smiraglia, Regine Stein, Matthew Stiff, Maja Žumer.

This decision is related to the item#49 in the minutes of this meeting

### Change in the scope note of E41

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, resolving the ISSUE 200 and 206 the following changes made to the scope note of E41 Appellation.

### From:

Scope note:

This class comprises all sequences of signs of any nature, either meaningful or not, that are used or can be used to refer to and identify a specific instance of some class within a certain context.

Instances of E41 Appellation do not identify things by their meaning, even if they happen to have one, but by convention, tradition, or agreement. Instances of E41 Appellation are cultural constructs; as such, they have a context, a history, and a use in time and space by some group of users. A given instance of E41 Appellation can have alternative forms, i.e., other instances of E41 Appellation that are always regarded as equivalent independent from the thing it denotes.

Specific subclasses of E41 Appellation should be used when instances of E41 Appellation of a characteristic form are used for particular objects. Instances of E49 Time Appellation, for example, which take the form of instances of E50 Date, can be easily recognised.

E41 Appellation should not be confused with the act of naming something. Cf. E15 Identifier Assignment

### Examples:

- "Martin"
- "the Forth Bridge"
- "the Merchant of Venice" (E35)
- "Spigelia marilandica (L.) L." [not the species, just the name]
- " "information science" [not the science itself, but the name through which we refer to it in an English-speaking context]

Definition of the CIDOC Conceptual Reference Model

To:

Scope note:

This class comprises signs, either meaningful or not, or arrangements of signs following a specific syntax, that are used or can be used to refer to and identify a specific instance of some class or category within a certain context.

Instances of E41 Appellation do not identify things by their meaning, even if they happen to have one, but instead by convention, tradition, or agreement. Instances of E41 Appellation are cultural constructs; as such, they have a context, a history, and a use in time and space by some group of users. A given instance of E41 Appellation can have alternative forms, i.e., other instances of E41 Appellation that are always regarded as equivalent independent from the thing it denotes.

Specific subclasses of E41 Appellation should be used when instances of E41 Appellation of a characteristic form are used for particular objects. Instances of E49 Time Appellation, for example, which take the form of instances of E50 Date, can be easily recognised.

E41 Appellation should not be confused with the act of naming something. Cf. E15 Identifier Assignment

#### Examples:

- "Martin"
- "the Forth Bridge"
- "the Merchant of Venice" (E35)
- "Spigelia marilandica (L.) L." [not the species, just the name]
- "information science" [not the science itself, but the name through which we refer to it in an English-speaking context]
  - "妄" [Chinese "an", meaning "peace"]

### New property P151 has been added

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, resolving the ISSUE 210. The CRM-SIG decided to add a new property to E66 Formation the following:

### P151 was formed from (participated in)

Domain: E66 Formation Range: E74 Group

Subproperty of: P11 had participant (participated in)

Quantification: (0,n:0:n)

Scope note: This property associates an instance of E66 Formation with an instance of E74 Group from which the

new group was formed preserving a sense of continuity such as in mission, membership or tradition.

Examples:

The formation of the House of Bourbon-Conti in 1581 (E66) *was formed from* House of Condé (E74) Also appropriate changes were made to (1) the property section to E66 Formation (2) to the superproperty section of P11 had participant (participated in) (3) CIDOC CRM Property Hierarchy table in page xxv

#### Changes in the scope note of E90 Symbolic Object

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, resolving the ISSUE 207, made the following changes in the scope note of E90 Symbolic Object and on the fifth example.

### From:

Scope note:

This class comprises identifiable symbols and any aggregation of symbols, such as characters, identifiers, traffic signs, emblems, texts, data sets, images, musical scores, multimedia objects, computer program code or mathematical formulae that have an objectively recognizable structure and that are documented as single units.

It includes sets of signs of any nature, which may serve to designate something, or to communicate some propositional content.

An instance of E90 Symbolic Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously. An instance of E90 Symbolic Object may or may not have a specific meaning, for example an arbitrary character string.

### Examples:

- 'ecognizabl'
- The "no-smoking" sign (E36)
- "BM000038850.JPG" (E75)
- image BM000038850.JPG from the Clayton Herbarium in London (E38)
- The distribution of form, tone and colour found on Leonardo da Vinci's painting named "Mona Lisa" (E38)

#### To:

### Scope note:

This class comprises identifiable symbols and any aggregation of symbols, such as characters, identifiers, traffic signs, emblems, texts, data sets, images, musical scores, multimedia objects, computer program code or mathematical formulae that have an objectively recognizable structure and that are documented as single units.

It includes sets of signs of any nature, which may serve to designate something, or to communicate some propositional content.

An instance of E90 Symbolic Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously. An instance of E90 Symbolic Object may or may not have a specific meaning, for example an arbitrary character string.

In some cases, the content of an instance of E90 Symbolic Object may completely be represented by a serialized content model, such.. as the property P3 has note allows for describing this content model...P3.1 has type: <u>E55</u> Type to specify the encoding..

#### Examples:

- 'ecognizabl'
- The "no-smoking" sign (E36)
- "BM000038850.JPG" (E75)
- image BM000038850.JPG from the Clayton Herbarium in London (E38)
- The distribution of form, tone and colour found on Leonardo da Vinci's painting named "Mona Lisa" in daylight (E38)

## Changes in the scope note of P50, P52, P55, P54

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, resolving the ISSUE 204, made changes to the following properties:

### **P50** has current keeper (is current keeper of) (first paragraph of the scope note)

#### From.

This property identifies the E39 Actor or Actors who had custody of an instance of E18 Physical Thing at the time this property was recorded.

To:

This property identifies the E39 Actor or Actors who had custody of an instance of E18 Physical Thing at the time of validity of the record or database containing the statement that uses this property.

### P52 has current owner (is current owner of) (first paragraph of the scope note)

#### From:

This property identifies the E21 Person, E74 Group or E40 Legal Body that was the owner of an instance of E18 Physical Thing at the time this property was recorded.

To:

This property identifies the E21 Person, E74 Group or E40 Legal Body that was the owner of an instance of E18 Physical Thing at the time of validity of the record or database containing the statement that uses this property.

## **P54** has current permanent location (is current permanent location of) (first paragraph of the scope note)

#### From:

This property records the foreseen permanent location of an instance of E19 Physical Object at the time this property was recorded.

#### To:

This property records the foreseen permanent location of an instance of E19 Physical Object at the time of validity of the record or database containing the statement that uses this property.

### P55 has current location (currently holds) (first paragraph of the scope note)

#### From:

This property records the location of an  $\underline{\text{E19}}$  Physical Object at the time the property was recorded.

To:

This property records the location of an <u>E19</u> Physical Object at the time of validity of the record or database containing the statement that uses this property.

### P88 consists of (forms part of) has been deleted

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, resolving the ISSUE 201, decided to delete E53 Place. P88 consists of (form part of):E53 Place and to post an new issue about E18 Physical Thing occupies place. Appropriate updates were made to the text of CIDOC CRM:

- 1. CIDOC CRM Property Hierarchy, page xxvi
- 2. Property Section of E53 Place, page 22
- 3. CIDOC CRM Property declarations, page 59

## The range of P142 used constituent (was used in) is changed

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, the CRM-SIG resolving the ISSUE 209, made the following changes in the definition of P142 in page 74.

### from:

#### P142 used constituent (was used in)

Domain: <u>E15</u> Identifier Assignment

Range: E41 Appellation

Subproperty of: E7 Activity. P16 used specific object (was used for): E70 Thing

Quantification: (0:n,0:n)

Scope note: This property associates the event of assigning an instance of E42 Identifier to an entity, with the

instances of E41 Appellation that were used as elements of the identifier.

#### Examples:

- On June 1, 2001 assigning the personal name heading "Guillaume, de Machaut, ca. 1300-1377" (E15) *used constituent* "Guillaume, de Machaut" (E82)
- On June 1, 2001 assigning the personal name heading "Guillaume, de Machaut, ca. 1300-1377" (E15) *used constituent* "ca. 1300-1377" (E49)

to:

### P142 used constituent (was used in)

Domain: <u>E15</u> Identifier Assignment Range: <u>E90</u> Symbolic Object

Subproperty of: E7 Activity. P16 used specific object (was used for): E70 Thing

Quantification: (0:n,0:n)

Scope note: This property associates the event of assigning an instance of E42 Identifier with the instances of E90

Symbolic Object that were used as constituents of the identifier.

#### Examples:

- On June 1, 2001 assigning the personal name identifier "Guillaume, de Machaut, ca. 1300-1377" (E15) used constituent "ca. 1300-1377" (E49)
- Assigning a uniform title to the anonymous textual work known as 'The Adoration of the Shepherds' (E15) used constituent 'Coventry' (E48)
- Assigning a uniform title to Pina Bausch's choreographic work entitled 'Rite of spring' (E15)

used constituent '(Choreographic Work: Bausch)'(E90)

- Assigning a uniform title to the motion picture directed in 1933 by Merian C. Cooper and Ernest B. Schoedsack and entitled 'King Kong' (E15) *used constituent* '1933' (E50)
- Assigning the corporate name identifier 'Univerza v Ljubljani. Oddelek za bibliotekarstvo' to The Department for library science of the University of Ljubljana (E15) used constituent 'Univerza v Ljubljani' (E42)

The range of P142 has been changed in the following:

<u>Page xxv</u>: CIDOC Property Hierarchy <u>Page 9</u>: Property section of E15 <u>Page 41</u>: Superproperty section of P16

#### New property P150 has been added

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, resolving the ISSUE 208. The CRM-SIG decided to add a new property P150 (the name will be decided to the next meeting) to E55 Type the following:

### P150 defines typical parts of (defines typical wholes for)

Domain: E55 Type Range: E55 Type

Quantification: many to many (0,n:0,n)

Scope note: The property "broaderPartitive" associates an instance of E55 Type "A" with an instance of E55 Type

"B", when items of type "A" typically form part of items of type "B", such as "car motors" and "cars".

It allows Types to be organised into hierarchies. This is the sense of "broader term partitive (BTP)" as defined in ISO 2788 and "broaderPartitive" in SKOS.

Examples:

• Car motors (E55) has broader term cars (E55)

Also appropriate changes were made to (1) the property section to E55 Type (2) CIDOC CRM Property Hierarchy table in page xxvii

### New property P152 has been added

In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, resolving the ISSUE 199. The CRM-SIG decided to add a new property P152 has parent(is parent of) the following:

## P152 has parent (is parent of)

Domain: E21 Person Range: E21 Person

Subproperty of:

Quantification: (2,n:0:n)

Scope note: It appears that there is a notion of events justifying parenthood relationships in a biological or legal

sense. There is a notion of legal parenthood being equal to or equivalent to biological parenthood. The fact that the legal system may not acknowledge biological parenthood is not a contradiction to a more general concept comprising both biological and legal sense. In particular, such a notion should imply as default children being heirs, if the society supports such concept.

The superproperty of this property is in abeyance until the next meeting. It should be paths for was born – gave birth, was born, by father..

Also appropriate changes were made to (1) the property section to E21 Person (2) CIDOC CRM Property Hierarchy table in page xxvii

# Proofreading:

<u>Page xvi:</u> In the 25th CIDOC SIG meeting and the 18th FRBR-CIDOC CRM Harmonization meeting, at April 30th – May 3rd, 2012, at ICS – FORTH, the CRM-SIG, it is decided to made the following changes for clarification reasons to Disjointness

#### from

"Classes are disjoint if they share no common instances in any possible world. There are many examples of disjoint classes in the CRM."

#### To

Classes are disjoint if they share no common instances in any possible world. That implies that it is not possible to instantiate an item using a combination of classes that are mutually disjoint or with subclasses of them (see "multiple instantiation" in section "Terminology"). There are many examples of disjoint classes in the CRM.

- Page 62: In the first sentence of the scope note of P98 brought into life (was born), the phrase *E67Birth* became E67 Birth
- <u>Page 65:</u> In P109 has current or former curator (is current or former curator of), the hyperlink of code P49 has former or current keeper (is former or current keeper of) to the subproperty section has been added.
- <u>Page 70:</u> In the scope note of *P128 carries(is carried by)*, in the first sentence the E73 Information Object became E90 Symbolic Object.
- <u>Page 119</u>:The range of *P128 carries(is carried by)*, in the table of the section CRM-Compatible Form, set to E90 Symbolic Object.
- Page 76: the first paragraph of P147 has been changed

#### from

This property associates an instance of E78 Collection or collections with subject of a curation activity following some implicit or explicit curation plan.

#### To

This property associates an instance of E87 Curation Activity with the instance of E78 Collection that is subject of that curation activity.

<u>Page 136</u>:in P111 added(was added by), P113 removed(was removed by) the form of the tense has been corrected. Page 170:in P88 foresees use of (use forseen by), the form of the tense has been corrected.

# Amendments to draft version 5.1.1

### Addition to the monotonicity text in page xvi

In 27th CIDOC SIG meeting and the 20th FRBR-CIDOC CRM Harmonization meeting, at 19 November – 22 November, 2012, at Amersfoort, Netherlands, the CRM-SIG, resolving the ISSUE 204, decided to add the following text in the monotonicity section in page xvi.

The following text is added:

Properties, such as having a part, an owner or a location, may change many times for a single item during its existence. Stating instances of such properties for an item in terms of the CRM only means that these properties existed during some particular time-span. Therefore, one item may have multiple instances of the same property reflecting an aggregation of these instances over the time-span of its existence. If more temporal details are required, the CRM recommends explicitly describing the events of acquiring or losing such property instances, such as by E9 Move etc. By virtue of this principle, the CRM achieves monotonicity with respect to an increase of knowledge about the states of an item at different times, regardless of their temporal order.

However, for some of these properties many collection databases describe the "current" state, such as "current location" or "current owner". Using such a "current" state means, that the database manager is able to verify the respective reality at the latest date of validity of the database. Obviously, this information is non-monotonic, i.e., it requires deletion when the state changes. In order to preserve a reduced monotonicity, these properties have time-neutral superproperties by which respective instances can be reclassified if the validity becomes unknown or no longer holds. Therefore the use of such properties in the CRM is only recommended if they can be maintained consistently. Otherwise, they should be reclassified by their time-neutral superproperties. This holds in particular if data is exported to another repository.

#### The range of P8 took place on or within (witnessed)

In 27th CIDOC SIG meeting and the 20th FRBR-CIDOC CRM Harmonization meeting, at 19 November – 22 November, 2012, at Amersfoort, Netherlands, the CRM-SIG, resolving the ISSUE 211, decided to change the range of E4 Period.P8 took place on or within (witnessed) to E18 Physical Thing from E19 Physical Object.The following changes took place:

Page xvv: on the property hierarchy table

Page 4: Properties section of E4 Period

Page 39: Properties definition section on Range field.

### The name of the property P69 is associated with

In 27th CIDOC SIG meeting and the 20th FRBR-CIDOC CRM Harmonization meeting, at 19 November – 22 November, 2012, at Amersfoort, Netherlands, the CRM-SIG, discussing the **ISSUE 214** 

Decided to change the name of the property P69 is associated with to P69 has association with (is associated with). The following changes took place:

Page xxvi: on the property hierarchy table

Page 14: On the scope note and properties of E29 Design or Procedure

Page 55,56: Name, scope note and examples of P69

The following example has been added to the P69

• The set of instructions for performing Macbeth in Max Reinhardt's production in 1916 in Berlin at Deutsches Theater (E29) has association with the scene design drawing by Ernst Stern reproduced at http://www.glopad.org/pi/fr/record/digdoc/1003814 (E29) has type set design (E55)

### **Examples in E28 Conceptual Object**

In 27th CIDOC SIG meeting and the 20th FRBR-CIDOC CRM Harmonization meeting, at 19 November – 22 November, 2012, at Amersfoort, Netherlands, the CRM-SIG, decided the example of Maxwell equations in F50 Controlled Access Point to be added to E28 Conceptual Object

### The scope note of E90 Symbolic Object

In 27th CIDOC SIG meeting and the 20th FRBR-CIDOC CRM Harmonization meeting, at 19 November – 22 November, 2012, at Amersfoort, Netherlands, the CRM-SIG, decided to finalize the text of the issue 207.

From

In some cases, the content of an instance of E90 Symbolic Object may completely be represented by a serialized content model, such.. as the property P3 has note allows for describing this content model...P3.1 has type: E55 Type to specify the encoding..

To

In some cases, the content of an instance of E90 Symbolic Object may completely be represented by a serialized digital content model, such as a sequence of ASCII-encoded characters, an XML or HTML document, or a TIFF image. The property P3 has note allows for the description of this content model. In order to disambiguate which symbolic level is the carrier of the meaning, the property P3.1 has type can be used to specify the encoding (e.g. "bit", "Latin character", RGB pixel)

#### New property for E55 Type about narrower term partitive

In 27th CIDOC SIG meeting and the 20th FRBR-CIDOC CRM Harmonization meeting, at 19 November – 22 November, 2012, at Amersfoort, Netherlands, the CRM-SIG, decided to close the issue 208. The definition of the property, the scope notes and the example are accepted as they are.

## P150 defines typical parts of (defines typical wholes for)

Domain: E55 Type Range: E55 Type

Quantification: many to many (0,n:0,n)

Scope note: The property "broaderPartitive" associates an instance of E55 Type "A" with an instance of E55 Type "B", when items of type "A" typically form part of items of type "B", such as "car motors" and "cars".

It allows Types to be organised into hierarchies. This is the sense of "broader term partitive (BTP)" as defined in ISO 2788 and "broaderPartitive" in SKOS.

Examples:

car motors (E55) has broader term cars (E55)

### The range of P142 used constituent (was used in)

In 27th CIDOC SIG meeting and the 20th FRBR-CIDOC CRM Harmonization meeting, at 19 November – 22 November, 2012, at Amersfoort, Netherlands, the CRM-SIG resolving the issue 209 decided to change . the range of E15 Identifier Assignment.P142 used constituent (was used in):E41 Appellation to E90 Symbolic Object and the examples from R47 used constituent (was used in), of FRBRv2.0 draft to be transferred to P142 used constituent (was used in).

#### **FROM**

### P142 used constituent (was used in)

Domain: <u>E15</u> Identifier Assignment

Range: <u>E41</u> Appellation

Subproperty of: E7 Activity. P16 used specific object (was used for): E70 Thing

Quantification: (0:n,0:n)

Scope note: This property associates the event of assigning an instance of E42 Identifier to an entity, with

the instances of E41 Appellation that were used as elements of the identifier.

Examples:

On June 1, 2001 assigning the personal name heading "Guillaume, de Machaut, ca. 1300-1377" (E15) *used constituent* "Guillaume, de Machaut" (E82)

On June 1, 2001 assigning the personal name heading "Guillaume, de Machaut, ca. 1300-1377" (E15) *used constituent* "ca. 1300-1377" (E49)

TO

### P142 used constituent (was used in)

Domain: <u>E15</u> Identifier Assignment Range: <u>E90</u> Symbolic Object

Subproperty of: E7 Activity. P16 used specific object (was used for): E70 Thing

Quantification: (0:n,0:n)

Scope note: This property associates the event of assigning an instance of E42 Identifier with the instances

of E90 Symbolic Object that were used as constituents of the identifier.

Examples:

- On June 1, 2001 assigning the personal name identifier "Guillaume, de Machaut, ca. 1300-1377" (E15) *used constituent* "ca. 1300-1377" (E49)
- Assigning a uniform title to the anonymous textual work known as 'The Adoration of the Shepherds' (E15) *used constituent* 'Coventry' (E48)
- Assigning a uniform title to Pina Bausch's choreographic work entitled 'Rite of spring' (E15) *used constituent* '(Choreographic Work: Bausch)'(E90)
- Assigning a uniform title to the motion picture directed in 1933 by Merian C. Cooper and Ernest B. Schoedsack and entitled 'King Kong' (E15) *used constituent* '1933' (E50)
- Assigning the corporate name identifier 'Univerza v Ljubljani. Oddelek za bibliotekarstvo' to The Department for library science of the University of Ljubljana (E15) used constituent 'Univerza v Ljubljani' (E42)

### Examples have been added to E7 Activity

In 27th CIDOC SIG meeting and the 20th FRBR-CIDOC CRM Harmonization meeting, at 19 November – 22 November, 2012, at Amersfoort, Netherlands, the CRM-SIG resolving the **issue 216** decided that the scope note of E7 Activity covers the notion of continuity and added two examples to denote the continuity. These are:

- Kira Weber working in glass art from 1984 to 1993
- Kira Weber working in oil and pastel painting from 1993

# **Proofreading**:

Page xxv: The range of the property P8 has been corrected

# Amendments 5.1.2

### The scope note of E74 is changed

28th CIDOC SIG meeting and the 21st FRBR-CIDOC CRM Harmonization meeting 6-8 June, 2013, the CRM-SIG resolving the **issue 215** decided to accept the changes to the scope note of E74 Group.

The scope note of E74 has been changed: FROM

This class comprises any gatherings or organizations of two or more people that act collectively or in a similar way due to any form of unifying relationship. In the wider sense this class also comprises official positions which used to be regarded in certain contexts as one actor, independent of the current holder of the office, such as the president of a country.

A gathering of people becomes an E74 Group when it exhibits organizational characteristics usually typified by a set of ideas or beliefs held in common, or actions performed together. These might be communication, creating some common artifact, a common purpose such as study, worship, business, sports, etc. Nationality can be modeled as membership in an E74 Group (cf. HumanML markup). Married couples and other concepts of family are regarded as particular examples of E74 Group.

#### Examples

- the impressionists
- the Navaio
- the Greeks
- the peace protestors in New York City on February 15 2003
- Exxon-Mobil
- King Solomon and his wives
- The President of the Swiss Confederation

TO

This class comprises any gatherings or organizations of two or more people that act collectively or in a similar way due to any form of unifying relationship. In the wider sense this class also comprises official positions which used to be regarded in certain contexts as one actor, independent of the current holder of the office, such as the president of a country. A joint pseudonym (i.e., a name that seems indicative of an individual but that is actually used as a persona by two or more people) is a particular case of E74 Group.

A gathering of people becomes an E74 Group when it exhibits organizational characteristics usually typified by a set of ideas or beliefs held in common, or actions performed together. These might be communication, creating some common artifact, a common purpose such as study, worship, business, sports, etc. Nationality can be modeled as membership in an E74 Group (cf. HumanML markup). Married couples and other concepts of family are regarded as particular examples of E74 Group.

### Examples:

- the impressionists
- the Navajo
- the Greeks
- the peace protestors in New York City on February 15 2003
- Exxon-Mobil
- King Solomon and his wives
- The President of the Swiss Confederation
- Nicolas Bourbaki
- Betty Crocker
- Ellery Queen

### **Multiple Instantiation**

In 29th CIDOC SIG and the 22nd FRBR-CIDOC CRM Harmonization meeting, October 21st, Crete, resolving the issue

**202,** a text about "multiple instantiation has been added to terminology section, page x. The text follows:

"Instantiation is the term that describes the case that an instance of class A is also regarded as an instance of one or more other classes B1...n at the same time. When multiple instantiation is used, it has the effect that the properties of all these classes become available to describe this instance. For instance, some particular cases of destruction may also be activities(e.g., Herostratos' deed), but not all destructions are activities (e.g., destruction of Herculaneum). In comparison, multiple inheritance describes the case that all instances of a class A are implicitly instances of all superclasses of A, by virtue of the definition of the class A, whereas the combination of classes used for multiple instantiation is a characteristic of particular instances only. It is important to note that multiple instantiation is not allowed using combinations of disjoint classes."

#### P138 represents (has representation)

In 29th CIDOC SIG and the 22nd FRBR-CIDOC CRM Harmonization meeting, October 21st, Crete, resolving the **issue 205**, the scope note of property P138 has been changed

#### **FROM**

This property establishes the relationship between an E36 Visual Item and the entity that it visually represents.

Any entity may be represented visually. This property is part of the fully developed path from E24 Physical Man-Made Thing through *P65 shows visual item* (*is shown by*), E36 Visual Item, *P138 represents* (*has representation*) to E1 CRM Entity, which is shortcut by *P62depicts* (*is depicted by*). P138.1 mode of representation allows the nature of the representation to be refined.

### Examples:

• the design on the reverse of a Swiss coin (E36) *represents* Helvetia (E28) *mode of representation* Profile (E55)

TO:

This property establishes the relationship between an E36 Visual Item and the entity that it visually represents.

Any entity may be represented visually. This property is part of the fully developed path from E24 Physical Man-Made Thing through *P65 shows visual item* (*is shown by*), E36 Visual Item, *P138 represents* (*has representation*) to E1 CRM Entity, which is shortcut by *P62depicts* (*is depicted by*). P138.1 mode of representation allows the nature of the representation to be refined.

This property is also used for the relationship between an original and a digitisation of the original by the use of techniques such as digital photography, flatbed or infrared scanning. Digitisation is here seen as a process with a mechanical, causal component rendering the spatial distribution of structural and optical properties of the original and does not necessarily include any visual similarity identifiable by human observation."

Also the following examples has been added:

"the digital file found at <a href="http://www.emunch.no/N/full/No-MM\_N0001-01.jpg">http://www.emunch.no/N/full/No-MM\_N0001-01.jpg</a> (E73) represents page 1 of Edward Munch's manuscript MM N 1, Munch-museet (E73) mode of representation Digitisation (E55)"

## P69 has association with (is associated with)

In 29th CIDOC SIG and the 22nd FRBR-CIDOC CRM Harmonization meeting, October 21st, Crete, resolving the **issue 214** we revised the scope note of P69 and the examples and one example is added. The text and the examples are changed

### FROM:

## P69 has association with (is associated with)

Scope note: This symmetric property describes the association of an E29 Design or Procedure with other Designs or Procedures.

Any instance of E29 Design or Procedure may be associated with other designs or procedures.

The *P69.1 has type* property of *P69 has association with* allows the nature of the association to be specified; examples of types of association between instances of E29 Design or Procedure include: whole-part, sequence, prerequisite, etc

Properties: P69.1 has type: <u>E55</u> Type

Examples:

- procedure for glass blowing (E29) has association with procedure for glass heating (E29)
- The set of instructions for performing Macbeth in Max Reinhardt's production in 1916 in Berlin at Deutsches Theater (E29) has association with the scene design drawing by Ernst Stern reproduced at <a href="http://www.glopad.org/pi/fr/record/digdoc/1003814">http://www.glopad.org/pi/fr/record/digdoc/1003814</a> (E29) has type set design (E55)

TO

#### P69 has association with (is associated with)

Scope note: This property generalises relationships like whole-part, sequence, prerequisite or inspired by between instances of E29 Design or Procedure. Any instance of E29 Design or Procedure may be associated with other designs or procedures. The property is considered to be symmetrical unless otherwise indicated by P69.1 has type.

The *P69.1 has type* property of *P69 has association with* allows the nature of the association to be specified reading from domain to range; examples of types of association between instances of E29 Design or Procedure include: has part, follows, requires, etc.

The property can typically be used to model the decomposition of the description of a complete workflow into a series of separate procedures.

### Examples:

- Procedure for glass blowing (E29) has association with procedure for glass heating (E29)
- The set of instructions for performing Macbeth in Max Reinhardt's production in 1916 in Berlin at Deutsches Theater (E29) has association with the scene design drawing by Ernst Stern reproduced at http://www.glopad.org/pi/fr/record/digdoc/1003814 (E29) has type has part (E55)
- Preparation of parchment (E29) has association with soaking and unhairing of skin (E29) has type 'has part' (E55). Preparation of parchment (E29) has association with stretching of skin (E29) has type 'has part' (E55). Stretching of skin (E29) has association with soaking and unhairing of skin (E29) has type 'follows' (E55).

Properties: P69.1 has type: E55 Type

### P56 bears feature (is found on)

In 29th CIDOC SIG and the 22nd FRBR-CIDOC CRM Harmonization meeting, October 21st, Crete, resolving the **issue 225**, the scope of P56 has been changed FROM

This property describes a E26 Physical Feature found on a E19 Physical Object It does not specify the location of the feature on the object.

P56 bears feature (is found on) is a shortcut. A more detailed representation can make use of the fully developed (i.e. indirect) path from E19 Physical Object through P59 has section (is located on or within), E53 Place, P53 has former or current location (is former or current location of) to E26 Physical Feature.

A Physical Feature can only exist on one object. One object may bear more than one Physical Feature. An E27 Site should be considered as an E26 Physical Feature on the surface of the Earth.

TO

This property links an instance of E19 Physical Object to an instance of E26 Physical Feature that it bears.

An E26 Physical Feature can only exist on one object. One object may bear more than one E26 Physical Feature. An E27 Site should be considered as an E26 Physical Feature on the surface of the Earth.

An instance B of E26 Physical Feature being a detail of the structure of another instance A of E26 Physical Feature can be linked to B by use of the property P46 is composed of (forms part of). This implies that the subfeature B is P56i found on the same E19 Physical Object as A.

P56 bears feature (is found on) is a shortcut. A more detailed representation can make use of the fully developed (i.e. indirect) path from E19 Physical Object through P59 has section (is located on or

within), E53 Place, P53 has former or current location (is former or current location of) to E26 Physical Feature.

#### Co reference statement

In 29th CIDOC SIG and the 22nd FRBR-CIDOC CRM Harmonization meeting, October 21st, Crete, resolving the **issue 230**, the following entities and properties have been added to the CRM

### **E91 Co-Reference Assignment**

Subclass of: E13 Attribute Assignment

Scope note: This class comprises actions of making the assertion whether two or more particular instances

of E89 Propositional Object refer to the same instance of E1 CRM Entity. The assertion is based on the assumption that this was an implicit fact being made explicit by this assignment. Use of this class allows for the full description of the context of this assignment. (MD will

write an extension about the levels of belief)

Examples:

• the assertion that the author name "Hans Jæger" on the title page of the novel "Fra Christiania-Bohêmen" refers to the same historical person as the motive of the painting "Forfatteren Hans Jæger" by Edvard Munch.

the assertion that the author name "Hans Jæger" on the title page of the novel "Fra Christiania-Bohêmen" does not refer to the same historical person as the author of the collection of drawings "Til Julebordet: ti Pennetegninger / af H.J." incorrectly attributed

to Hans Jæger in the Bibsys database.

Properties:

P153 assigned co-reference to (was regarded to co-refer by): E89 Propositional Object

P154 assigned non co-reference to (was regarded not to co-refer by): E89 Propositional Object

P155 has co-reference target (is co-reference target of): E1 CRM Entity

## P153 assigned co-reference to (was regarded to co-refer by)

Domain: E91 Co-Reference Assignment Range: E89 Propositional Object Subproperty of: P140 assigned attribute to

Quantification: ()

Scope note: This property connects an E91 Co-Reference Assignment to one of the propositional objects

co-referring to the co-reference target

## P154 assigned non co-reference to (was regarded not to co-refer by)

Domain: E91 Co-Reference Assignment Range: E89 Propositional Object Subproperty of: P140 assigned attribute to

Quantification: ()

Scope note: This property connects an E91 Co-Reference Assignment to one of the propositional objects

not co-referring to the co-reference target

## P155 has co-reference target (is co-reference target of)

Domain: E91 Co-Reference Assignment

Range: E1 CRM Entity

Subproperty of: P141 assigned (was assigned by)

Quantification: ()

Scope note: This property connects an E91 Co-Reference Assignment to the target of the references that

are regarded as co-referring.

#### Scope note of P32 used general technique (was technique of)

In 29th CIDOC SIG and the 22nd FRBR-CIDOC CRM Harmonization meeting, October 21st, Crete, resolving the **issue 232**, the scope note of P32 has been changed

#### **FROM**

These techniques should be drawn from an external E55 Type hierarchy of consistent terminology of general techniques such as embroidery, oil-painting, etc. Specific techniques may be further described as instances of E29 Design or Procedure.

TO

This property identifies the technique or method that was employed in an activity.

These techniques should be drawn from an external E55 Type hierarchy of consistent terminology of general techniques or methods such as embroidery, oil-painting, carbon dating, etc. Specific documented techniques should be described as instances of E29 Design or Procedure. This property identifies the technique that was employed in an act of modification.

### **Spatiotemporal Entities and Properties**

In 29th CIDOC SIG and the 22nd FRBR-CIDOC CRM Harmonization meeting, October 21st, Crete, resolving the **issue 234**, the following entities and properties have been added for reviewing

#### E92 Spacetime Volume

Subclass of: **E1** CRM Entity

Scope note:

This class comprises 4 dimensional point sets (volumes) in physical spacetime regardless its true geometric form. They may derive their identity from being the extent of a material phenomenon or from being the interpretation of an expression defining an extent in spacetime. Intersections of instances of E92 Spacetime Volume, Place and Timespan are also regarded as instances of E92 Spacetime Volume. An instance of E92 Spacetime Volume is either contiguous or composed of a finite number of contiguous subsets. Its boundaries may be fuzzy due to the properties of the phenomena it derives from or due to the limited precision up to which defining expression can be identified with a real extent in spacetime. The duration of existence of an instance of a spacetime volume is trivially its projection on time .

### Examples:

- the spacetime Volume of the Event of Ceasars murder
- the spacetime Volume where and when the carbon 14 dating of the "Schoeninger Speer II" in 1996 took place
- the spatio-temporal trajectory of the H.M.S. Victory from its building to its actual location
- the spacetime volume defined by a polygon approximating the Danube river flood in Austria between 6<sup>th</sup> and 9<sup>th</sup> of August 2002

#### Properties:

<u>P160</u> has temporal projection: <u>E52</u> Time-Span <u>P161</u> has spatial projection: <u>E53</u> Place

E93 Spacetime Snapshot

Subclass of: <u>E92</u> Spacetime Volume

#### Scope note:

This class comprises instances of E92 Spacetime Volume that result from intersections of instances of E92 Spacetime Volume, E53 Place or E52 Time-Span. The identity of an instance of this class is determined by the identities of its constituting items. Those are one or more of the following:

- 1) two or more instances of E92 Spacetime Volume
- 2) one or more instances of E92 Spacetime Volume AND one or more instances of E53 Place.
- 3) one or more instances of E92 Spacetime Volume AND one or more instances of E52 Time-Span
- 4) one or more instances of E53 Place AND one or more instances of E52 Time-Span

This class can be used to define temporal snapshots at a particular time-span, such as the extent of the Roman Empire at 33 B.C., or the extent occupied by a museum object at rest in an exhibit. It can also be used to define a spatial snapshot, such as cutting the E92 Spacetime Volume occupied by the Iron Age by the current spatial extent of Austria. It can also be used to define intersections of two or more real spatiotemporal components, such as the E92 Spacetime Volume occupied by the E4 Period of Impressionism with the E92 Spacetime Volume occupied by the life of Van Gogh, or the E92

Spacetime Volume occupied by Imperial China with that claimed by Imperial Vietnam. In particular, it can be used to define partial spatial or temporal projections of spacetime volumes, such as the time-spans of foreign occupation of a country, or the spatial extent of a flood at some particular hour.

Properties:

P162 is restricted by: E92 Spacetime Volume

<u>P163</u> is restricted by: <u>E53</u> Place <u>P164</u> is restricted by: <u>E52</u> Time Span

P156 occupies

Domain: E18 Physical Thing

Range: E53 Place

Quantification: one to one (0,1:1,1)

Scope note:

This property describes the maximal real volume in space that an instance of E18 Physical Thing has occupied during its lifetime with respect to a reference space relative to which the thing is at rest. In other words, it is the volume that contains all the points which the thing has covered at some time during its existence. In the case of an E26 Physical Feature the default reference space is the one in which the object that bears the feature or at least the surrounding matter of the feature is at rest. In this case there is a 1:1 relation of E26 Feature and E53 Place. For simplicity of implementation multiple inheritance (E26 Feature IsA E53 Place) may be a practical approach.

For instances of E19 Physical Objects the default reference space is the one which is at rest to the object itself, i.e. which moves together with the object. We include in the occupied space the space filled by the matter of the physical thing and all its inner spaces.

This property is a shortcut of the fully developed path from 'E18 Physical Thing' through 'P157 occupied', 'E92 Spacetime Volume', 'P159 has spatial projection' to 'E53 Place'. For some instances of E18 Physical Object the relative stability of form may not be sufficient to define a useful local reference space, for instance for an amoeba. In such cases the fully developed path to an external reference space and using a temporal validity component may be adequate to determine the place they have occupied.

In contrast to P156 occupies, the property P53 has former or current location identifies an instance of E53 Place at which a thing is or has been for some unspecified time span. Further it does not constrain this reference space of the referred instance of P53 Place.

### P157 is at rest relative to (occupied)

Domain: P53 Place

Range: E18 Physical Thing

Superproperty of: Inverse of (<u>E53 Place</u>, <u>P59i is located on or within</u>: <u>E18 Physical Thing</u>)

Quantification: many to many, necessary, dependent (1,n:0,n)

Scope note: This property associates an instance of P53 Place with the instance of E18 Physical Thing that

determines a reference space for this instance of <u>P53</u> Place by being at rest with respect to this reference space. The relative stability of form of an E18 Physical Thing defines its default reference space. The reference space is not spatially limited to the referred thing. For example, a ship determines a reference space in terms of which other ships in its neighbourhood may be described. Larger constellations of matter, such as continental plates, may comprise many physical features that are at rest with them and define the same reference space.

## P158 occupied

Domain: E4 Period

Range: E92 Spacetime Volume

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property associates an instance of E4 Period with the real (phenomenal) 4 dimensional point set

(volume) in spacetime that it has occupied. The associated instance of E92 Spacetime Volume includes the trajectories of the participating physical things during their participation in the instance of E4 Period, the open spaces via which they have interacted and the spaces by which they had the potential to interact during that period or event in the way defined by the type of the respective period or event, such as the air in a meeting room transferring the voices. Another example are the areas controlled by

some military power. In general, instances of E4 Period have fuzzy boundaries in spacetime.

#### P159 occupied

Domain: E18 Physical Thing Range: E92 Spacetime Volume

Quantification: many to one, necessary (1,1:0,n)

Scope note: This property describes the real (phenomenal) 4 dimensional point sets (volumes) in spacetime that the

trajectory of an instance of E18 Physical Thing occupies in spacetime in the course of its existence. We

include in the occupied space the space filled by the matter of the physical thing and all its inner

spaces.

### P160 has temporal projection

Domain: E92 Spacetime Volume

Range: E52 Time-Span

Ouantification: one to one (1,1:1,1)

Scope note: This property describes the temporal projection of an instance of an E92 Spacetime Volume. The

property P4 has time-span is a shortcut of the more fully developed path from E4 Period through P158

occupied, E92 Spacetime Volume P160 has temporal projection to E52 Time Span.

P161 has spatial projection

Domain: E92 Spacetime Volume

Range: E53 Place

Quantification: one to many, necessary, dependent (1,n:1,1)

Scope note: This property associates an instance of a E92 Spacetime Volume with an instance of E53 Place that is

the result of the spatial projection of the instance of a E92 Spacetime Volume on a reference space. In general there can be more than one useful reference space to describe the spatial projection of a spacetime volume, such as that of a battle ship versus that of the seafloor. Therefore the projection is

not unique.

The property P7 took place at is a shortcut of the more fully developed path from E4 Period through

P158 occupied, E92 Spacetime Volume P161 has spatial projection to E53 Place.

## P162 is restricted by

Domain: **E93** Spacetime Snapshot

Range: **E92** Spacetime Volume

Quantification: two to many, necessary (2,n:0,n)

Scope note: This property relates an E93 Spacetime Snapshot with an arbitrary E92 Spacetime Volume that

restricts the extent of the former to a volume equal to or within the latter.

#### P163 is restricted by

Domain: **E93** Spacetime Snapshot

Range: **E53 Place** 

Quantification: two to many, necessary (2,n:0,n)

Scope note: This property relates an E93 Spacetime Snapshot with an arbitrary instance of E53 Place that

restricts the extent of the former to a volume within the back-projection of the instance of E53 Place to all times. If the instance of E53 Place is defined in two dimensions only, such as the footprint of a

building, the place needs also to be back-projected into the third dimension.

P164 is restricted by

Domain: <u>E93</u> Spacetime Snapshot

Range: E52 Time-Span

Quantification: two to many, necessary (2,n:0,n)

Scope note: This property relates an E93 Spacetime Snapshot with an arbitrary E52 Time-Span that restricts the

extent of the former to a volume within these time limits.

# **Proofreading**

Page 9: The range of the property the P39 measured (was measured by) in the declaration of properties on E16 has been corrected to E1 CRM Entity

Page 139: The version number corrected. It changed from "Amendments to draft version 5.1 (May 2013)" to "Amendments to draft version 5.1.1"

## **Amendments 6.0**

#### Inverse of a property

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig resolving the ISSUES 199 and 219, decided to add an explanation about "superproperty of inverse". Thus the following insertions has been made to:

(1) Terminology section inverse of a property,

"The inverse of a property is the reinterpretation of a **property** from **range** to **domain** without more general or more specific meaning, similar to the choice between active and passive voice in some languages. In contrast to some knowledge representation languages, such as RDF and OWL, we regard that the inverse of a property is not a property in its own right that needs an explicit declaration of being inverse of another, but an interpretation implicitly existing for any property. The inverse of the inverse of a property is identical to the property itself, i.e. its primary sense of direction.

#### For example:

"CRM Entity is depicted by Physical Man-Made Thing" is the inverse of "Physical Man-Made Thing depicts CRM Entity" "

(2) In the subproperty definition in the Terminology section the following text has been added:

"Alternatively, a property may be subproperty of the **inverse of** another property, i.e. reading the property from range to domain. In that case,

- 6. all instances of the subproperty are also instances of the inverse of the other property,
- 7. the intension of the subproperty extends the intension of the inverse of the other property, i.e. its traits are more restrictive than that of the inverse of the other property,
- 8. the domain of the subproperty is the same as the range of the other property or a subclass of that range,
- 9. the range of the subproperty is the same as the domain of the other property or a subclass of that domain,
- 10. the subproperty inherits the definition of all of the properties declared for the other property without exceptions (strict inheritance), in addition to having none, one or more properties of its own. The definitions of inherited properties have to be interpreted in the inverse sense of direction of the subproperty, i.e., from range to domain."

- (3) In the superproperty section in the Terminology section the following sentence has been added to the end of the paragraph.
- "A superproperty may be a generalization of the inverse of another property"
- (4) In the chapter entitled "naming conventions" the third paragraph is changed to:
- "Property names should be read in their non-parenthetical form for the domain-to-range direction, and in parenthetical form for the range-to-domain direction. Reading a property in range-to-domain direction is equivalent to the inverse of that property. Following a current notational practice in OWL knowledge representation language, we represent inverse properties in this text by adding a letter "i" following the identification number and the parenthetical form of the full property name, such as *P59i is located on or within*, which is the inverse of *P59 has section (is located on or within)*."

### **E2 Temporal Entity**

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 234, we added the following text to the end of the first paragraph of E2 Temporal Entity.

"This extent in time must be contiguous, i.e., without gaps. In case the defining kinds of phenomena for an instance of E2 Temporal Entity cease to happen, and occur later again at another time, we regard that the former E2 Temporal Entity has ended and a new instance has come into existence. In more intuitive terms, the same event cannot happen twice."

#### **E4 Period**

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 234, we modified the third paragraph of scope note of E4. *Old:* 

Typically this class is used to describe prehistoric or historic periods such as the "Neolithic Period", the "Ming Dynasty" or the "McCarthy Era". There are however no assumptions about the scale of the associated phenomena. In particular all events are seen as synthetic processes consisting of coherent phenomena. Therefore E4 Period is a superclass of E5 Event. For example, a modern clinical E67 Birth can be seen as both an atomic E5 Event and as an E4 Period that consists of multiple activities performed by multiple instances of E39 Actor.

New:

Typically this class is used to describe prehistoric or historic periods such as the "Neolithic Period", the "Ming Dynasty" or the "McCarthy Era", but also geopolitical units and activities of settlements are regarded as special cases of E4 Period. Geopolitical units may be distributed over disconnected areas, such as islands or colonies. In such cases, the spatiotemporal extent is composed of more than one spacetime volume. One may argue that the activities to govern disconnected areas imply travelling through spaces connecting them and that these areas hence are spatially connected in a way, but it appears counterintuitive to consider for instance travel routes in international waters as extensions of geopolitical units. Nevertheless, an instance of E4 Period must be contiguous in time. I.e., if it has ended in all areas, it has ended as a whole, but it may involve one area after another, such as the Polynesian migration, as long as it is ongoing at least in one area.

There are no assumptions about the scale of the associated phenomena. In particular all events are seen as synthetic processes consisting of coherent phenomena. Therefore E4 Period is a superclass of E5 Event. For example, a modern clinical E67 Birth can be seen as both an atomic E5 Event and as an E4 Period that consists of multiple activities performed by multiple instances of E39 Actor.

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the **ISSUE 234**, we made changes in the scope note of E4.

### **FROM**

This class comprises sets of coherent phenomena or cultural manifestations bounded in time and space.

It is the social or physical coherence of these phenomena that identify an E4 Period and not the associated spatiotemporal bounds. These bounds are a mere approximation of the actual process of growth, spread and retreat. Consequently, different periods can overlap and coexist in time and space, such as when a nomadic culture exists in the same area as a sedentary culture.

Typically this class is used to describe prehistoric or historic periods such as the "Neolithic Period", the "Ming Dynasty" or the "McCarthy Era", but also geopolitical units and activities of settlements are regarded as special cases of E4 Period. Geopolitical units may be distributed over disconnected areas, such as islands or colonies. In such cases, the spatiotemporal extent is composed of more than one spacetime volume. One may argue that the activities to govern disconnected areas imply travelling through spaces connecting them and that these areas hence are spatially connected in a way, but it appears counterintuitive to consider for instance travel routes in international waters as extensions of geopolitical units. Nevertheless, an instance of E4 Period must be contiguous in time. I.e., if it has ended in all areas, it has ended as a whole, but it may involve one area after another, such as the Polynesian migration, as long as it is ongoing at least in one area.

There are no assumptions about the scale of the associated phenomena. In particular all events are seen as synthetic processes consisting of coherent phenomena. Therefore E4 Period is a superclass of E5 Event. For example, a modern clinical E67 Birth can be seen as both an atomic E5 Event and as an E4 Period that consists of multiple activities performed by multiple instances of E39 Actor.

There are two different conceptualisations of 'artistic style', defined either by physical features or by historical context. For example, "Impressionism" can be viewed as a period lasting from approximately 1870 to 1905 during which paintings with particular characteristics were produced by a group of artists that included (among others) Monet, Renoir, Pissarro, Sisley and Degas. Alternatively, it can be regarded as a style applicable to all paintings sharing the characteristics of the works produced by the Impressionist painters, regardless of historical context. The first interpretation is an E4 Period, and the second defines morphological object types that fall under E55 Type.

Another specific case of an E4 Period is the set of activities and phenomena associated with a settlement, such as the populated period of Nineveh.

TO:

This class comprises sets of coherent phenomena or cultural manifestations bounded in time and space.

It is the social or physical coherence of these phenomena that identify an E4 Period and not the associated spatiotemporal bounds. These bounds are a mere approximation of the actual process of growth, spread and retreat. Consequently, different periods can overlap and coexist in time and space, such as when a nomadic culture exists in the same area as a sedentary culture.

As the actual extent of an E4 Period in spacetime we regard the trajectories of the participating physical things during their participation in an instance of E4 Period, the open spaces via which they have interacted and the spaces by which they had the potential to interact during that period or event in the way defined by the type of the respective period or event, such as the air in a meeting room transferring the voices. Since these phenomena are fuzzy, we assume the spatiotemporal extent to be contiguous, except for cases of phenomena spreading out over islands or other separated areas. In these cases, the trajectories necessary for participants to travel between these areas are not regarded as part of the spatiotemporal extent. Consequently, instances of E4 Period may occupy each a limited number of disjoint spacetime volumes, however there must not be a discontinuity in the total timespan covered by these spacetime volumes.

Typically this class is used to describe prehistoric or historic periods such as the "Neolithic Period", the "Ming Dynasty" or the "McCarthy Era", but also geopolitical units and activities of settlements are regarded as special cases of E4 Period. Geopolitical units may be distributed over disconnected areas, such as islands or colonies. In such cases, the spatiotemporal extent is composed of more than one spacetime volume. One may argue that the activities to govern disconnected areas imply travelling through spaces connecting them and that these areas hence are spatially connected in a way, but it appears counterintuitive to consider for instance travel routes in international waters as extensions of geopolitical units. Nevertheless, an instance of E4 Period must be contiguous in time. I.e., if it has ended in all areas, it has ended as a whole, but it may involve one area after another, such as the Polynesian migration, as long as it is ongoing at least in one area.

There are no assumptions about the scale of the associated phenomena. In particular all events are seen as synthetic processes consisting of coherent phenomena. Therefore E4 Period is a superclass of E5

Event. For example, a modern clinical E67 Birth can be seen as both an atomic E5 Event and as an E4 Period that consists of multiple activities performed by multiple instances of E39 Actor.

There are two different conceptualisations of 'artistic style', defined either by physical features or by historical context. For example, "Impressionism" can be viewed as a period lasting from approximately 1870 to 1905 during which paintings with particular characteristics were produced by a group of artists that included (among others) Monet, Renoir, Pissarro, Sisley and Degas. Alternatively, it can be regarded as a style applicable to all paintings sharing the characteristics of the works produced by the Impressionist painters, regardless of historical context. The first interpretation is an E4 Period, and the second defines morphological object types that fall under E55 Type.

Another specific case of an E4 Period is the set of activities and phenomena associated with a settlement, such as the populated period of Nineveh.

#### E39 Actor

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 195, we modified the first paragraph of the scope note of E39 Actor.

#### Old:

This class comprises people, either individually or in groups, who have the potential to perform intentional actions for which they can be held responsible.

#### New:

This class comprises people, either individually or in groups, who have the potential to perform intentional actions of kinds for which someone may be held responsible.

### E74 Group

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 195, we modified the first paragraph of the scope note of E74 Group.

### Old:

This class comprises any gatherings or organizations of two or more people that act collectively or in a similar way due to any form of unifying relationship. In the wider sense this class also comprises official positions which used to be regarded in certain contexts as one actor, independent of the current holder of the office, such as the president of a country. A joint pseudonym (i.e., a name that seems indicative of an individual but that is actually used as a persona by two or more people) is a particular case of E74 Group.

#### TO:

This class comprises any gatherings or organizations of E39 Actors that act collectively or in a similar way due to any form of unifying relationship. In the wider sense this class also comprises official positions which used to be regarded in certain contexts as one actor, independent of the current holder of the office, such as the president of a country. In such cases, it may happen that the Group never had more than one member. A joint pseudonym (i.e., a name that seems indicative of an individual but that is actually used as a persona by two or more people) is a particular case of E74 Group.

## P134 continued (was continued by)

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 195, we modified the scope note of P134 continued (was continued by).

#### Old:

This property allows two activities to be related where the domain is considered as an intentional continuation of

the range.

Used multiple times, this allows a chain of related activities to be created which follow each other in sequence.

#### New:

This property associates two instances of E7 Activity, where the domain is considered as an intentional continuation of the range. A continuation of an activity may happen when the continued activity is still ongoing or after the continued activity has completely ended. The continuing activity may have started already before it decided to continue the other one. Continuation implies a coherence of intentions and outcomes of the involved activities.

### P69 has association with (is associated with)

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 214, we added an example showing the continuation of activities. The example is the following

"The plan for reassembling the temples at Abu Simbel (E29) has association with the plan for storing and transporting the blocks (E29) has type 'follows' (E55)'."

### **E75 Conceptual Object Appellation**

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 233, we modified the scope note of E75 :

#### Old:

This class comprises all appellations specific to intellectual products or standardized patterns.

#### New:

This class comprises appellations that are by their form or syntax specific to identifying instances of E28 Conceptual Object, such as intellectual products, standardized patterns etc.

and we added the following example:

"DOI=10.1109/MIS.2007.103"

### P138 represents (has representation)

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 205, an example has been added. The following :

"The 3D model VAM\_A.200-1946\_trace\_1M.ply (E73) represents Victoria & Albert Museum's Madonna and child sculpture (visual work) A.200-1946 (E22) mode of representation 3D surface (E55)"

### P152 has parent (is parent of)

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the **ISSUE 199**, the scope note of P152 has been updated

### FROM:

Scope note: (

(It appears that there is a notion of events justifying parenthood relationships in a biological or legal sense. There is a notion of legal parenthood being equal to or equivalent to biological parenthood. The fact that the legal system may not acknowledge biological parenthood is not a contradiction to a more general concept comprising both biological and legal sense. In particular, such a notion should imply as

default children being heirs, if the society supports such concept.)

Superproperty of paths for was born – gave birth, was born, by father...

TO:

Scope note:

This property associates an instance of E21 Person with another instance of E21 Person who plays the role of the first instance's parent, regardless of whether the relationship is biological parenthood, assumed or pretended biological parenthood or an equivalent legal status of rights and obligations obtained by a social or legal act. This property is, among others, a shortcut of the fully developed paths from 'E21Person' through 'P98i was born', 'E67 Birth', 'P96 by mother' to 'E21 Person', and from 'E21Person' through 'P98i was born', 'E67 Birth', 'P97 from father' to 'E21 Person'.

### P165 incorporates (is incorporated in)

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the ISSUE 227, we introduce the property of incorporation

Domain: F22 Self-Contained Expression

Range: <u>E90</u> Symbolic Object

Subproperty of: <u>E90</u> Symbolic Object. <u>P106</u> is composed of (forms part of): <u>E90</u> Symbolic Object

Quantification: (0,n :0,n)

Scope note:

This property associates an instance of F22 Self-Contained Expression with an instance of E90 Symbolic Object (or any of its subclasses) that was included in it.

This property makes it possible to recognise the autonomous status of the incorporated signs, which were created in a distinct context, and can be incorporated in many distinct self-contained expressions, and to highlight the difference between structural and accidental whole-part relationships between conceptual entities.

It accounts for many cultural facts that are quite frequent and significant: the inclusion of a poem in an anthology, the re-use of an operatic aria in a new opera, the use of a reproduction of a painting for a book cover or a CD booklet, the integration of textual quotations, the presence of lyrics in a song that sets those lyrics to music, the presence of the text of a play in a movie based on that play, etc.

## **E91 Co-Reference Assignment**

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the **ISSUE 230**, we made the following changes in the scope note of E91 in order to clarify epistemological positions with respect URI use:

old

Scope note:

This class comprises actions of making the assertion whether two or more particular instances of E89 Propositional Object refer to the same instance of E1 CRM Entity. The assertion is based on the assumption that this was an implicit fact being made explicit by this assignment. Use of this class allows for the full description of the context of this assignment. (MD will write an extension about the levels of belief)

**New Scope note:** 

Scope note:

This class comprises actions of making the assertion whether two or more particular instances of E89 Propositional Object refer to the same instance of E1 CRM Entity. The assertion is based on the assumption that this was an implicit fact being made explicit by this assignment. Use of this class allows for the full description of the context of this assignment. The Actor making the assertion may have different kinds of confidence in the truth of the asserted fact of co-reference, because it may imply an interpretation of the (past) knowledge behind the propositional objects assumed to be co-referring. This kind of confidence can be described by using the property *P2 has type (is type of)*. In case different propositional attitudes should be expressed per asserted propositional object, the assertion has accordingly to be divided into one instance of E91 Co-Reference Assignment for each kind of confidence.

This class aims at the problem of interpreting within a particular passage of an historical text, to which real-world entity a particular name, pronoun or equivalent expression was intended to refer by the texts author. In other words, it expresses the uncertainty of the creator of the assertion about the meaning of the information provided by another person.

Each such interpretation can only be documented with respect to another reference – either found in another text by the same or a different author, and/or by referring to the world known to the creator of the co-reference assertion. To do the latter, the property P155 has co-reference target (is co-reference target of) allows for referring to an instance of CRM Entity of the creator's world. In a sense, the respective instance of E91 Co-Reference Assignment using the property P155 has co-reference target (is co-reference target of) in a knowledge base forms propositional object referring to the creator's target entity, since a knowledge base as a whole can be seen as a propositional object. Consequently, if in a Semantic Web implementation the target entity is instantiated by a URI, the meaning of this identifier must be unambiguous to the creator of the co-reference assignment. Similarly, a URI of another authority, such as an author catalogue of a library, can be interpreted as a referring proposition of this catalogue, and be referred to by the property P153 assigned co-reference to (was regarded to co-refer by) or P154 assigned non co-reference to (was regarded not to co-refer by): E89 Propositional Object in order to express that it does not immediately represent the creator's known world. In this case, the authority that knows the meaning of this URI must be unambiguous by the form of the URI itself.

In contrast, the meaning of the property 'owl:same\_as' of the OWL knowledge representation language cannot specify who's knowledge it represents and cannot express kind of confidence. Therefore it is not adequate to model the progress of scholarly co-reference research .

### **E93 Spacetime Snapshot**

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 234, we deleted the properties P162 and P163 and we made changes to the first paragraph of the scope notes:

Old:

This class comprises instances of E92 Spacetime Volume that result from intersections of instances of E92 Spacetime Volume, E53 Place or E52 Time-Span. The identity of an instance of this class is determined by the identities of its constituting items. Those are one or more of the following:

New:

This class comprises instances of E92 Spacetime Volume that result from intersections between instances of E92 Spacetime Volume, instances of E53 Place, or instances of E52 Time-Span. The identity of an instance of this class is determined by the identities of its constituting items. Those are one or more of the following:

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the **ISSUE 234**, we made the following changes in the scope note of E93

old

This class comprises instances of E92 Spacetime Volume that result from intersections between instances of E92 Spacetime Volume, instances of E53 Place, or instances of E52 Time-Span. The identity of an instance of this class is determined by the identities of its constituting items. Those are one or more of the following:

- 1) two or more instances of E92 Spacetime Volume
- 2) one or more instances of E92 Spacetime Volume AND one or more instances of E53 Place.
- 3) one or more instances of E92 Spacetime Volume AND one or more instances of E52 Time-Span
- 4) one or more instances of E53 Place AND one or more instances of E52 Time-Span

This class can be used to define temporal snapshots at a particular time-span, such as the extent of the Roman Empire at 33 B.C., or the extent occupied by a museum object at rest in an exhibit. It can also be used to define a spatial snapshot, such as cutting the E92 Spacetime Volume occupied by the Iron Age by the current spatial extent of Austria. It can also be used to define intersections of two or more real spatiotemporal components, such as the E92 Spacetime Volume occupied by the E4 Period of Impressionism with the E92 Spacetime Volume occupied by the life of Van Gogh, or the E92 Spacetime Volume occupied by Imperial China with that claimed by Imperial Vietnam.

In particular, it can be used to define partial spatial or temporal projections of spacetime volumes, such as the time-spans of foreign occupation of a country, or the spatial extent of a flood at some particular hour.

#### **Properties:**

P164 is restricted by: E52 Time Span

To:

#### Scope note:

This class comprises instances of E92 Spacetime Volume that result from intersections between instances of E92 Spacetime Volume, instances of E53 Place, or instances of E52 Time-Span. The identity of an instance of this class is determined by the identities of its constituting items. Those are one or more of the following:

This class can be used to define temporal snapshots at a particular time-span, such as the extent of the Roman Empire at 33 B.C., or the extent occupied by a museum object at rest in an exhibit. In particular, it can be used to define the spatial projection of a spacetime volume during a particular time-span, such as the maximal spatial extent of a flood at some particular hour, or all areas covered by the Poland within the 20th century AD

This class comprises instances of E92 Spacetime Volume that result from intersection of instances of E92 Spacetime Volume with an instance of E52 Time-Span. The identity of an instance of this class is determined by the identities of the constituting space time volume and the time-span.

This class can be used to define temporal snapshots at a particular time-span, such as the extent of the Roman Empire at 33 B.C., or the extent occupied by a museum object at rest in an exhibit. In particular, it can be used to define the spatial projection of a space time volume during a particular time-span, such as the maximal spatial extent of a flood at some particular hour, or all areas covered by the Poland within the 20th century AD

### **Properties:**

P164 is restricted by: E52 Time Span

## P157 is at rest relative to (occupied)

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the  $\bf ISSUE~234$ , we made changes in the name and examples have been added

**FROM** P157 is at rest relative to (occupied) **TO** P157 is at rest relative to (provides reference space for)

The following examples have been added Examples:

- The spatial extent of the municipality of Athens in 2014 (E53) is at rest relative to The Royal Observatory in Greenwich (E25)
- The place where Lord Nelson died on H.M.S. Victory (E53) is at rest relative to H.M.S. Victory (E22)

## P158 occupied

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 234, we modified the scope note of the properties P158.

This property associates an instance of E4 Period with the real (phenomenal) 4 dimensional point set (volume) in spacetime that it has occupied. The associated instance of E92 Spacetime Volume includes the trajectories of the participating physical things during their participation in the instance of E4 Period, the open spaces via which they have interacted and the spaces by which they had the potential to interact during that period or event in the way defined by the type of the respective period or event, such as the air in a meeting room transferring the voices. Another example are the areas controlled by some military power. In general, instances of E4 Period have fuzzy boundaries in spacetime.

#### New:

This property associates an instance of E4 Period with the real, that is, phenomenal, 4 dimensional point set or volume in spacetime that it has occupied. The associated instance of E92 Spacetime Volume includes the trajectories of the participating physical things during their participation in the instance of E4 Period. This consists of the open spaces via which they have interacted and the spaces by which they had the potential to interact during that period or event. Such interactions took place in the way defined by the type of the respective period or event, such as the air in a meeting room transferring the voices. Another example are the areas controlled by some military power. In general, instances of E4 Period have fuzzy boundaries in spacetime.

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the **ISSUE 234**, we made changes in cardinalities and scope note of P158

Cardinalities: FROM many to one, necessary (1,1:0,n) TO: many to one, necessary (1,n:0,n)

#### Scope note:

### FROM:

This property associates an instance of E4 Period with the real, that is, phenomenal, 4 dimensional point set or volume in spacetime that it has occupied. The associated instance of E92 Spacetime Volume includes the trajectories of the participating physical things during their participation in the instance of E4 Period. This consists of the open spaces via which they have interacted and the spaces by which they had the potential to interact during that period or event. Such interactions took place in the way defined by the type of the respective period or event, such as the air in a meeting room transferring the voices. Another example are the areas controlled by some military power. In general, instances of E4 Period have fuzzy boundaries in spacetime.

## TO:

This property associates an instance of E4 Period with the real that is phenomenal,, 4 dimensional point set or volume in spacetime that it has occupied. The associated instance of E92 Spacetime Volume includes the trajectories of the participating physical things during their participation in the instance of E4 Period. This consists of the open spaces via which they have interacted and the spaces by which they had the potential to interact during that period or event. Such interactions took place in the way defined by the type of the respective period or event, such as the air in a meeting room transferring the voices. Another example are the areas controlled by some military power. In case of phenomena spreading out over islands or other separated areas, the trajectories necessary for participants to travel between these areas

are not regarded as part of the occupied spacetime volumes. Such instances of E4 Period occupy each a limited number of contiguous spacetime volumes, however there must not be a discontinuity in the total timespan covered by these spacetime volumes. The real spacetime volumes occupied by an instance of E4 Period must not be confused with declarations of spacetime approximating the real extent. In general, instances of E4 Period have fuzzy boundaries in spacetime.

Therefore it cannot be verified, if two different instances of E4 Period occupy exactly the same spacetime volume. We therefore determine that a spacetime volume may only be occupied by one instance of E4 Period.

## P159 occupied

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 234, we modified the scope note of the properties P158.

Old:

This property describes the real (phenomenal) 4 dimensional point sets (volumes) in spacetime that the trajectory of an instance of E18 Physical Thing occupies in spacetime in the course of its existence. We include in the occupied space the space filled by the matter of the physical thing and all its inner spaces.

#### New:

This property describes the real, that is, phenomenal, 4 dimensional point sets or volumes in spacetime that the trajectory of an instance of E18 Physical Thing occupies in the course of its existence. We include in the occupied space the space filled by the matter of the physical thing and all its inner spaces.

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the ISSUE 234, we made changes in cardinalities and scope note of P159

Cardinalities: FROM many to one, necessary (1,1:0,n) TO many to one, necessary (1,n:0,n)

Scope note:

### FROM:

This property describes the real (phenomenal) 4 dimensional point sets (volumes) in spacetime that the trajectory of an instance of E18 Physical Thing occupies in spacetime in the course of its existence. We include in the occupied space the space filled by the matter of the physical thing and all its inner spaces.

TO:

This property describes the real that is phenomenal, 4 dimensional point sets or volumes in spacetime that the trajectory of an instance of E18 Physical Thing occupies in the course of its existence. We include in the occupied space the space filled by the matter of the physical thing and all its inner spaces.

Physical things consisting of aggregations of physically unconnected objects, such as a set of chessmen, occupy a number of individually contiguous spacetime volumes equal to the number of unconnected objects that constitute them.

### P161 has spatial projection

In 30th CIDOC SIG and the 23rd FRBR-CIDOC CRM Harmonization meeting, the crm-sig discussing the ISSUE 234, we modified the scope note of the properties P161

Old:

This property associates an instance of a E92 Spacetime Volume with an instance of E53 Place that is the result of the spatial projection of the instance of a E92 Spacetime Volume on a reference space. In general there can

be more than one useful reference space to describe the spatial projection of a spacetime volume, such as that of a battle ship versus that of the seafloor. Therefore the projection is not unique. The property P7 took place at is a shortcut of the more fully developed path from *E4 Period through P158 occupied*, *E92 Spacetime Volume P161 has spatial projection to E53 Place*.

#### New:

This property associates an instance of a E92 Spacetime Volume with an instance of E53Place that is the result of the spatial projection on a reference space. There can be more than one useful reference space to describe the spatial projection of a spacetime volume, such as that of a battle ship and that of the seafloor, so the projection is not unique.

The property P7 took place at is a shortcut of the more fully developed path from E4 Period through P158 *occupied*, E92 Spacetime Volume P161 *has spatial projection* to E53 Place.

### P9 consists of (forms part of)

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the ISSUE 235, we made changes in the P9

Old:

Domain: E4 Period

Range: E4 Period

Quantification: one to many, (0,n:0,1)

Scope note: This property describes the decomposition of an instance of E4 Period into discrete, subsidiary periods.

The sub-periods into which the period is decomposed form a logical whole - although the entire picture may not be completely known - and the sub-periods are constitutive of the general period.

## Examples:

■ Cretan Bronze Age (E4) *consists of* Middle Minoan (E4)

### New:

Domain: <u>E4</u> Period Range: <u>E4</u> Period

Subproperty of: E4 Period. P10i contains: E4 Period

Quantification: one to many, (0,n:0,1)

Scope note: This property associates an instance of E4 Period with another instance of E4 Period that falls within

the spacetime volumes occupied by the former and which is defined by phenomena that form part of or

are refinements of the phenomena that define the former.

### P89 falls within (contains)

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the  ${\bf ISSUE~238}$ , the scope note of  ${\bf P89}$  has been changed

OLD:.

Scope note: This property identifies the instances of E53 Places that fall within the area covered by another Place.

It addresses spatial containment only, and no 'whole-part' relationship between the two places is

implied.

New:

Scope note: This property identifies an instance of E53 Place that falls wholly within the extent of another E53

Place.

It addresses spatial containment only, and does not imply any relationship between things or

phenomena occupying these places.

#### **E31 Document**

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the ISSUE 246, we changed the second example.

Old:

• the photo of the Allied Leaders at Yalta published by UPI, 1945

New

• The image content of the photo of the Allied Leaders at Yalta published by UPI, 1945 (E38)

### **E73 Information Object**

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the issue 252 the following example has been added . to it.

### E70 Thing

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the issue 253, the crm-sig changed the scope note of E70 Thing

Old

This general class comprises usable discrete, identifiable, instances of E77 Persistent Item that are documented as single units.

They can be either intellectual products or physical things, and are characterized by relative stability. They may for instance either have a solid physical form, an electronic encoding, or they may be logical concept or structure.

New:

This general class comprises discrete, identifiable, instances of E77 Persistent Item that are documented as single units,

<sup>&</sup>quot;The Getty AAT as published as Linked Open Data, accessed 1/10/2014"

that either consist of matter or depend on being carried by matter and are characterized by relative stability.

They may be intellectual products or physical things. They may for instance have a solid physical form, an electronic encoding, or they may be a logical concept or structure.

## **Inverse Subproperties of P130**

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the issue 219, we revised the subproperty of P130

Old

Superproperty of: E33 Linguistic Object. P73 has translation (is translation of): E33 Linguistic Object

New:

Superproperty of: E33 Linguistic Object. P73 has translation (is translation of): E33 Linguistic Object

#### **E84 Information Carrier**

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the issue 259, the crm-sig revised the scope note of E84

#### Old:

This class comprises all instances of E22 Man-Made Object that are explicitly designed to act as persistent physical carriers for instances of E73 Information Object.

This allows a relationship to be asserted between an E19 Physical Object and its immaterial information contents. An E84 Information Carrier may or may not contain information, e.g., a diskette. Note that any E18 Physical Thing may carry information, such as an E34 Inscription. However, unless it was specifically designed for this purpose, it is not an Information Carrier. Therefore the property P128 carries (is carried by) applies to E18 Physical Thing in general.

#### New:

This class comprises all instances of E22 Man-Made Object that are explicitly designed to act as persistent physical carriers for instances of E73 Information Object.

An E84 Information Carrier may or may not contain information, e.g., a diskette. Note that any E18 Physical Thing may carry information, such as an E34 Inscription. However, unless it was specifically designed for this purpose, it is not an Information Carrier. Therefore the property P128 carries (is carried by) applies to E18 Physical Thing in general.

### P128 carries (is carried by)

In 31st joined meeting of the CIDOC CRM SIG, ISO/TC46/SC4/WG9 and the 24th FRBR - CIDOC CRM, resolving the issue 259, the crm-sig revised the scope note of P128 and the domain.

Domain: <u>E24</u> Physical Man-Made Thing

. . .

Scope note: This property identifies an E90 Symbolic Object carried by an instance of E24 Physical Man-Made

Thing.

In general this would be an E84 Information Carrier P65 shows visual item (is shown by) is a specialisation of P128 carries (is carried by) which should be used for carrying visual items.

Examples:

Matthew's paperback copy of Reach for the Sky (E84) carries the text of Reach for the Sky (E73)

New

Domain: <u>E18</u> Physical Thing

. . .

Scope note: This property identifies an E90 Symbolic Object carried by an instance of E18 Physical Thing.

# **Proofreading:**

Page 113: the code of the properties appeared in the shortcut description in the scop enote of 'P156 occupied' have been corrected

Page 72: It has been added the domain, range, subproperty and quantification part of P151.

Page 112: Editorial changes in the format in the description of P153, P154, P155

Page 80: The following reference has been added to the References section:

Doerr M., Hiebel G., Eide Ø, CRMgeo: Linking the CIDOC CRM to GeoSPARQL through a Spatiotemporal Refinement, TECHNICAL REPORT: ICS-FORTH/TR-435, April 2013

## **Amendments 6.1**

## **FOL** representation

In 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig decided the FOL representation of Entities and Properties as proposed by Carlo Meghini to be added to the official text of CIDOC - CRM after the examples.

### **E73 Information Object**

In 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig reviewing the ISSUE 252. to include name graphs changed the scope note of E73 from

Scope note:

This class comprises identifiable immaterial items, such as a poems, jokes, data sets, images, texts, multimedia objects, procedural prescriptions, computer program code, algorithm or mathematical formulae, that have an objectively recognizable structure and are documented as single units.

An E73 Information Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously.

Instances of E73 Information Object of a linguistic nature should be declared as instances of the E33 Linguistic Object subclass. Instances of E73 Information Object of a documentary nature should be declared as instances of the E31 Document subclass. Conceptual items such as types and classes are not instances of E73 Information Object, nor are ideas without a reproducible expression.

To

Scope note:

This class comprises identifiable immaterial items, such as a poems, jokes, data sets, images, texts, multimedia objects, procedural prescriptions, computer program code, algorithm or mathematical formulae, that have an objectively recognizable structure and are documented as single units. The encoding structure known as a "named graph" also falls under this class, so that each "named graph" is an instance of an E73 Information Object.

An E73 Information Object does not depend on a specific physical carrier, which can include human memory, and it can exist on one or more carriers simultaneously.

Instances of E73 Information Object of a linguistic nature should be declared as instances of the E33 Linguistic Object subclass. Instances of E73 Information Object of a documentary nature should be declared as instances of the E31 Document subclass. Conceptual items such as types and classes are not instances of E73 Information Object, nor are ideas without a reproducible expression.

### P150 defines typical parts of (defines typical wholes for)

In 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig reviewing the ISSUE 242.

corrected the example of this property

from

Car motors (E55) has broader term cars (E55)

To

Car motors (E55) defines typical parts of cars (E55)

#### **E59 Primitive Value**

In 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig reviewing the ISSUE 254, changed the scope not of E59 Primitive Value

#### **FROM**

Scope Note:

This class comprises primitive values used as documentation elements, which are not further elaborated upon within the model.

As such they are not considered as elements within our universe of discourse. No specific implementation recommendations are made. It is recommended that the primitive value system from the implementation platform be used to substitute for this class and its subclasses.

#### TO:

Scope Note: This class comprises values of primitive data types of programming languages or database management systems and data types composed of such values used as documentation elements, as well as their mathematical abstractions.

They are not considered as elements of the universe of discourse this model aims at defining and analysing. Rather, they play the role of a symbolic interface between the scope of this model and the world of mathematical and computational manipulations and the symbolic objects they define and handle.

In particular they comprise lexical forms encoded as "strings" or series of characters and symbols based on encoding schemes (characterised by being a limited subset of the respective mathematical abstractions) such as UNICODE and values of datatypes that can be encoded in a lexical form, including quantitative specifications of time-spans and geometry. They have in common that instances of E59 Primitive Value define themselves by virtue of their encoded value, regardless the nature of their mathematical abstractions.

Therefore they must not be represented in an implementation by a universal identifier associated with a content model of different identity. In a concrete application, it is recommended that the primitive value system from a chosen implementation platform and/or data definition language be used to substitute for this class and its subclasses.

#### **E91 Co-Reference Assignment**

In 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig reviewing the ISSUE 230, the sig decided to withdraw the Entity E91 from the version 6.1 of CIDOC-CRM as well as its properties

P153 assigned co-reference to (was regarded to co-refer by)

P154 assigned non co-reference to (was regarded not to co-refer by)

P155 has co-reference target (is co-reference target of)

### P158 occupied, P159 occupied

In 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig reviewing the ISSUE 230, the sig decided to withdraw the properties P158, P159 from the version 6.1 of CIDOC-CRM. This was an outcome of the ISSUE 234

#### P152 has parent

In 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig reviewing the ISSUE 199 added the following examples  $\,$ .

- Gaius Octavius (E29) has parent Julius Caesar (E29)
- Steve Jobs (E29) *has parent* Joanne Simpson (biological mother)(E29)
- Steve Jobs (E29) has parent Clara Jobs (adoption mother) (E29)

### P165 incorporates (is incorporated in)

In the 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig reviewing the scope note of P165 and we added the following examples.

#### **FROM**

This property associates an instance of E73 Information Object with an instance of E90 Symbolic Object (or any of its subclasses) that was included in it.

This property makes it possible to recognise the autonomous status of the incorporated signs, which were created in a distinct context, and can be incorporated in many distinct self-contained expressions, and to highlight the difference between structural and accidental whole-part relationships between conceptual entities. It accounts for many cultural facts that are quite frequent and significant: the inclusion of a poem in an anthology, the re-use of an operatic aria in a new opera, the use of a reproduction of a painting for a book cover or a CD booklet, the integration of textual quotations, the presence of lyrics in a song that sets those lyrics to music, the presence of the text of a play in a movie based on that play, etc.

TO

This property associates an instance of E73 Information Object with an instance of E90 Symbolic Object (or any of its subclasses) that was included in it.

This property makes it possible to recognise the autonomous status of the incorporated signs, which were created in a distinct context, and can be incorporated in many distinct self-contained expressions, and to highlight the difference between structural and accidental whole-part relationships between conceptual entities. It accounts for many cultural facts that are quite frequent and significant: the inclusion of a poem in an anthology, the re-use of an operatic aria in a new opera, the use of a reproduction of a painting for a book cover

or a CD booklet, the integration of textual quotations, the presence of lyrics in a song that sets those lyrics to music, the presence of the text of a play in a movie based on that play, etc.

In particular, this property allows for modelling relationships of different levels of symbolic specificity, such as the natural language words making up a particular text, the characters making up the words and punctuation, the choice of fonts and page layout for the characters.

A digital photograph of a manuscript page incorporates the text of the manuscript page.

### Examples

The content of Charles-Moïse Briquet's 'Les Filigranes: dictionnaire historique des marques du papier' (E32) *P165 incorporates* the visual aspect of the watermark used around 1358-61 by some Spanish papermaker(s) and identified as 'Briquet 4019' (E37)

The visual content of Jacopo Amigoni's painting known as 'The Singer Farinelli and friends' (E38) *P165 incorporates* the musical notation of Farinelli's musical work entitled 'La Partenza' (E73)

The visual content of Nicolas Poussin's painting entitled 'Les Bergers d'Arcadie' (E38) *P165 incorporates* the Latin phrase 'Et in Arcadia ego' (E33)

### P72 has language (is language of)

In the 32nd CIDOC SIG and the 25th FRBR-CIDOC CRM Harmonization meeting, the crm-sig resolving the issue 258, the quantification changed

From:

Quantification: many to many, necessary (0,n:0,n)

To:

Quantification: many to many, necessary (1,n:0,n)